

This Way

ConTEXt magazine #1104 LMTX
July 2019


New interfacing in METAFUN, a preview
Hans Hagen & Alan Braslau

As we move to `CONTEX` `LMTX`, some decisions need to be made. For instance, how shall we introduce new functionality while not affecting the `MkIV` code base too much with engine related tests, messy and performance sapping. Of course we remain downward compatible but the `LUA META TEX` engine sometimes permits multiple solutions. As this is something new, for a while we can use experimental features that may change or later disappear depending on experience. It is not a big deal to adapt to these new possibilities and users shouldn't notice, unless of course they currently employ (yet undocumented) low-level features. Part of the solution is to have separate files for `MkIV` and `LMTX`, although that will mostly concern low level support modules; even then differences will be subtle and should not affect users. I must admit that some of those changes are mostly aesthetic and often don't improve performance, although better performance sometimes may be the case, in particular concerning 'extreme' usage.

But, that said, there are areas where `LMTX` will offer entirely new functionality. One of the areas where we are making interesting developments is in `METAFUN`, which means `METAPost`. Now, it is not to be said that some of the core functionality needed for this will migrate from `LUA META TEX` (used by `LMTX`) to `LUA TEX` (used by `MkIV`). But, because (due to external pressure), the later engine is now considered stable and its functionality frozen, it is not likely to be quickly backported or at least only will happen when this has been thoroughly tested in `CONTEX`/`LMTX`.

Over the years there have been (small) improvements in the interface but while Alan Braslau and I experiment with new graphic abilities, we also are coming up with (graphic) interfaces that suit `CONTEX` much better. Below, I will show some examples.¹

```
\startMPcode{doublefun}
  draw lmt_grid [
    nx = 20, ny = 10,
    dx = 5, dy = 2,
    tx = 10, ty = 10,
  ] ysize 5cm withpen pencircle scaled 1mm withcolor "red" ;
\stopMPcode
```





¹ These optional argument handlers themselves are *not* part of `METAPost` but implemented in `CONTEX` using some experimental parsing related extensions to a version of `MPLIB` used in `LUA META TEX`.

What we see here is an key/value driven interface that has been one of the unique core properties of `CONTEX` since it was created.² Of course parameters can be optional as demonstrated in:

```
\startMPcode{doublefun}
  draw lmt_grid [
    nx = 10, ny = 10,
    dx = 1, dy = 1
  ] ysize 3cm
    withpen pencircle scaled 1mm
    withcolor "darkblue" ;

  draw lmt_grid [
    nx = 10, ny = 10
  ] ysize 3cm shifted (4cm,0)
    withpen pencircle scaled .3mm
    withcolor "darkgreen" ;
\stopMPcode
```



This syntax means that we can also use the already used interface documentation system.

We can actually go quite far in what we provide. It's not so much that these things were not possible before, but the more concise user interface is something new indeed. Let's start with drawing some simple axis:

```
\startMPcode{doublefun}
  draw lmt_axis [
    nx = 20, ny = 10,
    dx = 5, dy = 2,
  ] ysize 4cm
    withpen pencircle scaled 1mm
    withcolor "darkcyan" ;
\stopMPcode
```

² Note the use of the color string "red" rather than the `METAPOST` color variable `red := (1,0,0)`. This is a small detail but here imports the color definition from `CONTEX`, which might be a bit special.




This 'article' is not meant as tutorial but more as a teaser about what is possible and hopefully it triggers users in coming up with useful demands. As the previous axis example is not that interesting we move on to a more complex one:

```
\startMPcode{doublefun}
  draw lmt_axis [
    sx = 5mm, sy = 5mm,
    nx = 20,  ny = 10,
    dx = 5,   dy = 2,
    tx = 10,  ty = 10,
  ] withpen pencircle scaled 1mm withcolor "darkblue" ;

  draw lmt_connected (
    for i = 1 step 2 until 20 :
      -- (i, 1 randomized 8) * 5mm
    endfor
  )
  withpen pencircle scaled 2mm withcolor "darkyellow" ;

  draw lmt_connected (
    for i = 1 step 2 until 20 :
      lmt_connection (i, 1 randomized 8) * 5mm
    endfor
  )
  withpen pencircle scaled 2mm withcolor "darkgreen" ;
\stopMPcode
```



These examples are made as part of exploring how to best interface with `METAPOST`, to be used by the upcoming `luagraph` module, a flexible and high performance set of macros aimed at drawing graphs and to visualize data. On the one hand, we want to free the user from dealing with details such as scales to get the graphics right, but on the other hand it should be possible to fine-tune when needed.

Again we draw an axis. Using strings as color names, mentioned in the footnote earlier, is not new, but already present for a while. It will use the colors defined at the `TEX` end and is more convenient and natural than using the older `\MPcolor`. The `lmt_connected` macro is sort of a gimmick: if you look closely you will see that it has to start with a point (coordinate) but that one is discarded silently. Again this is something we need to deal with.

The next variant uses a list of samples. Watch the use of braces, this is something normally not part of `METAPOST` syntax, and it signals a `LUA`-like list. This is a choice of interfacing. There are subtle and somewhat complicated aspects involved here as `METAPOST` parsing involves primaries, secondaries, tertiaries and expressions, symbols, strings, tags and other specialities.

```
\startMPcode{doublefun}
  draw lmt_axis [
    sx      = 5mm, sy      = 5mm,
    nx      = 20,  ny      = 10,
    dx      = 5,   dy      = 2,
    tx      = 5,   ty      = 2,
    startx  = 1,   starty  = 0,


    connect = true,
    samples = {
      {
        4, 2, 4, 9, 3, 0, 8, 9, 10, 1,

```

```

        5, 3, 0, 8, 5, 6, 10, 2, 3, 5
    }
},
axiscolor    = "darkgreen",
textcolor    = "darkred",
samplecolors = {
    "darkblue"
},
] withpen pencircle scaled 1mm ;
\stopMPcode

```



We can have multiple sample lists. But of course dealing with that is really up to the underlying code, which itself is not that much related to METAPOST but has been delegated to LUA.

```

\definecolor[tdarkred] [r=.6,a=1,t=.5]
\definecolor[tdarkgreen] [g=.6,a=1,t=.5]
\definecolor[tdarkblue] [b=.6,a=1,t=.5]


\startMPcode{doublefun}
  save u ; let u = uniformdeviate ;
  draw lmt_axis [
    sx = 5mm, sy = 5mm,
    nx = 20, ny = 10,
    dx = 5, dy = 2,
    tx = 10, ty = 2,
    samples = {
      {
        u10, u10, u10, u10, u10,
        u10, u10, u10, u10, u10,
      }
    }
  ]
\stopMPcode

```

```

        u10, u10, u10, u10, u10,
        u10, u10, u10, u10, u10
    },
    {
        u10, u10, u10, u10, u10,
        u10, u10, u10, u10, u10,
        u10, u10, u10, u10, u10,
        u10, u10, u10, u10, u10
    },
    {
        u10, u10, u10, u10, u10,
        u10, u10, u10, u10, u10,
        u10, u10, u10, u10, u10,
        u10, u10, u10, u10, u10
    }
},
startx      = 1,
starty      = 0,
connect     = true,
axiscolor   = "darkgray",
textcolor   = "darkyellow",
samplecolors = {
    "tdarkred",
    "tdarkgreen",
    "tdarkblue"
},
] withpen pencircle scaled 1mm ;
\stopMPcode

```




Yet another interesting variant might be this:

```
\startluacode
  documentdata["lmx-sample-1"] = {
    {
      4, 2, 4, 9, 3, 0, 8, 9, 10, 1,
      5, 3, 0, 8, 5, 6, 10, 2, 3, 5
    }
  }
\stopluacode

\startMPcode{doublefun}
  draw lmt_axis [
    sx      = 5mm, sy      = 5mm,
    nx      = 20,  ny      = 10,
    dx      = 5,   dy      = 2,
    tx      = 5,   ty      = 2,
    startx  = 1,  starty  = 0,

    samples = "lmx-sample-1",
    axiscolor = "darkgreen",
    textcolor = "darkred",
    samplecolors = { "darkblue" },
  ] withpen pencircle scaled 1mm ;
\stopMPcode
```



Adding more tricks is not that complex, take, for example:

```
\startMPcode{doublefun}
```



```


draw lmt_axis [
  sx = 5mm, sy = 5mm,
  nx = 20,  ny = 10,
  dx = 5,  dy = 2,
  tx = 10,  ty = 10,

  list = {
    [
      connect = true,
      color   = "darkred",
      close   = true,
      points  = { (1, 1), (15, 8), (2, 10) },
      texts   = { "segment 1", "segment 2", "segment 3" }
    ],
    [
      connect = true,
      color   = "darkgreen",
      points  = { (2, 2), (4, 1), (10, 3), (16, 8), (19, 2) },
      labels  = { "a", "b", "c", "d", "e" }
    ],
    [
      connect = true,
      color   = "darkblue",
      close   = true,
      points  = { (5, 3), (8, 8), (16, 1) },
      labels  = { "1", "2", "3" }
    ]
  },

] withpen pencircle scaled 1mm ;
\stopMPcode

yielding

```



but this is experimentation, work in progress, not to be taken as settled.

A variant on this one is the following:

```
\startMPcode{doublefun}
draw lmt_function [

  xmin = 0, xmax = 10, xstep = .05,
  ymin = -2, ymax = 2,

  xticks = "bottom", xsmall = 80, xlarge = 20,
  yticks = "left", ysmall = 40, ylarge = 4,

  code = "1.5 * math.cosd(240 * math.sqrt(x))",


  xlabel = "yes",
  ylabel = "yes",

  ycaption = "\strut\tfd \rotate[rotation=90]{vertical}",
  xcaption = "\strut\tfd horizontal",

  pointsymbol = "dot", pointsize = 4, pointcolor = "orange",

  sx = 2mm, sy = 4mm, linewidth = .025mm, offset = .1mm,
]
  xsize 8cm
;
\stopMPcode
```

A valid question is if this should be combined with the previous but having distinctive variants is less likely to complicate the settings, as these can depend on the application:



A more complex usage (still under exploration) is demonstrated next:

```

\definecolor[MyColorR] [r=.5,t=.5,a=1]
\definecolor[MyColorG] [g=.5,t=.5,a=1]
\definecolor[MyColorB] [b=.5,t=.5,a=1]
\definecolor[MyColorY] [r=.5,g=.5,t=.5,a=1]

\startMPcode{doublefun}
draw lmt_function [
  sx = 1mm, sy = 4mm, linewidth = .025mm, offset = .1mm,

  xmin = 0, xmax = 20, xstep = .1,
  ymin = -2, ymax = 2,

  xticks = "bottom", xsmall = 80, xlarge = 20, xlabel = "nolimits",
  yticks = "left", ysmall = 40, ylarge = 4, ylabel = "yes",

  code = "1.5 * math.sind (50 * x - 150)",

  frame = "sticks", % "ticks"

  functions = {
    [
      xmin = 1.0,
      xmax = 7.0,
      close = true,
      fillcolor = "MyColorR"
    ],
    [
      xmin = 7.0,
      xmax = 12.0,
      close = true,
      fillcolor = "MyColorG"
    ],
  },


```

```

    [
      xmin      = 12.0,
      xmax      = 19.0,
      close     = true,
      fillcolor  = "MyColorB"
    ],
    [
      drawcolor = "darkyellow",
      drawsize  = 2,
    ],
    [
      xmin      = 4,
      xmax      = 17,
      xstep     = .25,
      drawcolor = "darkmagenta",
      shape     = "steps",
      code      = "0.5 * math.random(-2,2)",
    ],
    [
      xmin      = 5.0,
      xmax      = 15.0,
      close     = true,
      fillcolor  = "MyColorY"
      code      = "1.75 * math.cosd (50 * x - 150)",
    ]
  },
  ycaption = "\rotate[rotation=90]{\tfd\strut a mix of drawings}",
  xcaption = "\framed[foregroundstyle=\tfd]{a mixture of $\sin(x)$,
    \cos(x), \sqrt{x}$ etc.}",
]
xsize 8cm
;
\stopMPcode

```

Of course calling the same command multiple times with different code snippets will also work.



The previous examples used new code but how about improving existing features? Let's look at outlines.

```
\startMPcode{doublefun}
  save h; h = 12mm ;

  draw lmt_outline [
    text      = "hello"
    kind      = "draw",
    drawcolor = "darkblue",
  ] ysize h ;

  draw lmt_outline [
    text      = "hello",
    kind      = "fill",
    fillcolor  = "darkred",
  ] ysize h shifted (3.75h,0) ;

  draw lmt_outline [
    test      = "hello",
    kind      = "both",
    fillcolor  = "darkred",
  ] ysize h shifted (7.5h,0mm) ;

  draw lmt_outline [
    text      = "hello",
    kind      = "both",
    fillcolor  = "darkred",
    drawcolor  = "darkblue",
    rulethickness = 1/5,
  ] ysize h shifted (0,-1.25h) ;

  draw lmt_outline [
```

```

        text      = "hello",
        kind      = "reverse",
        fillcolor = "darkred",
        drawcolor = "darkblue",
        rulethickness = 1/2,
    ] ysize h shifted (3.75h,-1.25h) ;

    draw lmt_outline [
        text      = "hello",
        kind      = "fillup",
        fillcolor = "darkgreen",
        rulethickness = 0,
    ] ysize h shifted (7.5h,-1.25h) ;
\stopMPcode

```

hello hello
hello hello hello

This interface is much nicer than the one where each variant (the parameter `kind` above) had its own macro due to the need to group properties of the outline and fill. Let's show some more:

```

\startMPcode{doublefun}
    draw lmt_outline [
        text      = "\obeydiscretionaries\samplefile{tufte}",
        align     = "normal",
        kind      = "draw",
        drawcolor = "darkblue",
    ] xsize TextWidth ;
\stopMPcode

```

We thrive in information-thick worlds because of our marvelous and everyday capacity to select, edit, single out, structure, highlight, group, pair, merge, harmonize, synthesize, focus, organize, condense, reduce, boil down, choose, categorize, catalog, classify, list, abstract, scan, look into, idealize, isolate, discriminate, distinguish, screen, pigeonhole, pick over, sort, integrate, blend, inspect, filter, lump, skip, smooth, chunk, average, approximate, cluster, aggregate, outline, summarize, itemize, review, dip into, flip through, browse, glance into, leaf through, skim, refine, enumerate, glean, synopsisize, winnow the wheat from the chaff and separate the sheep from the goats.

```

\startMPcode{doublefun}
    draw lmt_outline [
        text      = "\obeydiscretionaries\samplefile{ward}",
        align     = "normal,tolerant",
        width     = 10cm,
    ]

```

```

    kind      = "draw",
    drawcolor = "darkblue",
] x sized TextWidth ;
\stopMPcode

```

The Earth, as a habitat for animal life, is in old age and has a fatal illness. Several, in fact. It would be happening whether humans had ever evolved or not. But our presence is like the effect of an old-age patient who smokes many packs of cigarettes per day—and we humans are the cigarettes.

```

\startMPcode{doublefun}
  draw lmt_outline [
    text      = "\obeydiscretionaries\samplefile{sapolsky}",
    align     = "normal,tolerant",
    style     = "bold",
    width     = 10cm,
    kind      = "draw",
    rulethickness = 1/5,
    drawcolor = "darkred",
] x sized TextWidth ;
\stopMPcode

```

Agriculture is a fairly recent human invention, and in many ways it was one of the great stupid moves of all time. Hunter-gatherers have thousands of wild sources of food to subsist on. Agriculture changed that all, generating an overwhelming reliance on a few dozen domesticated food sources, making you extremely vulnerable to the next famine, the next locust infestation, the next potato blight. Agriculture allowed for stockpiling of surplus resources and thus, inevitably, the unequal stockpiling of them — stratification of society and the invention of classes. Thus, it allowed for the invention of poverty. I think that the punch line of the primate-human difference is that when humans invented poverty, they came up with a way of subjugating the low-ranking like nothing ever seen before in the primate world.


Another METAFUN text related mechanism deals with following a specific path. That interface has evolved over time, also due to more advanced possibilities in MkIV. But, it's again time for a upgrade, for example:

```
\startMPcode{doublefun}
  draw lmt_followtext [
    text      = "How well does it work {\bf 1}! ",
    path      = (fullcircle scaled 4cm),
    trace     = true,
    spread    = true,
  ] ysize 5cm ;

  draw lmt_followtext [
    text      = "How well does it work {\bf 2}! ",
    path      = fullcircle scaled 4cm,
    trace     = true,
    spread    = false,
    reverse   = true,
  ] ysize 5cm shifted (0,-6cm) ;

  draw lmt_followtext [
    text      = "How well does it work {\bf 3}! ",
    trace     = true,
    autoscaleup = "yes"
  ] ysize 5cm shifted (6cm,0) ;

  draw lmt_followtext [
    text      = "How well does it work {\bf 4}! ",
    path      = fullcircle scaled 2cm,
    trace     = true,
    autoscaleup = "max"
  ] ysize 5cm shifted (6cm,-6cm) ;
\stopMPcode
```

Although METAPOST can draw arrows a bit more code is involved than one would have expected. As a consequence, influencing the way an arrowhead is drawn as currently using variables is somewhat cumbersome. Here is an alternative:

```
\startMPcode{doublefun}
  draw lmt_arrow [
    path = fullcircle
      scaled 3cm
      shifted (0,0cm),
  ] withcolor "darkred" ;

  draw lmt_arrow [
    location = "both"
    path      = fullcircle
      scaled 3cm
      rotated 90
      shifted (0,-3.5cm),
  ] withcolor "darkgreen" ;


  draw lmt_arrow [
    kind       = "draw",
    location   = "middle",
    alternative = "curved",
```

```

        path      = fullcircle
        scaled 3cm
        shifted (3.5cm,0cm),
    ] withcolor "darkblue" ;

    for i = 0 step 5 until 100 :
        draw lmt_arrow [
            alternative = "dimpled",
            location    = "percentage",
            percentage  = i,
            dimple      = (1/5 + i/200),
            headonly    = (i = 0),
            path        = fullcircle
                scaled 3cm
                shifted (3.5cm,-3.5cm),
        ] withcolor "darkyellow" ;
    endfor ;
\stopMPcode

```



These new interfaces for outlines, following text and arrows certainly will make it in some form to be permanent METAFUN extensions. Some will also be used in macros at the \TeX end, for instance, when you load the dummy library:

```
\useMPLibrary[dum]
```


You can do this:

```

\startcombination
  {\externalfigure[crap-001]} {one}
  {\externalfigure[crap-004][alternative=triangle]} {two}
\stopcombination

```

and get:



one

two

This placeholder now also can be accessed directly:

```
\useMPmacro
[minifun]
[placeholder]
[width=10cm,
height=3cm,
reduction=.2,
alternative=triangle,
color=orange]
```



The `\useMPmacro` is an entirely new interface to META FUN code. Although it is still experimental, we show an example. Of course, as needed, you can throw in some LUA magic.

```
\startMPcalculation
  presetparameters "demo" [
    n = 5,
    s = 1cm,
  ] ;

  def lmt_demo = applyparameters "demo" "lmt_do_demo" enddef ;

  vardef lmt_do_demo =
    for i=1 upto getparameter "demo" "n" :
      draw fullcircle scaled (i*getparameter "demo" "s");
    endfor ;
  enddef ;
\stopMPcalculation
```


The calculation wrapper makes this code be processed immediately, which is needed because we don't use a module.

At the \TeX end we do this:

```
\defineMPparameterset [demo] [n=integer,s=dimension]
```

We can now let the macro do its work:

```
\startcombination [nx=4,location=middle]
  {\useMPmacro [demo] [n=8,s=2mm]}      {Demo 1}
  {\useMPmacro [demo] [n=4,s=4mm]}      {Demo 2}
  {\useMPmacro [demo] [n=4,s=5\exheight]} {Demo 3}
  {\useMPmacro [demo]}                  {Demo 4}
\stopcombination
```



Demo 1

Demo 2

Demo 3

Demo 4

You can also set the parameters separately. There is one catch: there is no grouping so in this case you need to reset the parameters afterwards.

```
\presetMPparameters [demo] [n=8] \useMPmacro [demo] \blank
\presetMPparameters [demo] [n=4] \useMPmacro [demo] \blank
\resetMPparameters [demo] \useMPmacro [demo] \blank
```

These examples demonstrate that we can make METAFUN a bit friendlier for users who are not that fluent with the language. It remains to be seen to what extent additional modules will be written, but the possibilities are there.

source code of this document

```

% author      : Hans Hagen
% copyright   : PRAGMA ADE & ConTeXt Development Team
% license     : Creative Commons Attribution ShareAlike 4.0 International
% reference   : pragma-ade.nl | contextgarden.net | texlive (related) distributions
% origin      : the ConTeXt distribution
%
% comment     : Because this manual is distributed with TeX distributions it comes with a rather
%               liberal license. We try to adapt these documents to upgrades in the (sub)systems
%               that they describe. Using parts of the content otherwise can therefore conflict
%               with existing functionality and we cannot be held responsible for that. Many of
%               the manuals contain characteristic graphics and personal notes or examples that
%               make no sense when used out-of-context.

\usemodule[magazine-basic,abr-02]

\usemodule[scite]

\startbuffer[abstract]
  As part of the \CONTEXT \LMTX project, we experiment with new ways to
  interface subsystems and \METAPOST makes a good candidate. Here I wrap up some
  experiments. It's not a manual or a recipe, just food for thought. All you see
  here might change and/or evolve.
\stopbuffer

\setuplayout
  [backspace=20mm,
  topspace=10mm]

\startdocument
  [title={New interfacing in \METAFUN, a preview},
  author={Hans Hagen & Alan Braslau},
  %affiliation=PRAGMA ADE,
  date=July 2019,
  number=1104 LMTX]

```

As we move to `\CONTEXT \LMTX`, some decisions need to be made. For instance, how shall we introduce new functionality while not affecting the `\MKIV` code base too much with engine related tests, messy and performance sapping. Of course we remain downward compatible but the `\LUAMETATEX` engine sometimes permits multiple solutions. As this is something new, for a while we can use experimental features that may change or later disappear depending on experience. It is not a big deal to adapt to these new possibilities and users shouldn't notice, unless of course they currently employ (yet undocumented) low-level features. Part of the solution is to have separate files for `\MKIV` and `\LMTX`, although that will mostly concern low level support modules; even then differences will be subtle and should not affect users. I must admit that some of those changes are mostly aesthetic and often don't improve performance, although better performance sometimes may be the case, in particular concerning `\quote {extreme}` usage.

But, that said, there are areas where `\LMTX` will offer entirely new functionality. One of the areas where we are making interesting developments is in `\METAFUN`, which means `\METAPOST`. Now, it is not to be said that some of the core functionality needed for this will migrate from `\LUAMETATEX` (used by `\LMTX`) to `\LUATEX` (used by `\MKIV`). But, because (due to external pressure), the later engine is now considered stable and its functionality frozen, it is not likely to be quickly backported or at least only will happen when this has been thoroughly tested in `\CONTEXT`/`\LMTX`.

Over the years there have been (small) improvements in the interface but while Alan Braslau and I experiment with new graphic abilities, we also are coming up

with (graphic) interfaces that suit `\CONTEXT` much better. Below, I will show some examples. `\footnote` {These optional argument handlers themselves are `\emphasize` {not} part of `\METAPOST` but implemented in `\CONTEXT` using some experimental parsing related extensions to a version of `\MPLIB` used in `\LUAMETATEX`.}

```
\startbuffer
\startMPcode{doublefun}
  draw lmt_grid [
    nx = 20, ny = 10,
    dx = 5, dy = 2,
    tx = 10, ty = 10,
  ] ysize 5cm withpen pencircle scaled 1mm withcolor "red" ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoplinecorrection
```

What we see here is an key//value driven interface that has been one of the unique core properties of `\CONTEXT` since it was created. `\footnote` {Note the use of the color string `\type` {"red"} rather than the `\METAPOST` color variable `\type` {red := (1,0,0)}. This is a small detail but here imports the color definition from `\CONTEXT`, which might be a bit special.} Of course parameters can be optional as demonstrated in:

```
\startbuffer
\startMPcode{doublefun}
  draw lmt_grid [
    nx = 10, ny = 10,
    dx = 1, dy = 1
  ] ysize 3cm
    withpen pencircle scaled 1mm
    withcolor "darkblue" ;

  draw lmt_grid [
    nx = 10, ny = 10
  ] ysize 3cm shifted (4cm,0)
    withpen pencircle scaled .3mm
    withcolor "darkgreen" ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoplinecorrection
```

This syntax means that we can also use the already used interface documentation system.

We can actually go quite far in what we provide. It's not so much that these things were not possible before, but the more concise user interface is something new indeed. Let's start with drawing some simple axis:

```
\startbuffer
\startMPcode{doublefun}
```

source code of this document

```

draw lmt_axis [
  nx = 20, ny = 10,
  dx = 5, dy = 2,
] ysize 4cm
  withpen pencircle scaled 1mm
  withcolor "darkcyan" ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoplinecorrection

```

This `\quote {article}` is not meant as tutorial but more as a teaser about what is possible and hopefully it triggers users in coming up with useful demands. As the previous axis example is not that interesting we move on to a more complex one:

```

\startbuffer
\startMPcode{doublefun}
  draw lmt_axis [
    sx = 5mm, sy = 5mm,
    nx = 20, ny = 10,
    dx = 5, dy = 2,
    tx = 10, ty = 10,
  ] withpen pencircle scaled 1mm withcolor "darkblue" ;

  draw lmt_connected (
    for i = 1 step 2 until 20 :
      -- (i, 1 randomized 8) * 5mm
    endfor
  )
  withpen pencircle scaled 2mm withcolor "darkyellow" ;

  draw lmt_connected (
    for i = 1 step 2 until 20 :
      lmt_connection (i, 1 randomized 8) * 5mm
    endfor
  )
  withpen pencircle scaled 2mm withcolor "darkgreen" ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoplinecorrection

```

These examples are made as part of exploring how to best interface with `\METAPOST`, to be used by the upcoming `luagraph` module, a flexible and high performance set of macros aimed at drawing graphs and to visualize data. On the one hand, we want to free the user from dealing with details such as scales to get the graphics right, but on the other hand it should be possible to `fine|`-tune when needed.

Again we draw an axis. Using strings as color names, mentioned in the footnote earlier, is not new, but already present for a while. It will use the colors defined at the `\TEX` end and is more convenient and natural than using the older `\type {\MPcolor}`. The `\type {lmt_connected}` macro is sort of a gimmick: if you

look closely you will see that it has to start with a point (coordinate) but that one is discarded silently. Again this is something we need to deal with.

```
% This is obscure, and silly. I'm sure that we can do better. Sure, but so is the
% HIDE related alternative ttrickery. We probably need something getparameterpath.
```

The next variant uses a list of samples. Watch the use of braces, this is something normally not part of `\METAPOST` syntax, and it signals a `\LUA`-like list. This is a choice of interfacing. There are subtle and somewhat complicated aspects involved here as `\METAPOST` parsing involves primaries, secondaries, tertiaries and expressions, symbols, strings, tags and other specialities.

```
% Why does samples = {} require a second pair of brackets? Wouldn't a
% comma-separated list be enough in Lua? Because it's \METAPOST\ which has its own
% ideas about where expressions start and end.
```

```
\startbuffer
\startMPcode{doublefun}
  draw lmt_axis [
    sx   = 5mm, sy   = 5mm,
    nx   = 20,  ny   = 10,
    dx   = 5,   dy   = 2,
    tx   = 5,   ty   = 2,
    startx = 1,  starty = 0,

    connect = true,
    samples = {
      {
        4, 2, 4, 9, 3, 0, 8, 9, 10, 1,
        5, 3, 0, 8, 5, 6, 10, 2, 3, 5
      }
    },
    axiscolor = "darkgreen",
    textcolor = "darkred",
    samplecolors = {
      "darkblue"
    },
  ] withpen pencircle scaled 1mm ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoptolinecorrection
```

We can have multiple sample lists. But of course dealing with that is really up to the underlying code, which itself is not that much related to `\METAPOST` but has been delegated to `\LUA`.

```
\startbuffer
\definecolor[tdarkred] [r=.6,a=1,t=.5]
\definecolor[tdarkgreen] [g=.6,a=1,t=.5]
\definecolor[tdarkblue] [b=.6,a=1,t=.5]

\startMPcode{doublefun}
  save u ; let u = uniformdeviate ;
  draw lmt_axis [
    sx = 5mm, sy = 5mm,
    nx = 20,  ny = 10,
```



```

dx = 5,   dy = 2,
tx = 10,  ty = 2,
samples = {
  {
    u10, u10, u10, u10, u10,
    u10, u10, u10, u10, u10,
    u10, u10, u10, u10, u10,
    u10, u10, u10, u10, u10
  },
  {
    u10, u10, u10, u10, u10,
    u10, u10, u10, u10, u10,
    u10, u10, u10, u10, u10,
    u10, u10, u10, u10, u10
  },
  {
    u10, u10, u10, u10, u10,
    u10, u10, u10, u10, u10,
    u10, u10, u10, u10, u10,
    u10, u10, u10, u10, u10
  }
},
startx      = 1,
starty      = 0,
connect     = true,
axiscolor   = "darkgray",
textcolor   = "darkyellow",
samplecolors = {
  "tdarkred",
  "tdarkgreen",
  "tdarkblue"
},
] withpen pencircle scaled 1mm ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoplinecorrection

```

Yet another interesting variant might be this:

```

\startbuffer
\startluacode
  documentdata["ltx-sample-1"] = {
    {
      4, 2, 4, 9, 3, 0, 8, 9, 10, 1,
      5, 3, 0, 8, 5, 6, 10, 2, 3, 5
    }
  }
\stopluacode
\stopbuffer

\typebuffer[option=TEX] \getbuffer

\startbuffer
\startMPcode{doublefun}

```

```

draw lmt_axis [
  sx      = 5mm, sy      = 5mm,
  nx      = 20, ny      = 10,
  dx      = 5,  dy      = 2,
  tx      = 5,  ty      = 2,
  startx  = 1,  starty  = 0,

  samples = "lmx-sample-1",
  axiscolor = "darkgreen",
  textcolor = "darkred",
  samplecolors = { "darkblue" },
] withpen pencircle scaled 1mm ;
\stopMPcode
\stopbuffer

```

```
\typebuffer[option=TEX]
```

```

\startlinecorrection
\getbuffer
\stoplinecorrection

```

```
% OOPS, doesn't work!
```

Adding more tricks is not that complex, take, for example:

```

\startbuffer
\startMPcode{doublefun}
draw lmt_axis [
  sx = 5mm, sy = 5mm,
  nx = 20,  ny = 10,
  dx = 5,  dy = 2,
  tx = 10,  ty = 10,

  list = {
    [
      connect = true,
      color   = "darkred",
      close   = true,
      points  = { (1, 1), (15, 8), (2, 10) },
      texts   = { "segment 1", "segment 2", "segment 3" }
    ],
    [
      connect = true,
      color   = "darkgreen",
      points  = { (2, 2), (4, 1), (10, 3), (16, 8), (19, 2) },
      labels  = { "a", "b", "c", "d", "e" }
    ],
    [
      connect = true,
      color   = "darkblue",
      close   = true,
      points  = { (5, 3), (8, 8), (16, 1) },
      labels  = { "1", "2", "3" }
    ]
  },

] withpen pencircle scaled 1mm ;
\stopMPcode
\stopbuffer

```

source code of this document

```
\typebuffer[option=TEX]
```

yielding

```
\startlinecorrection
```

```
\getbuffer
```

```
\stoptolinecorrection
```

but this is experimentation, work in progress, not to be taken as settled.

```
\blank
```

A variant on this one is the following:

```
\startbuffer
```

```
\startMPcode{doublefun}
```

```
draw lmt_function [
```

```
  xmin = 0, xmax = 10, xstep = .05,
```

```
  ymin = -2, ymax = 2,
```

```
  xticks = "bottom", xsmall = 80, xlarge = 20,
```

```
  yticks = "left", ysmall = 40, ylarge = 4,
```

```
  code = "1.5 * math.cosd(240 * math.sqrt(x))",
```

```
  xlabel = "yes",
```

```
  ylabel = "yes",
```

```
  ycaption = "\strut\tfd \rotate[rotation=90]{vertical}",
```

```
  xcaption = "\strut\tfd horizontal",
```

```
  pointsymbol = "dot", pointsize = 4, pointcolor = "orange",
```

```
  sx = 2mm, sy = 4mm, linewidth = .025mm, offset = .1mm,
```

```
]
```

```
  x sized 8cm
```

```
;
```

```
\stopMPcode
```

```
\stopbuffer
```

```
\typebuffer[option=TEX]
```

A valid question is if this should be combined with the previous but having distinctive variants is less likely to complicate the settings, as these can depend on the application:

```
\startlinecorrection
```

```
\getbuffer
```

```
\stoptolinecorrection
```

A more complex usage (still under exploration) is demonstrated next:

```
\startbuffer
```

```
\definecolor[MyColorR][r=.5,t=.5,a=1]
```

```
\definecolor[MyColorG][g=.5,t=.5,a=1]
```

```
\definecolor[MyColorB][b=.5,t=.5,a=1]
```

```
\definecolor[MyColorY][r=.5,g=.5,t=.5,a=1]
```

```
\startMPcode{doublefun}
```

```
draw lmt_function [
```

```
  sx = 1mm, sy = 4mm, linewidth = .025mm, offset = .1mm,
```

source code of this document

```

xmin = 0, xmax = 20, xstep = .1,
ymin = -2, ymax = 2,

xticks = "bottom", xsmall = 80, xlarge = 20, xlabel = "nolimits",
yticks = "left", ysmall = 40, ylarge = 4, ylabel = "yes",

code = "1.5 * math.sind (50 * x - 150)",

frame = "sticks", % "ticks"

functions = {
  [
    xmin = 1.0,
    xmax = 7.0,
    close = true,
    fillcolor = "MyColorR"
  ],
  [
    xmin = 7.0,
    xmax = 12.0,
    close = true,
    fillcolor = "MyColorG"
  ],
  [
    xmin = 12.0,
    xmax = 19.0,
    close = true,
    fillcolor = "MyColorB"
  ],
  [
    drawcolor = "darkyellow",
    drawsize = 2,
  ],
  [
    xmin = 4,
    xmax = 17,
    xstep = .25,
    drawcolor = "darkmagenta",
    shape = "steps",
    code = "0.5 * math.random(-2,2)",
  ],
  [
    xmin = 5.0,
    xmax = 15.0,
    close = true,
    fillcolor = "MyColorY"
    code = "1.75 * math.cosd (50 * x - 150)",
  ]
},
ycaption = "\rotate[rotation=90]{\tfd\strut a mix of drawings}",
xcaption = "\framed[foregroundstyle=\tfd]{a mixture of $\sin(x)$, $\cos(x)$, $\sqrt{x}$ etc.}",
]
xsize 8cm
;
\stopMPcode
\stopbuffer
\typebuffer[option=TEX]

```

Of course calling the same command multiple times with different code snippets

will also work.

```
\startlinecorrection
\getbuffer
\stoplinecorrection
```

The previous examples used new code but how about improving existing features? Let's look at outlines.

```
\startbuffer
\startMPcode{doublefun}
  save h ; h = 12mm ;

  draw lmt_outline [
    text      = "hello"
    kind      = "draw",
    drawcolor = "darkblue",
  ] ysize h ;

  draw lmt_outline [
    text      = "hello",
    kind      = "fill",
    fillcolor = "darkred",
  ] ysize h shifted (3.75h,0) ;

  draw lmt_outline [
    text      = "hello",
    kind      = "both",
    fillcolor = "darkred",
  ] ysize h shifted (7.5h,0mm) ;

  draw lmt_outline [
    text      = "hello",
    kind      = "both",
    fillcolor = "darkred",
    drawcolor = "darkblue",
    rulethickness = 1/5,
  ] ysize h shifted (0,-1.25h) ;

  draw lmt_outline [
    text      = "hello",
    kind      = "reverse",
    fillcolor = "darkred",
    drawcolor = "darkblue",
    rulethickness = 1/2,
  ] ysize h shifted (3.75h,-1.25h) ;

  draw lmt_outline [
    text      = "hello",
    kind      = "fillup",
    fillcolor = "darkgreen",
    rulethickness = 0,
  ] ysize h shifted (7.5h,-1.25h) ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoplinecorrection
```

This interface is much nicer than the one where each variant (the parameter `\type` {`kind`} above) had its own macro due to the need to group properties of the outline and fill. Let's show some more:

```

\startbuffer
\startMPcode{doublefun}
  draw lmt_outline [
    text      = "\obeydiscretionaries\samplefile{tufte}",
    align     = "normal",
    kind      = "draw",
    drawcolor = "darkblue",
  ] xsize TextWidth ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoplinecorrection

\startbuffer
\startMPcode{doublefun}
  draw lmt_outline [
    text      = "\obeydiscretionaries\samplefile{ward}",
    align     = "normal,tolerant",
    width     = 10cm,
    kind      = "draw",
    drawcolor = "darkblue",
  ] xsize TextWidth ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoplinecorrection

\startbuffer
\startMPcode{doublefun}
  draw lmt_outline [
    text      = "\obeydiscretionaries\samplefile{sapolsky}",
    align     = "normal,tolerant",
    style     = "bold",
    width     = 10cm,
    kind      = "draw",
    rulethickness = 1/5,
    drawcolor = "darkred",
  ] xsize TextWidth ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoplinecorrection

```

Another `\METAFUN` text related mechanism deals with following a specific path. That interface has evolved over time, also due to more advanced possibilities in

\MKIV. But, it's again time for a upgrade, for example:

```

\startbuffer
\startMPcode{doublefun}
  draw lmt_followtext [
    text      = "How well does it work {\bf 1}! ",
    path      = (fullcircle scaled 4cm),
    trace     = true,
    spread    = true,
  ] ysize 5cm ;

  draw lmt_followtext [
    text      = "How well does it work {\bf 2}! ",
    path      = fullcircle scaled 4cm,
    trace     = true,
    spread    = false,
    reverse   = true,
  ] ysize 5cm shifted (0,-6cm) ;

  draw lmt_followtext [
    text      = "How well does it work {\bf 3}! ",
    trace     = true,
    autoscaleup = "yes"
  ] ysize 5cm shifted (6cm,0) ;

  draw lmt_followtext [
    text      = "How well does it work {\bf 4}! ",
    path      = fullcircle scaled 2cm,
    trace     = true,
    autoscaleup = "max"
  ] ysize 5cm shifted (6cm,-6cm) ;
\stopMPcode
\stopbuffer

\typebuffer[option=TEX]

\startlinecorrection
\getbuffer
\stoptlinecorrection

```

Although \METAPOST\ can draw arrows a bit more code is involved than one would have expected. As a consequence, influencing the way an arrowhead is drawn as currently using variables is somewhat cumbersome. Here is an alternative:

```

\startbuffer
\startMPcode{doublefun}
  draw lmt_arrow [
    path = fullcircle
      scaled 3cm
      shifted (0,0cm),
  ] withcolor "darkred" ;

  draw lmt_arrow [
    location = "both"
    path     = fullcircle
      scaled 3cm
      rotated 90
      shifted (0,-3.5cm),
  ] withcolor "darkgreen" ;

  draw lmt_arrow [

```

```

kind      = "draw",
location  = "middle",
alternative = "curved",
path      = fullcircle
          scaled 3cm
          shifted (3.5cm,0cm),
] withcolor "darkblue" ;

for i = 0 step 5 until 100 :
  draw lmt_arrow [
    alternative = "dimpled",
    location    = "percentage",
    percentage  = i,
    dimple      = (1/5 + i/200),
    headonly    = (i = 0),
    path        = fullcircle
              scaled 3cm
              shifted (3.5cm,-3.5cm),
  ] withcolor "darkyellow" ;
endfor ;
\stopMPcode
\stopbuffer

```

```
\typebuffer[option=TEX]
```

```

\startlinecorrection
\getbuffer
\stoplinecorrection

```

These new interfaces for outlines, following text and arrows certainly will make it in some form to be permanent `\METAFUN\` extensions. Some will also be used in macros at the `\TEX\` end, for instance, when you load the dummy library:

```

\startbuffer
\useMPLibrary[dum]
\stopbuffer

\typebuffer[option=TEX] \getbuffer

```

You can do this:

```

\startbuffer
\startcombination
  {\externalfigure[crap-001]} {one}
  {\externalfigure[crap-004][alternative=triangle]} {two}
\stopcombination
\stopbuffer

\typebuffer[option=TEX]

```

and get:

```

\startlinecorrection
\getbuffer
\stoplinecorrection

```

This placeholder now also can be accessed directly:

```

\startbuffer
\useMPmacro
  [minifun]

```


source code of this document

```
[placeholder]
[width=10cm,
height=3cm,
reduction=.2,
alternative=triangle,
color=orange]
```

```
\stopbuffer
```

```
\typebuffer[option=TEX]
```

```
\startlinecorrection
```

```
\getbuffer
```

```
\stoplinecorrection
```

The `\type` `{\useMPmacro}` is an entirely new interface to `\METAFUN` code. Although it is still experimental, we show an example. Of course, as needed, you can throw in some `\LUA` magic.

```
\startbuffer
```

```
\startMPcalculation
```

```
  presetparameters "demo" [
```

```
    n = 5,
```

```
    s = 1cm,
```

```
  ] ;
```

```
  def lmt_demo = applyparameters "demo" "lmt_do_demo" enddef ;
```

```
  vardef lmt_do_demo =
```

```
    for i=1 upto getparameter "demo" "n" :
```

```
      draw fullcircle scaled (i*getparameter "demo" "s");
```

```
    endfor ;
```

```
  enddef ;
```

```
\stopMPcalculation
```

```
\stopbuffer
```

```
\typebuffer[option=TEX]
```

The calculation wrapper makes this code be processed immediately, which is needed because we don't use a module.

```
\getbuffer
```

A the `\TEX` end we do this:

```
\startbuffer
```

```
\defineMPparameterset[demo][n=integer,s=dimension]
```

```
\stopbuffer
```

```
\typebuffer[option=TEX]
```

```
\getbuffer
```

We can now let the macro do its work:

```
\startbuffer
```

```
\startcombination[nx=4,location=middle]
```

```
  {\useMPmacro[demo][n=8,s=2mm]} {Demo 1}
```

```
  {\useMPmacro[demo][n=4,s=4mm]} {Demo 2}
```

```
  {\useMPmacro[demo][n=4,s=5\exheight]} {Demo 3}
```

```
  {\useMPmacro[demo]} {Demo 4}
```

```
\stopcombination
```

```
\stopbuffer
```

source code of this document

```
\typebuffer[option=TEX]
```

```
\startlinecorrection
```

```
\getbuffer
```

```
\stoptlinecorrection
```

You can also set the parameters separately. There is one catch: there is no grouping so in this case you need to reset the parameters afterwards.

```
\starttyping
```

```
\presetMPparameters[demo][n=8] \useMPmacro[demo]\blank
```

```
\presetMPparameters[demo][n=4] \useMPmacro[demo]\blank
```

```
\resetMPparameters [demo]      \useMPmacro[demo]\blank
```

```
\stoptyping
```

These examples demonstrate that we can make `\METAPOST` a bit friendlier for users who are not that fluent with the language. It remains to be seen to what extent additional modules will be written, but the possibilities are there.

```
\stopdocument
```

source code of this document

