

ConTeXt

comandi

IT

ConTeXt

comandi

language : it / italiano
version : 24 novembre 2020
maintainer: Wolfgang Schuster
comments : ntg-context@ntg.nl

| | |
|------------------------------|-----------------------------------------------|
| AfterPar | \AfterPar {...} |
| Alphabeticnumerals | \Alphabeticnumerals {...} |
| AMSTEX | \AMSTEX |
| AmSTeX | \AmSTeX |
| And | \And |
| abjadnaivenumerals | \abjadnaivenumerals {...} |
| abjadnodotnumerals | \abjadnodotnumerals {...} |
| abjadnumerals | \abjadnumerals {...} |
| activatespacehandler | \activatespacehandler {...} |
| actualday | \actualday |
| actualmonth | \actualmonth |
| actualyear | \actualyear |
| acute | \acute {...} |
| adaptcollector | \adaptcollector [...] [..=..] |
| adaptfontfeature | \adaptfontfeature [...] [..=..] |
| adaptpapersize | \adaptpapersize [...] [...] |
| adattacampo | \adattacampo [...] [..=..] |
| adattalayout | \adattalayout [...] [..=..] |
| addfeature | \addfeature [...] |
| addfeature:direct | \addfeature {...} |
| addtocommalist | \addtocommalist {...} \... |
| addtoJSreamble | \addtoJSreamble {...} {...} |
| addvalue | \addvalue {...} {...} |
| aftersplitstring | \aftersplitstring ... \at ... \to \... |
| aftertestandsplitstring | \aftertestandsplitstring ... \at ... \to \... |
| al | \al {...} {...} [...] |
| alignbottom | \alignbottom |
| aligned | \aligned [...] {...} |
| alignedbox | \alignedbox [...] \... {...} |
| alignedline | \alignedline {...} {...} {...} |
| alignhere | \alignhere |
| alignmentcharacter | \alignmentcharacter |
| allineacentro | \allineacentro {...} |
| allineadestra | \allineadestra {...} |
| allineasinistra | \allineasinistra {...} |
| allinputpaths | \allinputpaths |
| alphabeticnumerals | \alphabeticnumerals {...} |
| alwayscitation | \alwayscitation [..=..] [...] |
| alwayscitation:alternative | \alwayscitation [...] [...] |
| alwayscitation:userdata | \alwayscitation [..=..] [..=..] |
| alwayscite | \alwayscite [..=..] [...] |
| alwayscite:alternative | \alwayscite [...] [...] |
| alwayscite:userdata | \alwayscite [..=..] [..=..] |
| ambiente | \ambiente [...] |
| ambiente:string | \ambiente ... |
| ampersand | \ampersand |
| anchor | \anchor [...] [..=..] [..=..] {...} |
| ap | \ap {...} |
| apagina | \apagina [...] |
| appendetoks | \appendetoks ... \to \... |
| appendgvalue | \appendgvalue {...} {...} |
| appendtocommalist | \appendtocommalist {...} \... |
| appendtoks | \appendtoks ... \to \... |
| appendtoksonce | \appendtoksonce ... \to \... |
| appendvalue | \appendvalue {...} {...} |
| apply | \apply {...} {...} |
| applyalternativestyle | \applyalternativestyle {...} |
| applyprocessor | \applyprocessor {...} {...} |
| applytocharacters | \applytocharacters \... {...} |
| applytofirstcharacter | \applytofirstcharacter \... {...} |
| applytosplitstringchar | \applytosplitstringchar \... {...} |
| applytosplitstringcharspaced | \applytosplitstringcharspaced \... {...} |
| applytosplitstringline | \applytosplitstringline \... {...} |
| applytosplitstringlinespaced | \applytosplitstringlinespaced \... {...} |
| applytosplitstringword | \applytosplitstringword \... {...} |
| applytosplitstringwordspaced | \applytosplitstringwordspaced \... {...} |
| applytowords | \applytowords \... {...} |
| ap:instance | \HIGH {...} |
| ap:instance:unitshigh | \unitshigh {...} |
| arabicdecimals | \arabicdecimals {...} |
| arabicexnumerals | \arabicexnumerals {...} |
| arabicnumerals | \arabicnumerals {...} |

| | |
|--------------------------------|---------------------------------------------------|
| arg | \arg {...} |
| asciimode | \asciimode |
| asciistr | \asciistr {...} |
| assignalfadimension | \assignalfadimension {...} \... {...} {...} {...} |
| assigndimen | \assigndimen \... {...} |
| assigndimension | \assigndimension {...} \... {...} {...} {...} |
| assignifempty | \assignifempty \... {...} |
| assigntranslation | \assigntranslation [..=..] \to \... |
| assignvalue | \assignvalue {...} \... {...} {...} {...} |
| assignwidth | \assignwidth {...} \... {...} {...} |
| assumelongusagecs | \assumelongusagecs \... {...} |
| astype | \astype {...} |
| attachment:instance | \ATTACHMENT [...] [..=..] |
| attachment:instance:attachment | \attachment [...] [..=..] |
| autocap | \autocap {...} |
| autodirhbox | \autodirhbox ... {...} |
| autodirvbox | \autodirvbox ... {...} |
| autodirvtop | \autodirvtop ... {...} |
| autoinsertnextspace | \autoinsertnextspace |
| autointegral | \autointegral {...} {...} {...} |
| automathematics | \automathematics {...} |
| autoorientation | \autoorientation {...} |
| autopagestaterealpage | \autopagestaterealpage {...} |
| autopagestaterealpageorder | \autopagestaterealpageorder {...} |
| autorule | \autorule ... \relax |
| autosetups | \autosetups {...} |
| autostarttesto | \autostarttesto ... \autostoptesto |
| availablehsize | \availablehsize |
| averagecharwidth | \averagecharwidth |
| BeforePar | \BeforePar {...} |
| Big | \Big ... |
| Bigg | \Bigg ... |
| Biggl | \Biggl ... |
| Biggm | \Biggm ... |
| Biggr | \Biggr ... |
| Bigl | \Bigl ... |
| Bigm | \Bigm ... |
| Bigr | \Bigr ... |
| backgroundimage | \backgroundimage {...} {...} {...} {...} |
| backgroundimagefill | \backgroundimagefill {...} {...} {...} {...} |
| backgroundline | \backgroundline [...] {...} |
| bar | \bar {...} |
| barracolori | \barracolori [...] |
| barrainterazione | \barrainterazione [...] [..=..] |
| bar:instance | \BAR {...} |
| bar:instance:hiddenbar | \hiddenbar {...} |
| bar:instance:nobar | \nobar {...} |
| bar:instance:overbar | \overbar {...} |
| bar:instance:overbars | \overbars {...} |
| bar:instance:overstrike | \overstrike {...} |
| bar:instance:overstrikes | \overstrikes {...} |
| bar:instance:underbar | \underbar {...} |
| bar:instance:underbars | \underbars {...} |
| bar:instance:underdash | \underdash {...} |
| bar:instance:underdashes | \underdashes {...} |
| bar:instance:underdot | \underdot {...} |
| bar:instance:underdots | \underdots {...} |
| bar:instance:underrandom | \underrandom {...} |
| bar:instance:underrandoms | \underrandoms {...} |
| bar:instance:understrike | \understrike {...} |
| bar:instance:understrikes | \understrikes {...} |
| basegrid | \basegrid [..=..] |
| baselinebottom | \baselinebottom |
| baselineleftbox | \baselineleftbox {...} |
| baselinemiddlebox | \baselinemiddlebox {...} |
| baselinerightbox | \baselinerightbox {...} |
| bbordermatrix | \bbordermatrix {...} |
| bbox | \bbox {...} |
| beforesplitstring | \beforesplitstring ... \at ... \to \... |
| beforetestandsplitstring | \beforetestandsplitstring ... \at ... \to \... |
| beginblock:example | \beginBLOCK [...] [..=..] ... \endBLOCK |
| beginhbox | \beginhbox ... \endhbox |

| | |
|------------------------------------------------|------------------------------------------------------------------------|
| <code>\beginofshapebox</code> | <code>\beginofshapebox ... \endofshapebox</code> |
| <code>\beginvbox</code> | <code>\beginvbox ... \endvbox</code> |
| <code>\beginvtop</code> | <code>\beginvtop ... \endvtop</code> |
| <code>\begstrut</code> | <code>\begstrut ... \endstrut</code> |
| <code>\bigg</code> | <code>\bigg ...</code> |
| <code>\bigger</code> | <code>\bigger</code> |
| <code>\biggl</code> | <code>\biggl ...</code> |
| <code>\biggm</code> | <code>\biggm ...</code> |
| <code>\biggr</code> | <code>\biggr ...</code> |
| <code>\bigl</code> | <code>\bigl ...</code> |
| <code>\bigm</code> | <code>\bigm ...</code> |
| <code>\bigr</code> | <code>\bigr ...</code> |
| <code>\bigskip</code> | <code>\bigskip</code> |
| <code>\bitmapimage</code> | <code>\bitmapimage [..=..] {...}</code> |
| <code>\blap</code> | <code>\blap {...}</code> |
| <code>\bleed</code> | <code>\bleed [..=..] {...}</code> |
| <code>\bleedheight</code> | <code>\bleedheight</code> |
| <code>\bleedwidth</code> | <code>\bleedwidth</code> |
| <code>\blockligatures</code> | <code>\blockligatures [...]</code> |
| <code>\blocksynctexfile</code> | <code>\blocksynctexfile [...]</code> |
| <code>\blockuservariable</code> | <code>\blockuservariable {...}</code> |
| <code>\bodyfontenvironmentlist</code> | <code>\bodyfontenvironmentlist</code> |
| <code>\bodyfontsize</code> | <code>\bodyfontsize</code> |
| <code>\boldface</code> | <code>\boldface</code> |
| <code>\booleanmodevalue</code> | <code>\booleanmodevalue {...}</code> |
| <code>\bordermatrix</code> | <code>\bordermatrix {...}</code> |
| <code>\bottombox</code> | <code>\bottombox {...}</code> |
| <code>\bottomleftbox</code> | <code>\bottomleftbox {...}</code> |
| <code>\bottomrightbox</code> | <code>\bottomrightbox {...}</code> |
| <code>\boxcursor</code> | <code>\boxcursor</code> |
| <code>\boxmarker</code> | <code>\boxmarker {...} {...}</code> |
| <code>\boxofsize</code> | <code>\boxofsize \... ... {...}</code> |
| <code>\boxreference</code> | <code>\boxreference [...] \... {...}</code> |
| <code>\bpar</code> | <code>\bpar ... \epar</code> |
| <code>\bpos</code> | <code>\bpos {...}</code> |
| <code>\breakhere</code> | <code>\breakhere</code> |
| <code>\breve</code> | <code>\breve {...}</code> |
| <code>\bTABLE</code> | <code>\bTABLE [..=..] ... \eTABLE</code> |
| <code>\bTABLEbody</code> | <code>\bTABLEbody [..=..] ... \eTABLEbody</code> |
| <code>\bTABLEfoot</code> | <code>\bTABLEfoot [..=..] ... \eTABLEfoot</code> |
| <code>\bTABLEhead</code> | <code>\bTABLEhead [..=..] ... \eTABLEhead</code> |
| <code>\bTABLEnested</code> | <code>\bTABLEnested [..=..] ... \eTABLEnested</code> |
| <code>\bTABLEnext</code> | <code>\bTABLEnext [..=..] ... \eTABLEnext</code> |
| <code>\bTC</code> | <code>\bTC [..=..] ... \eTC</code> |
| <code>\bTD</code> | <code>\bTD [..=..] ... \eTD</code> |
| <code>\bTDs</code> | <code>\bTDs [...] ... \eTDs</code> |
| <code>\bTH</code> | <code>\bTH [..=..] ... \eTH</code> |
| <code>\bTN</code> | <code>\bTN [..=..] ... \eTN</code> |
| <code>\bTR</code> | <code>\bTR [..=..] ... \eTR</code> |
| <code>\bTRs</code> | <code>\bTRs [...] ... \eTRs</code> |
| <code>\bTX</code> | <code>\bTX [..=..] ... \eTX</code> |
| <code>\bTY</code> | <code>\bTY [..=..] ... \eTY</code> |
| <code>\btxabbreviatedjournal</code> | <code>\btxabbreviatedjournal {...}</code> |
| <code>\btxaddjournal</code> | <code>\btxaddjournal [...] [...]</code> |
| <code>\btxalwayscitation</code> | <code>\btxalwayscitation [..=..] [...]</code> |
| <code>\btxalwayscitation:alternative</code> | <code>\btxalwayscitation [...] [...]</code> |
| <code>\btxalwayscitation:userdata</code> | <code>\btxalwayscitation [..=..] [..=..]</code> |
| <code>\btxauthorfield</code> | <code>\btxauthorfield {...}</code> |
| <code>\btxdetail</code> | <code>\btxdetail {...}</code> |
| <code>\btxdirect</code> | <code>\btxdirect {...}</code> |
| <code>\btxdoif</code> | <code>\btxdoif {...} {...}</code> |
| <code>\btxdoifcombiinlistelse</code> | <code>\btxdoifcombiinlistelse {...} {...} {...} {...}</code> |
| <code>\btxdoifelse</code> | <code>\btxdoifelse {...} {...} {...}</code> |
| <code>\btxdoifelsecombiinlist</code> | <code>\btxdoifelsecombiinlist {...} {...} {...} {...}</code> |
| <code>\btxdoifelsesameasprevious</code> | <code>\btxdoifelsesameasprevious {...} {...} {...}</code> |
| <code>\btxdoifelsesameaspreviouschecked</code> | <code>\btxdoifelsesameaspreviouschecked {...} {...} {...} {...}</code> |
| <code>\btxdoifelseuservariable</code> | <code>\btxdoifelseuservariable {...} {...} {...}</code> |
| <code>\btxdoifnot</code> | <code>\btxdoifnot {...} {...}</code> |
| <code>\btxdoifsameaspreviouscheckedelse</code> | <code>\btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}</code> |
| <code>\btxdoifsameaspreviouselse</code> | <code>\btxdoifsameaspreviouselse {...} {...} {...}</code> |
| <code>\btxdoifuservariableelse</code> | <code>\btxdoifuservariableelse {...} {...} {...}</code> |
| <code>\btxexpandedjournal</code> | <code>\btxexpandedjournal {...}</code> |

| | |
|---------------------------------------------------|----------------------------------------|
| btxfield | \btxfield {...} |
| btxfieldname | \btxfieldname {...} |
| btxfieldtype | \btxfieldtype {...} |
| btxfirstofrange | \btxfirstofrange {...} |
| btxflush | \btxflush {...} |
| btxflushauthor | \btxflushauthor [...] {...} |
| btxflushauthorinverted | \btxflushauthorinverted {...} |
| btxflushauthorinvertedshort | \btxflushauthorinvertedshort {...} |
| btxflushauthorname | \btxflushauthorname {...} |
| btxflushauthornormal | \btxflushauthornormal {...} |
| btxflushauthornormalshort | \btxflushauthornormalshort {...} |
| btxflushsuffix | \btxflushsuffix |
| btxfoundname | \btxfoundname {...} |
| btxfoundtype | \btxfoundtype {...} |
| btxhiddencitation | \btxhiddencitation [...] |
| btxhybridcite | \btxhybridcite [..=..] [...] |
| btxhybridcite:alternative | \btxhybridcite [...] [...] |
| btxhybridcite:direct | \btxhybridcite {...} |
| btxhybridcite:userdata | \btxhybridcite [..=..] [..=..] |
| btxlistcitation | \btxlistcitation [..=..] [...] |
| btxlistcitation:alternative | \btxlistcitation [...] [...] |
| btxlistcitation:userdata | \btxlistcitation [..=..] [..=..] |
| btxloadjournalist | \btxloadjournalist [...] |
| btxoneorange | \btxoneorange {...} {...} {...} |
| btxremapauthor | \btxremapauthor [...] [...] |
| btxsavejournalist | \btxsavejournalist [...] |
| btxsetup | \btxsetup {...} |
| btxsingularorplural | \btxsingularorplural {...} {...} {...} |
| btxsingularplural | \btxsingularplural {...} {...} {...} |
| btxtextcitation | \btxtextcitation [..=..] [...] |
| btxtextcitation:alternative | \btxtextcitation [...] [...] |
| btxtextcitation:userdata | \btxtextcitation [..=..] [..=..] |
| buildmathaccent | \buildmathaccent {...} {...} |
| buildtextaccent | \buildtextaccent {...} {...} |
| buildtextbottomcomma | \buildtextbottomcomma {...} |
| buildtextbottomdot | \buildtextbottomdot {...} |
| buildtextcedilla | \buildtextcedilla {...} |
| buildtextgrave | \buildtextgrave {...} |
| buildtextmacron | \buildtextmacron {...} |
| buildtextognek | \buildtextognek {...} |
| Cap | \Cap {...} |
| Caps | \Caps {...} |
| CONTEXT | \CONTEXT |
| ConTeXt | \ConTeXt |
| Context | \Context |
| ConvertConstantAfter | \ConvertConstantAfter \... {...} {...} |
| ConvertToConstant | \ConvertToConstant \... {...} {...} |
| calligrafico | \calligrafico |
| cambiaafontdeltesto | \cambiaafontdeltesto [...] |
| camel | \camel {...} |
| campi | \campi [...] [...] |
| cap | \cap {...} |
| capello | \capello |
| capoverso:instance | \SECTION [...] {...} |
| capoverso:instance:assignment | \SECTION [..=..] |
| capoverso:instance:assignment:chapter | \chapter [..=..] |
| capoverso:instance:assignment:part | \part [..=..] |
| capoverso:instance:assignment:section | \section [..=..] |
| capoverso:instance:assignment:subject | \subject [..=..] |
| capoverso:instance:assignment:subsection | \subsection [..=..] |
| capoverso:instance:assignment:subsubject | \subsubject [..=..] |
| capoverso:instance:assignment:subsubsection | \subsubsection [..=..] |
| capoverso:instance:assignment:subsubsubject | \subsubsubject [..=..] |
| capoverso:instance:assignment:subsubsubsection | \subsubsubsection [..=..] |
| capoverso:instance:assignment:subsubsubsubject | \subsubsubsubject [..=..] |
| capoverso:instance:assignment:subsubsubsubsection | \subsubsubsubsection [..=..] |
| capoverso:instance:assignment:subsubsubsubsubject | \subsubsubsubsubject [..=..] |
| capoverso:instance:assignment:title | \title [..=..] |
| capoverso:instance:chapter | \chapter [...] {...} |
| capoverso:instance:ownnumber | \SECTION [...] {...} {...} |
| capoverso:instance:ownnumber:chapter | \chapter [...] {...} {...} |
| capoverso:instance:ownnumber:part | \part [...] {...} {...} |

| | |
|-----------------------------------------------------|--------------------------------------------------------|
| capoverso:instance:ownnumber:section | <code>\section [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subject | <code>\subject [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subsection | <code>\subsection [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subsubject | <code>\subsubject [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subsubsection | <code>\subsubsection [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subsubsubject | <code>\subsubsubject [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subsubsubsection | <code>\subsubsubsection [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subsubsubsubject | <code>\subsubsubsubject [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subsubsubsubsection | <code>\subsubsubsubsection [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subsubsubsubsubject | <code>\subsubsubsubsubject [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subsubsubsubsubsection | <code>\subsubsubsubsubsection [...] {...} {...}</code> |
| capoverso:instance:ownnumber:subsubsubsubsubsubject | <code>\subsubsubsubsubsubject [...] {...} {...}</code> |
| capoverso:instance:ownnumber:title | <code>\title [...] {...} {...}</code> |
| capoverso:instance:part | <code>\part [...] {...}</code> |
| capoverso:instance:section | <code>\section [...] {...}</code> |
| capoverso:instance:subject | <code>\subject [...] {...}</code> |
| capoverso:instance:subsection | <code>\subsection [...] {...}</code> |
| capoverso:instance:subsubject | <code>\subsubject [...] {...}</code> |
| capoverso:instance:subsubsection | <code>\subsubsection [...] {...}</code> |
| capoverso:instance:subsubsubject | <code>\subsubsubject [...] {...}</code> |
| capoverso:instance:subsubsubsection | <code>\subsubsubsection [...] {...}</code> |
| capoverso:instance:subsubsubsubject | <code>\subsubsubsubject [...] {...}</code> |
| capoverso:instance:subsubsubsubsection | <code>\subsubsubsubsection [...] {...}</code> |
| capoverso:instance:subsubsubsubsubject | <code>\subsubsubsubsubject [...] {...}</code> |
| capoverso:instance:title | <code>\title [...] {...}</code> |
| catcodetablename | <code>\catcodetablename</code> |
| cbox | <code>\cbox ... {...}</code> |
| centeraligned | <code>\centeraligned {...}</code> |
| centerbox | <code>\centerbox ... {...}</code> |
| centeredbox | <code>\centeredbox ... {...}</code> |
| centeredlastline | <code>\centeredlastline</code> |
| centerednextbox | <code>\centerednextbox ... {...}</code> |
| centerline | <code>\centerline {...}</code> |
| centro | <code>\centro ...</code> |
| cfrac | <code>\cfrac [...] {...} {...}</code> |
| characterkerning:example | <code>\CHARACTERKERNING [...] {...}</code> |
| chardescription | <code>\chardescription {...}</code> |
| charwidthlanguage | <code>\charwidthlanguage</code> |
| check | <code>\check {...}</code> |
| checkcharacteralign | <code>\checkcharacteralign {...}</code> |
| checkedblank | <code>\checkedblank [...]</code> |
| checkedchar | <code>\checkedchar {...} {...}</code> |
| checkedfiller | <code>\checkedfiller {...}</code> |
| checkedstrippedcsname | <code>\checkedstrippedcsname \...</code> |
| checkinjector | <code>\checkinjector [...]</code> |
| checknextindentation | <code>\checknextindentation [...]</code> |
| checknextinjector | <code>\checknextinjector [...]</code> |
| checkpage | <code>\checkpage [...] [..=..]</code> |
| checkparameters | <code>\checkparameters [...]</code> |
| checkpreviousinjector | <code>\checkpreviousinjector [...]</code> |
| checksoundtrack | <code>\checksoundtrack {...}</code> |
| checktwopassdata | <code>\checktwopassdata {...}</code> |
| checkvariables | <code>\checkvariables [...] [..=..]</code> |
| chemical | <code>\chemical [...] [...] [...]</code> |
| chemicalbottext | <code>\chemicalbottext {...}</code> |
| chemicalmidtext | <code>\chemicalmidtext {...}</code> |
| chemicalsymbol | <code>\chemicalsymbol [...]</code> |
| chemicaltext | <code>\chemicaltext {...}</code> |
| chemicaltoptext | <code>\chemicaltoptext {...}</code> |
| chim | <code>\chim {...} {...} {...}</code> |
| chineseallnumerals | <code>\chineseallnumerals {...}</code> |
| chinesecapnumerals | <code>\chinesecapnumerals {...}</code> |
| chinesenumerals | <code>\chinesenumerals {...}</code> |
| circondato | <code>\circondato [..=..] {...}</code> |
| citation | <code>\citation [..=..] [...]</code> |
| citation:alternative | <code>\citation [...] [...]</code> |
| citation:direct | <code>\citation {...}</code> |
| citation:userdata | <code>\citation [..=..] [..=..]</code> |
| cite | <code>\cite [..=..] [...]</code> |
| cite:alternative | <code>\cite [...] [...]</code> |
| cite:direct | <code>\cite {...}</code> |
| cite:userdata | <code>\cite [..=..] [..=..]</code> |
| clap | <code>\clap {...}</code> |
| classfont | <code>\classfont {...} {...}</code> |

| | |
|-----------------------------------------------|---------------------------------------------|
| cldcommand | \cldcommand {...} |
| cldcontext | \cldcontext {...} |
| cldloadfile | \cldloadfile {...} |
| cldprocessfile | \cldprocessfile {...} |
| clip | \clip [..=..] {...} |
| clippedoverlayimage | \clippedoverlayimage {...} |
| clonacampo | \clonacampo [...] [...] [...] [...] |
| collect | \collect {...} |
| collectedtext | \collectedtext [..=..] [..=..] {...} {...} |
| collectexpanded | \collectexpanded {...} |
| colonna | \colonna [...] |
| colorcomponents | \colorcomponents {...} |
| colore | \colore [...] {...} |
| colored | \colored [..=..] {...} |
| colored:name | \colored [...] {...} |
| coloregrigio | \coloregrigio [...] {...} |
| coloronly | \coloronly [...] {...} |
| columnbreak | \columnbreak [...] |
| columnsetspanwidth | \columnsetspanwidth {...} |
| combinepages | \combinepages [...] [..=..] |
| commalistelement | \commalistelement |
| commalistsentence | \commalistsentence [...] [...] |
| commalistsize | \commalistsize |
| commento | \COMMENTO (...,...) (...,...) [..=..] {...} |
| commento:instance | \COMMENT [...] [..=..] {...} |
| commento:instance:comment | \comment [...] [..=..] {...} |
| comparedimension | \comparedimension {...} {...} |
| comparedimensioneps | \comparedimensioneps {...} {...} |
| completebtxrendering | \completebtxrendering [...] [..=..] |
| completecombinedlist:instance | \completeCOMBINEDLIST [..=..] |
| completecombinedlist:instance:content | \completecontent [..=..] |
| completelist | \completelist [...] [..=..] |
| completelistoffloats:instance | \completelistofFLOATS [..=..] |
| completelistoffloats:instance:chemicals | \completelistofchemicals [..=..] |
| completelistoffloats:instance:figures | \completelistoffigures [..=..] |
| completelistoffloats:instance:graphics | \completelistofgraphics [..=..] |
| completelistoffloats:instance:intermezzi | \completelistofintermezzi [..=..] |
| completelistoffloats:instance:tables | \completelistoftables [..=..] |
| completelistofpublications | \completelistofpublications [...] [..=..] |
| completelistofsorts | \completelistofsorts [...] [..=..] |
| completelistofsorts:instance | \completelistofSORTS [..=..] |
| completelistofsorts:instance:logos | \completelistoflogos [..=..] |
| completelistofsynonyms | \completelistofsynonyms [...] [..=..] |
| completelistofsynonyms:instance | \completelistofSYNONYMS [..=..] |
| completelistofsynonyms:instance:abbreviations | \completelistofabbreviations [..=..] |
| completeregister | \completeregister [...] [..=..] |
| completeregister:instance | \completeREGISTER [..=..] |
| completeregister:instance:index | \completeindex [..=..] |
| complexorsimple | \complexorsimple \... |
| complexorsimpleempty | \complexorsimpleempty \... |
| complexorsimpleempty:argument | \complexorsimpleempty {...} |
| complexorsimple:argument | \complexorsimple {...} |
| componenet | \componenet [...] |
| componenet:string | \componenet ... |
| composedcollector | \composedcollector {...} |
| composedlayer | \composedlayer {...} |
| compounddiscretionary | \compounddiscretionary |
| compresult | \compresult |
| confrontagruppocolori | \confrontagruppocolori [...] |
| confrontatavolozza | \confrontatavolozza [...] |
| constantdimen | \constantdimen \... |
| constantdimenargument | \constantdimenargument \... |
| constantemptyargument | \constantemptyargument \... |
| constantnumber | \constantnumber \... |
| constantnumberargument | \constantnumberargument \... |
| contentreference | \contentreference [...] [..=..] {...} |
| continuednumber | \continuednumber {...} |
| continueifinputfile | \continueifinputfile {...} |
| convertargument | \convertargument ... \to \... |
| convertcommand | \convertcommand \... \to \... |
| convertedcounter | \convertedcounter [...] [..=..] |
| converteddimen | \converteddimen {...} {...} |

| | |
|--------------------------------------|--------------------------------------------------------|
| convertedsubcounter | <code>\convertedsubcounter [...] [...] [..=..]</code> |
| convertinunero | <code>\convertinunero {...} {...}</code> |
| convertmonth | <code>\convertmonth {...}</code> |
| convertvalue | <code>\convertvalue ... \to \...</code> |
| convertvboxtohbox | <code>\convertvboxtohbox</code> |
| copiacampo | <code>\copiacampo [...] [...]</code> |
| copyboxfromcache | <code>\copyboxfromcache {...} {...} ...</code> |
| copylabeltext:instance | <code>\copyLABELtesto [...] [..=..]</code> |
| copylabeltext:instance:btxlabel | <code>\copybtxlabeltesto [...] [..=..]</code> |
| copylabeltext:instance:head | <code>\copyheadtesto [...] [..=..]</code> |
| copylabeltext:instance:label | <code>\copylabeltesto [...] [..=..]</code> |
| copylabeltext:instance:mathlabel | <code>\copymathlabeltesto [...] [..=..]</code> |
| copylabeltext:instance:operator | <code>\copyoperatortesto [...] [..=..]</code> |
| copylabeltext:instance:prefix | <code>\copyprefixtesto [...] [..=..]</code> |
| copylabeltext:instance:suffix | <code>\copsuffixtesto [...] [..=..]</code> |
| copylabeltext:instance:taglabel | <code>\copytaglabeltesto [...] [..=..]</code> |
| copylabeltext:instance:unit | <code>\copyunittesto [...] [..=..]</code> |
| copypages | <code>\copypages [...] [..=..] [..=..]</code> |
| copyparameters | <code>\copyparameters [...] [...] [...]</code> |
| copyposition | <code>\copyposition {...} {...}</code> |
| copysetups | <code>\copysetups [...] [...]</code> |
| correggispaziobianco | <code>\correggispaziobianco {...}</code> |
| corsivo | <code>\corsivo</code> |
| corsivograssetto | <code>\corsivograssetto</code> |
| countersubs | <code>\countersubs [...] [...]</code> |
| counttoken | <code>\counttoken ... \in ... \to \...</code> |
| counttokens | <code>\counttokens ... \to \...</code> |
| cramped | <code>\cramped {...}</code> |
| crampedclap | <code>\crampedclap {...}</code> |
| crampedllap | <code>\crampedllap {...}</code> |
| crampedrlap | <code>\crampedrlap {...}</code> |
| crlf | <code>\crlf</code> |
| crlfplaceholder | <code>\crlfplaceholder</code> |
| ctop | <code>\ctop ... {...}</code> |
| ctxcommand | <code>\ctxcommand {...}</code> |
| ctxdirectcommand | <code>\ctxdirectcommand {...}</code> |
| ctxdirectlua | <code>\ctxdirectlua {...}</code> |
| ctxfunction | <code>\ctxfunction {...}</code> |
| ctxfunctiondefinition:example | <code>\CTXFUNCTIONDEFINITION</code> |
| ctxfunction:example | <code>\CTXFUNCTION</code> |
| ctxlatecommand | <code>\ctxlatecommand {...}</code> |
| ctxlatelua | <code>\ctxlatelua {...}</code> |
| ctxloadluafile | <code>\ctxloadluafile {...}</code> |
| ctxlua | <code>\ctxlua {...}</code> |
| ctxluabuffer | <code>\ctxluabuffer [...]</code> |
| ctxluacode | <code>\ctxluacode {...}</code> |
| ctxreport | <code>\ctxreport {...}</code> |
| ctxscanner:example | <code>\CTXSCANNER</code> |
| ctxsprint | <code>\ctxsprint {...}</code> |
| currentassignmentlistkey | <code>\currentassignmentlistkey</code> |
| currentassignmentlistvalue | <code>\currentassignmentlistvalue</code> |
| currentbtxuservariable | <code>\currentbtxuservariable {...}</code> |
| currentcommalistitem | <code>\currentcommalistitem</code> |
| currentcomponent | <code>\currentcomponent</code> |
| currentenvironment | <code>\currentenvironment</code> |
| currentfeaturetest | <code>\currentfeaturetest</code> |
| currentinterface | <code>\currentinterface</code> |
| currentlabel:example | <code>\currentETICHETTA [...] {...}</code> |
| currentlanguage | <code>\currentlanguage</code> |
| currentlistentrydestinationattribute | <code>\currentlistentrydestinationattribute</code> |
| currentlistentrylimitedtext | <code>\currentlistentrylimitedtext {...}</code> |
| currentlistentrynumber | <code>\currentlistentrynumber</code> |
| currentlistentrypagenumber | <code>\currentlistentrypagenumber</code> |
| currentlistentryreferenceattribute | <code>\currentlistentryreferenceattribute {...}</code> |
| currentlistentrytitle | <code>\currentlistentrytitle</code> |
| currentlistentrytitlerendered | <code>\currentlistentrytitlerendered</code> |
| currentlistsymbol | <code>\currentlistsymbol</code> |
| currentmainlanguage | <code>\currentmainlanguage</code> |
| currentmessagetext | <code>\currentmessagetext</code> |
| currentmoduleparameter | <code>\currentmoduleparameter {...}</code> |
| currentoutputstream | <code>\currentoutputstream</code> |
| currentproduct | <code>\currentproduct</code> |

| | |
|-------------------------------------|-------------------------------------------------|
| currentproject | \currentproject |
| currentregime | \currentregime |
| currentregisterpageuserdata | \currentregisterpageuserdata {...} |
| currentresponses | \currentresponses |
| currenttime | \currenttime [...] |
| currentvalue | \currentvalue |
| currentxtablecolumn | \currentxtablecolumn |
| currentxtablerow | \currentxtablerow |
| DAYLONG | \DAYLONG {...} |
| DAYSHORT | \DAYSHORT {...} |
| d | \d {...} |
| da | \da [...] |
| daqualcheparte | \daqualcheparte {...} {...} [...] |
| data | \data [..=..] [...] |
| datadioggi | \datadioggi [...] |
| datadioggi:name | \datadioggi [...] |
| datasetvariable | \datasetvariable {...} {...} {...} |
| data:name | \data [..=..] [...] |
| daylong | \daylong {...} |
| dayoftheweek | \dayoftheweek {...} {...} {...} |
| dayshort | \dayshort {...} |
| dayspermonth | \dayspermonth {...} {...} |
| ddot | \ddot {...} |
| ddot | \ddot {...} |
| decrement | \decrement \... |
| decrementcounter | \decrementcounter [...] [...] |
| decrementedcounter | \decrementedcounter [...] |
| decrementpagenumber | \decrementpagenumber |
| decrementsubpagenumber | \decrementsubpagenumber |
| decrementvalue | \decrementvalue {...} |
| decrement:argument | \decrement (...) |
| defaultinterface | \defaultinterface |
| defaultobjectpage | \defaultobjectpage |
| defaultobjectreference | \defaultobjectreference |
| defcatcodecommand | \defcatcodecommand \... ... {...} |
| defconvertedargument | \defconvertedargument \... {...} |
| defconvertedcommand | \defconvertedcommand \... \... |
| defconvertedvalue | \defconvertedvalue \... {...} |
| defineactivecharacter | \defineactivecharacter ... {...} |
| definealternativestyle | \definealternativestyle [...] [...] [...] [...] |
| defineanchor | \defineanchor [...] [...] [..=..] [..=..] |
| defineattachment | \defineattachment [...] [...] [..=..] |
| defineattribute | \defineattribute [...] [...] |
| definebackground | \definebackground [...] [...] [..=..] |
| definebar | \definebar [...] [...] [..=..] |
| definebodyfontswitch | \definebodyfontswitch [...] [...] |
| definebreakpoint | \definebreakpoint [...] [...] [..=..] |
| definebreakpoints | \definebreakpoints [...] |
| definebtx | \definebtx [...] [...] [..=..] |
| definebtxdataset | \definebtxdataset [...] [...] [..=..] |
| definebtxregister | \definebtxregister [...] [...] [..=..] |
| definebtxrendering | \definebtxrendering [...] [...] [..=..] |
| definebutton | \definebutton [...] [...] [..=..] |
| definecapitals | \definecapitals [...] [...] [..=..] |
| definecharacterkerning | \definecharacterkerning [...] [...] [..=..] |
| definecharacterspacing | \definecharacterspacing [...] |
| definechemical | \definechemical [...] {...} |
| definechemicals | \definechemicals [...] [...] [..=..] |
| definechemicalsymbol | \definechemicalsymbol [...] [...] |
| definecollector | \definecollector [...] [...] [..=..] |
| definecolumnbreak | \definecolumnbreak [...] [...] |
| definecolumnsetarea | \definecolumnsetarea [...] [...] [..=..] |
| definecolumnsetspan | \definecolumnsetspan [...] [...] [..=..] |
| definecombination | \definecombination [...] [...] [..=..] |
| definecomment | \definecomment [...] [...] [..=..] |
| definecomplexorsimple | \definecomplexorsimple \... |
| definecomplexorsimpleempty | \definecomplexorsimpleempty \... |
| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty {...} |
| definecomplexorsimple:argument | \definecomplexorsimple {...} |
| defineconversionset | \defineconversionset [...] [...] [...] |
| definecounter | \definecounter [...] [...] [..=..] |
| definedataset | \definedataset [...] [...] [..=..] |

| | |
|-----------------------------|---------------------------------------------------|
| definedate | \definedate [...] [...] |
| definedelimitedtext | \definedelimitedtext [...] [...] [..=..] |
| definedfont | \definedfont [...] |
| definedocument | \definedocument [...] [...] [..=..] |
| defineeffect | \defineeffect [...] [...] [..=..] |
| defineexpandable | \defineexpandable [...] \... {...} |
| defineexpansion | \defineexpansion [...] [...] [..=..] |
| defineexternalfigure | \defineexternalfigure [...] [...] [..=..] |
| definefacingfloat | \definefacingfloat [...] [...] [..=..] |
| definefallbackfamily | \definefallbackfamily [...] [...] [...] [..=..] |
| definefallbackfamily:preset | \definefallbackfamily [...] [...] [...] [...] |
| definefieldbody | \definefieldbody [...] [...] [..=..] |
| definefieldbodyset | \definefieldbodyset [...] [...] |
| definefieldcategory | \definefieldcategory [...] [...] [..=..] |
| definefileconstant | \definefileconstant {...} {...} |
| definefilefallback | \definefilefallback [...] [...] |
| definefilesynonym | \definefilesynonym [...] [...] |
| definefiller | \definefiller [...] [...] [..=..] |
| definefirstline | \definefirstline [...] [...] [..=..] |
| definefittingpage | \definefittingpage [...] [...] [..=..] |
| definefontalternative | \definefontalternative [...] |
| definefontfallback | \definefontfallback [...] [...] [...] [..=..] |
| definefontfamily | \definefontfamily [...] [...] [...] [..=..] |
| definefontfamilypreset | \definefontfamilypreset [...] [..=..] |
| definefontfamilypreset:name | \definefontfamilypreset [...] [...] |
| definefontfamily:preset | \definefontfamily [...] [...] [...] [...] |
| definefontfeature | \definefontfeature [...] [...] [..=..] |
| definefontfile | \definefontfile [...] [...] [..=..] |
| definefontsize | \definefontsize [...] |
| definefontsolution | \definefontsolution [...] [...] [..=..] |
| defineformula | \defineformula [...] [...] [..=..] |
| defineformulaalternative | \defineformulaalternative [...] [...] [...] [...] |
| defineformulaframed | \defineformulaframed [...] [...] [..=..] |
| defineframedcontent | \defineframedcontent [...] [...] [..=..] |
| defineframedtable | \defineframedtable [...] [...] |
| definefrozenfont | \definefrozenfont [...] [...] |
| defineglobalcolor | \defineglobalcolor [...] [..=..] |
| defineglobalcolor:name | \defineglobalcolor [...] [...] |
| definegraphicstypesynonym | \definegraphicstypesynonym [...] [...] |
| definegridsnapping | \definegridsnapping [...] [...] |
| defineheadalternative | \defineheadalternative [...] [...] [..=..] |
| definehelp | \definehelp [...] [...] [..=..] |
| definehigh | \definehigh [...] [...] [..=..] |
| definehighlight | \definehighlight [...] [...] [..=..] |
| definehspace | \definehspace [...] [...] [...] |
| definehyphenationfeatures | \definehyphenationfeatures [...] [..=..] |
| defineindentedtext | \defineindentedtext [...] [...] [..=..] |
| defineindenting | \defineindenting [...] [...] |
| defineinitial | \defineinitial [...] [...] [..=..] |
| defineinsertion | \defineinsertion [...] [...] [..=..] |
| defineinteraction | \defineinteraction [...] [...] [..=..] |
| defineinteractionbar | \defineinteractionbar [...] [...] [..=..] |
| defineinterfaceconstant | \defineinterfaceconstant {...} {...} |
| defineinterfaceelement | \defineinterfaceelement {...} {...} |
| defineinterfacevariable | \defineinterfacevariable {...} {...} |
| defineinterlinespace | \defineinterlinespace [...] [...] [..=..] |
| defineintermediatecolor | \defineintermediatecolor [...] [...] [..=..] |
| defineitemgroup | \defineitemgroup [...] [...] [..=..] |
| defineitems | \defineitems [...] [...] [..=..] |
| definelabelclass | \definelabelclass [...] [...] |
| definelayer | \definelayer [...] [...] [..=..] |
| definelayerpreset | \definelayerpreset [...] [..=..] |
| definelayerpreset:name | \definelayerpreset [...] [...] |
| definelinefiller | \definelinefiller [...] [...] [..=..] |
| definelinenote | \definelinenote [...] [...] [..=..] |
| definelinenumbering | \definelinenumbering [...] [...] [..=..] |
| definelines | \definelines [...] [...] [..=..] |
| definelistalternative | \definelistalternative [...] [...] [..=..] |
| definelistextra | \definelistextra [...] [...] [..=..] |
| definelow | \definelow [...] [...] [..=..] |
| definelowhigh | \definelowhigh [...] [...] [..=..] |
| definelowmidhigh | \definelowmidhigh [...] [...] [..=..] |

| | |
|--------------------------------|--------------------------------------------------------|
| defineMPinstance | \defineMPinstance [...] [...] [..=..] |
| definemarginblock | \definemarginblock [...] [...] [..=..] |
| definemargindata | \definemargindata [...] [...] [..=..] |
| definemarker | \definemarker [...] |
| definemathaccent | \definemathaccent |
| definemathalignment | \definemathalignment [...] [...] [..=..] |
| definemathcases | \definemathcases [...] [...] [..=..] |
| definemathcommand | \definemathcommand [...] [...] [...] {...} |
| definemathdouble | \definemathdouble [...] [...] [...] [...] |
| definemathdoubleextensible | \definemathdoubleextensible [...] [...] [...] [...] |
| definematematics | \definematematics [...] [...] [..=..] |
| definemathextensible | \definemathextensible [...] [...] [...] |
| definemathfence | \definemathfence [...] [...] [..=..] |
| definemathfraction | \definemathfraction [...] [...] [..=..] |
| definemathframed | \definemathframed [...] [...] [..=..] |
| definemathmatrix | \definemathmatrix [...] [...] [..=..] |
| definemathornament | \definemathornament [...] [...] [..=..] |
| definemathover | \definemathover [...] [...] [...] |
| definemathoverextensible | \definemathoverextensible [...] [...] [...] [...] |
| definemathovertextextensible | \definemathovertextextensible [...] [...] [...] [...] |
| definemathradical | \definemathradical [...] [...] [..=..] |
| definemathstackers | \definemathstackers [...] [...] [..=..] |
| definemathstyle | \definemathstyle [...] [...] |
| definemathtriplet | \definemathtriplet [...] [...] [...] [...] |
| definemathunder | \definemathunder [...] [...] [...] [...] |
| definemathunderextensible | \definemathunderextensible [...] [...] [...] [...] |
| definemathundertextextensible | \definemathundertextextensible [...] [...] [...] [...] |
| definemathunstacked | \definemathunstacked [...] [...] [...] [...] |
| definemeasure | \definemeasure [...] [...] |
| definemessageconstant | \definemessageconstant {...} |
| definemixedcolumns | \definemixedcolumns [...] [...] [..=..] |
| definemode | \definemode [...] [...] |
| definemulticolumns | \definemulticolumns [...] [...] [...] [..=..] |
| definemultitoncolor | \definemultitoncolor [...] [..=..] [..=..] [..=..] |
| definenamecolor | \definenamecolor [...] [..=..] |
| definenamecolor:name | \definenamecolor [...] [...] |
| definenamespace | \definenamespace [...] [..=..] |
| definenuarrower | \definenuarrower [...] [...] [..=..] |
| definenuote | \definenuote [...] [...] [..=..] |
| defineorientation | \defineorientation [...] [...] [...] [..=..] |
| defineornament:collector | \defineornament [...] [..=..] [..=..] |
| defineornament:layer | \defineornament [...] [..=..] [..=..] |
| defineoutputroutine | \defineoutputroutine [...] [...] [..=..] |
| defineoutputroutinecommand | \defineoutputroutinecommand [...] |
| definepage | \definepage [...] [...] |
| definepagebreak | \definepagebreak [...] [...] |
| definepagechecker | \definepagechecker [...] [...] [..=..] |
| definepagecolumns | \definepagecolumns [...] [...] [..=..] |
| definepageinjection | \definepageinjection [...] [...] [..=..] |
| definepageinjectionalternative | \definepageinjectionalternative [...] [...] [..=..] |
| definepageshift | \definepageshift [...] [...] [...] [...] |
| definepagestate | \definepagestate [...] [...] [..=..] |
| definepairedbox | \definepairedbox [...] [...] [..=..] |
| defineparagraph | \defineparagraph [...] [...] [..=..] |
| defineparallel | \defineparallel [...] [...] |
| defineparbuilder | \defineparbuilder [...] |
| defineperiodkerning | \defineperiodkerning [...] [...] [..=..] |
| defineplaceholder | \defineplaceholder [...] [...] [..=..] |
| defineplacement | \defineplacement [...] [...] [..=..] |
| definepositioning | \definepositioning [...] [...] [..=..] |
| defineprefixset | \defineprefixset [...] [...] [...] [...] |
| defineprocesscolor | \defineprocesscolor [...] [...] [..=..] |
| defineprocessor | \defineprocessor [...] [...] [..=..] |
| definepushbutton | \definepushbutton [...] [..=..] |
| definepushsymbol | \definepushsymbol [...] [...] |
| definerenderingwindow | \definerenderingwindow [...] [...] [..=..] |
| defineresetset | \defineresetset [...] [...] [...] [...] |
| defineruby | \defineruby [...] [...] [..=..] |
| definescale | \definescale [...] [...] [..=..] |
| definescript | \definescript [...] [...] [..=..] |
| definesectionlevels | \definesectionlevels [...] [...] [...] |
| defineselector | \defineselector [...] [..=..] |

| | |
|--------------------------------|--------------------------------------------------------|
| defineseparatorset | \defineseparatorset [...] [...] [...] |
| defineshift | \defineshift [...] [...] [..=..] |
| definesidebar | \definesidebar [...] [...] [..=..] |
| definesort | \definesort [...] [...] [...] {...} |
| definespotcolor | \definespotcolor [...] [...] [..=..] |
| definestyleinstance | \definestyleinstance [...] [...] [...] [...] |
| definesubformula | \definesubformula [...] [...] [..=..] |
| definesynonym | \definesynonym [...] [...] [...] {...} {...} |
| definesystemattribute | \definesystemattribute [...] [...] |
| definesystemconstant | \definesystemconstant {...} |
| definesystemvariable | \definesystemvariable {...} |
| defineTABLEsetup | \defineTABLEsetup [...] [..=..] |
| definetextbackground | \definetextbackground [...] [...] [..=..] |
| definetextflow | \definetextflow [...] [...] [..=..] |
| definetextnote | \definetextnote [...] [...] [..=..] |
| definetokenlist | \definetokenlist [...] |
| definetooltip | \definetooltip [...] [...] [..=..] |
| definetransparency:1 | \definetransparency [...] [...] |
| definetransparency:2 | \definetransparency [...] [..=..] |
| definetransparency:3 | \definetransparency [...] [...] |
| definetwopasslist | \definetwopasslist {...} |
| definetypface | \definetypface [...] [...] [...] [...] [...] [..=..] |
| definetypescriptprefix | \definetypescriptprefix [...] [...] |
| definetypescriptsynonym | \definetypescriptsynonym [...] [...] |
| definetypesetting | \definetypesetting [...] [...] [..=..] |
| defineunit | \defineunit [...] [...] [..=..] |
| defineuserdata | \defineuserdata [...] [...] [..=..] |
| defineuserdataalternative | \defineuserdataalternative [...] [...] [..=..] |
| defineviewerlayer | \defineviewerlayer [...] [...] [..=..] |
| definevspace | \definevspace [...] [...] [...] |
| definevspacing | \definevspacing [...] [...] |
| definevspacingamount | \definevspacingamount [...] [...] [...] [...] |
| definextable | \definextable [...] [...] [..=..] |
| definischi | \definischi [...] \... {...} |
| definischiaccento | \definischiaccento |
| definischiambientefontdeltesto | \definischiambientefontdeltesto [...] [...] [..=..] |
| definischiblocco | \definischiblocco [...] [...] [..=..] |
| definischi bloccosezione | \definischi bloccosezione [...] [...] [..=..] |
| definischibuffer | \definischibuffer [...] [...] [..=..] |
| definischicampo | \definischicampo [...] [...] [...] [...] [...] [...] |
| definischicapoversi | \definischicapoversi [...] [...] [...] [..=..] |
| definischicarattere | \definischicarattere |
| definischicolore | \definischicolore [...] [..=..] |
| definischicolore:name | \definischicolore [...] [...] |
| definischicomando | \definischicomando |
| definisconversione | \definisconversione [...] [...] [...] [...] |
| definisconversione:list | \definisconversione [...] [...] [...] [...] |
| definisridescrizione | \definisridescrizione [...] [...] [..=..] |
| definisridimensionicarta | \definisridimensionicarta [...] [..=..] |
| definisridimensionicarta:name | \definisridimensionicarta [...] [...] [...] [...] |
| definisrielenco | \definisrielenco [...] [...] [..=..] |
| definisrielencocombinato | \definisrielencocombinato [...] [...] [..=..] |
| definisrienumerazione | \definisrienumerazione [...] [...] [..=..] |
| definisrietichetta | \definisrietichetta [...] [...] [..=..] |
| definisrifigurasiimbolo | \definisrifigurasiimbolo [...] [...] [..=..] |
| definisrifont | \definisrifont [...] [...] [..=..] |
| definisrifontdeltesto | \definisrifontdeltesto [...] [...] [...] [..=..] |
| definisrifontdeltesto:argument | \definisrifontdeltesto [...] [...] [...] [...] [...] |
| definisrifont:argument | \definisrifont [...] [...] [...] [...] |
| definisriformatoriferimento | \definisriformatoriferimento [...] [...] [..=..] |
| definisrigruppocolonne | \definisrigruppocolonne [...] [...] [..=..] |
| definisrigruppocolori | \definisrigruppocolori [...] [...] [x:y:z,..] |
| definisrihbox | \definisrihbox [...] [...] |
| definisriincorniciato | \definisriincorniciato [...] [...] [..=..] |
| definisriiniziatermina | \definisriiniziatermina [...] [...] [..=..] |
| definisrilayout | \definisrilayout [...] [...] [..=..] |
| definisrimakeup | \definisrimakeup [...] [...] [..=..] |
| definisrimarcatura | \definisrimarcatura [...] [...] [..=..] |
| definisrimenuinterazione | \definisrimenuinterazione [...] [...] [..=..] |
| definisrimodellotabella | \definisrimodellotabella [...] [...] [...] [...] [...] |
| definisrioggettomobile | \definisrioggettomobile [...] [...] [..=..] |
| definisrioggettomobile:name | \definisrioggettomobile [...] [...] [...] [...] |

| | |
|-----------------------------------|------------------------------------------------------------------------------------------------|
| definisuciordinamento | \definisuciordinamento [...] [...] [...] |
| definisuciprofilo | \definisuciprofilo [...] [...] [..=..] |
| definisuciprogramma | \definisuciprogramma [...] [...] [...] |
| definisuciregistro | \definisuciregistro [...] [...] [..=..] |
| definisuciriferimento | \definisuciriferimento [...] [...] [...] |
| definisucisezione | \definisucisezione [...] |
| definisucisimbolo | \definisucisimbolo [...] [...] [...] |
| definisucisinonimi | \definisucisinonimi [...] [...] [...] [...] |
| definisucisinonimofont | \definisucisinonimofont [...] [...] [..=..] |
| definisucisottocampo | \definisucisottocampo [...] [...] [...] |
| definisucisovrapposizione | \definisucisovrapposizione [...] [...] [...] |
| definisucistackcampi | \definisucistackcampi [...] [...] [..=..] |
| definisucistile | \definisucistile [...] [...] [..=..] |
| definisucistilefont | \definisucistilefont [...] [...] [...] |
| definisucitabulato | \definisucitabulato [...] [...] [!.../] |
| definisucitavolozza | \definisucitavolozza [...] [..=..] ^{OPT} |
| definisucitavolozza:name | \definisucitavolozza [...] [...] [...] |
| definisucitesta | \definisucitesta [...] [...] [..=..] |
| definisucitesto | \definisucitesto [...] [...] [...] [...] [...] [...] [...] |
| definisucitestoincorniciato | \definisucitestoincorniciato [...] [...] [..=..] |
| definisucitype | \definisucitype [...] [...] [..=..] |
| definisucityping | \definisucityping [...] [...] [..=..] |
| defrostparagraphproperties | \defrostparagraphproperties |
| delimited | \delimited [...] [...] {...} |
| delimitedtext | \delimitedtext [...] [...] {...} |
| delimitedtext:instance | \DELIMITEDTEXT [...] [...] {...} |
| delimitedtext:instance:aside | \aside [...] [...] {...} |
| delimitedtext:instance:blockquote | \blockquote [...] [...] {...} |
| delimitedtext:instance:quotation | \quotation [...] [...] {...} |
| delimitedtext:instance:quote | \quote [...] [...] {...} |
| delimitedtext:instance:speech | \speech [...] [...] {...} |
| depthofstring | \depthofstring {...} |
| depthonlybox | \depthonlybox {...} |
| depthspanningtext | \depthspanningtext {...} {...} {...} |
| depthstrut | \depthstrut |
| descrizione:example | \DESCRIZIONE [...] [...] {...} ... \par |
| destra | \destra ... |
| determinacaratteristicheregistro | \determinacaratteristicheregistro [...] [..=..] |
| determinacarattersticheelenco | \determinacarattersticheelenco [...] [..=..] |
| determinanumerotesta | \determinanumerotesta [...] |
| determinenoflines | \determinenoflines {...} |
| devanagarinumerals | \devanagarinumerals {...} |
| digits | \digits {...} |
| digits:string | \digits ... |
| dimensiontocount | \dimensiontocount {...} \... |
| directboxfromcache | \directboxfromcache {...} {...} |
| directcolor | \directcolor [...] |
| directcolored | \directcolored [..=..] |
| directcolored:name | \directcolored [...] |
| directconvertedcounter | \directconvertedcounter {...} {...} |
| directcopyboxfromcache | \directcopyboxfromcache {...} {...} |
| directdummyparameter | \directdummyparameter {...} |
| directgetboxllx | \directgetboxllx ... |
| directgetboxlly | \directgetboxlly ... |
| directhighlight | \directhighlight {...} {...} |
| directlocalframed | \directlocalframed [...] [...] {...} |
| directluacode | \directluacode {...} |
| directparwrapper | \directparwrapper {...} {...} |
| directselect | \directselect {...} {...} {...} {...} {...} {...} |
| directsetbar | \directsetbar [...] ^{OPT} ^{OPT} ^{OPT} ^{OPT} ^{OPT} |
| directsetup | \directsetup {...} |
| directsymbol | \directsymbol {...} {...} |
| directvspacing | \directvspacing {...} |
| dis | \dis {...} |
| disabledirectives | \disabledirectives [...] |
| disableexperiments | \disableexperiments [...] |
| disablemode | \disablemode [...] |
| disableoutputstream | \disableoutputstream |
| disableparpositions | \disableparpositions |
| disableregime | \disableregime |
| disabletrackers | \disabletrackers [...] |
| displaymath | \displaymath {...} |

| | |
|-------------------------------|-----------------------------------------------------------------|
| displaymathematics | \displaymathematics {...} |
| displaymessage | \displaymessage {...} |
| disposeluatable | \disposeluatable \... |
| distributedhsize | \distributedhsize {...} {...} {...} |
| dividedsize | \dividedsize {...} {...} {...} |
| doadaptleftskip | \doadaptleftskip {...} |
| doadaptrightskip | \doadaptrightskip {...} |
| doaddfeature | \doaddfeature {...} |
| doassign | \doassign [...] [..=..] |
| doassignempty | \doassignempty [...] [..=..] |
| doboundtext | \doboundtext {...} {...} {...} |
| docheckassignment | \docheckassignment {...} |
| docheckedpair | \docheckedpair {...} |
| documentvariable | \documentvariable {...} |
| dodoubleargument | \dodoubleargument \... [...] [...] |
| dodoubleargumentwithset | \dodoubleargumentwithset \... [...] [...] |
| dodoubleempty | \dodoubleempty \... [...] [...] |
| dodoubleemptywithset | \dodoubleemptywithset \... [...] [...] |
| dodoublegroupempty | \dodoublegroupempty \... {...} {...} |
| doeassign | \doeassign [...] [..=..] |
| doexpandedrecurse | \doexpandedrecurse {...} {...} |
| dofastloopcs | \dofastloopcs {...} \... |
| dogetattribute | \dogetattribute {...} |
| dogetattributeid | \dogetattributeid {...} |
| dogetcommacommandelement | \dogetcommacommandelement ... \from ... \to \... |
| dogobbledoubleempty | \dogobbledoubleempty [...] [...] |
| dogobblesingleempty | \dogobblesingleempty [...] |
| dohyphens | \dohyphens |
| doif | \doif {...} {...} {...} |
| doifallcommon | \doifallcommon {...} {...} {...} |
| doifallcommonelse | \doifallcommonelse {...} {...} {...} {...} |
| doifalldefinedelse | \doifalldefinedelse {...} {...} {...} |
| doifallmodes | \doifallmodes {...} {...} {...} |
| doifallmodeselse | \doifallmodeselse {...} {...} {...} |
| doifassignmentelse | \doifassignmentelse {...} {...} {...} |
| doifassignmentelsecs | \doifassignmentelsecs {...} \... \... |
| doifblackelse | \doifblackelse {...} {...} {...} |
| doifbothsides | \doifbothsides {...} {...} {...} |
| doifbothsidesoverruled | \doifbothsidesoverruled {...} {...} {...} |
| doifboxelse | \doifboxelse {...} {...} {...} {...} {...} |
| doifbufferelse | \doifbufferelse {...} {...} {...} |
| doifcheckedpagestate | \doifcheckedpagestate {...} {...} {...} {...} {...} {...} {...} |
| doifcolor | \doifcolor {...} {...} |
| doifcolorelse | \doifcolorelse {...} {...} {...} |
| doifcommandhandler | \doifcommandhandler \... {...} {...} |
| doifcommandhandlerelse | \doifcommandhandlerelse \... {...} {...} {...} |
| doifcommon | \doifcommon {...} {...} {...} |
| doifcommonelse | \doifcommonelse {...} {...} {...} {...} |
| doifcontent | \doifcontent {...} {...} {...} \... {...} |
| doifconversiondefinedelse | \doifconversiondefinedelse {...} {...} {...} |
| doifconversionnumberelse | \doifconversionnumberelse {...} {...} {...} {...} |
| doifcounter | \doifcounter {...} {...} |
| doifcounterelse | \doifcounterelse {...} {...} {...} |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse {...} {...} {...} |
| doifdefined | \doifdefined {...} {...} |
| doifdefinedcounter | \doifdefinedcounter {...} {...} |
| doifdefinedcounterelse | \doifdefinedcounterelse {...} {...} {...} |
| doifdefinedelse | \doifdefinedelse {...} {...} {...} |
| doifdimensionelse | \doifdimensionelse {...} {...} {...} |
| doifdimenstringelse | \doifdimenstringelse {...} {...} {...} |
| doifdocumentargument | \doifdocumentargument {...} {...} |
| doifdocumentargumentelse | \doifdocumentargumentelse {...} {...} {...} |
| doifdocumentfilename | \doifdocumentfilename {...} {...} |
| doifdocumentfilenameelse | \doifdocumentfilenameelse {...} {...} {...} |
| doifdocumentvariable | \doifdocumentvariable {...} {...} |
| doifdocumentvariableelse | \doifdocumentvariableelse {...} {...} {...} |
| doifdrawingblackelse | \doifdrawingblackelse {...} {...} |
| doifelse | \doifelse {...} {...} {...} {...} |
| doifelseallcommon | \doifelseallcommon {...} {...} {...} {...} |
| doifelsealldefined | \doifelsealldefined {...} {...} {...} |
| doifelseallmodes | \doifelseallmodes {...} {...} {...} |
| doifelseassignment | \doifelseassignment {...} {...} {...} |

| | |
|-------------------------------|----------------------------------------------------|
| doifelseassignmentcs | \doifelseassignmentcs {...} \... \... |
| doifelseblack | \doifelseblack {...} {...} {...} |
| doifelsebox | \doifelsebox {...} {...} {...} {...} |
| doifelseboxincache | \doifelseboxincache {...} {...} {...} {...} |
| doifelsebuffer | \doifelsebuffer {...} {...} {...} |
| doifelsecolor | \doifelsecolor {...} {...} {...} |
| doifelsecommandhandler | \doifelsecommandhandler \... {...} {...} {...} |
| doifelsecommon | \doifelsecommon {...} {...} {...} {...} |
| doifelseconversiondefined | \doifelseconversiondefined {...} {...} {...} {...} |
| doifelseconversionnumber | \doifelseconversionnumber {...} {...} {...} {...} |
| doifelsecounter | \doifelsecounter {...} {...} {...} |
| doifelsecurrentfonthasfeature | \doifelsecurrentfonthasfeature {...} {...} {...} |
| doifelsecurrentsortingused | \doifelsecurrentsortingused {...} {...} |
| doifelsecurrentsynonymshown | \doifelsecurrentsynonymshown {...} {...} |
| doifelsecurrentsynonymused | \doifelsecurrentsynonymused {...} {...} |
| doifelsedefined | \doifelsedefined {...} {...} {...} |
| doifelsedefinedcounter | \doifelsedefinedcounter {...} {...} {...} |
| doifelsedimension | \doifelsedimension {...} {...} {...} |
| doifelsedimenstring | \doifelsedimenstring {...} {...} {...} |
| doifelsedocumentargument | \doifelsedocumentargument {...} {...} {...} |
| doifelsedocumentfilename | \doifelsedocumentfilename {...} {...} {...} |
| doifelsedocumentvariable | \doifelsedocumentvariable {...} {...} {...} |
| doifelsedrawingblack | \doifelsedrawingblack {...} {...} |
| doifelseempty | \doifelseempty {...} {...} {...} |
| doifelseemptyvalue | \doifelseemptyvalue {...} {...} {...} |
| doifelseemptyvariable | \doifelseemptyvariable {...} {...} {...} {...} |
| doifelseenv | \doifelseenv {...} {...} {...} |
| doifelsefastoptionalcheck | \doifelsefastoptionalcheck {...} {...} |
| doifelsefastoptionalcheckcs | \doifelsefastoptionalcheckcs \... \... |
| doifelsefieldbody | \doifelsefieldbody {...} {...} {...} |
| doifelsefieldcategory | \doifelsefieldcategory {...} {...} {...} |
| doifelsefigure | \doifelsefigure {...} {...} {...} |
| doifelsefile | \doifelsefile {...} {...} {...} |
| doifelsefiledefined | \doifelsefiledefined {...} {...} {...} |
| doifelsefileexists | \doifelsefileexists {...} {...} {...} |
| doifelsefirstchar | \doifelsefirstchar {...} {...} {...} {...} |
| doifelseflagged | \doifelseflagged {...} {...} {...} |
| doifelsefontchar | \doifelsefontchar {...} {...} {...} {...} |
| doifelsefontfeature | \doifelsefontfeature {...} {...} {...} |
| doifelsefontpresent | \doifelsefontpresent {...} {...} {...} |
| doifelsefontsynonym | \doifelsefontsynonym {...} {...} {...} |
| doifelseframed | \doifelseframed \... {...} {...} |
| doifelsehasspace | \doifelsehasspace {...} {...} {...} |
| doifelsehelp | \doifelsehelp {...} {...} |
| doifelseinclsname | \doifelseinclsname {...} {...} {...} {...} |
| doifelseindented | \doifelseindented {...} {...} |
| doifelseinelement | \doifelseinelement {...} {...} {...} |
| doifelseinputfile | \doifelseinputfile {...} {...} {...} |
| doifelseinsertion | \doifelseinsertion {...} {...} {...} |
| doifelseinset | \doifelseinset {...} {...} {...} {...} |
| doifelseinstring | \doifelseinstring {...} {...} {...} {...} |
| doifelseinsymbolset | \doifelseinsymbolset {...} {...} {...} {...} |
| doifelseintoks | \doifelseintoks {...} {...} {...} {...} |
| doifelseintwopassdata | \doifelseintwopassdata {...} {...} {...} {...} |
| doifelseitalic | \doifelseitalic {...} {...} |
| doifelselanguage | \doifelselanguage {...} {...} {...} |
| doifelselayerdata | \doifelselayerdata {...} {...} {...} |
| doifelselayoutdefined | \doifelselayoutdefined {...} {...} {...} |
| doifelselayoutsomeline | \doifelselayoutsomeline {...} {...} {...} |
| doifelselayouttextline | \doifelselayouttextline {...} {...} {...} |
| doifelseleapyear | \doifelseleapyear {...} {...} {...} |
| doifselist | \doifselist {...} {...} {...} |
| doifselocation | \doifselocation {...} {...} |
| doifselocfile | \doifselocfile {...} {...} {...} |
| doifelseMPgraphic | \doifelseMPgraphic {...} {...} {...} |
| doifelsemainfloatbody | \doifelsemainfloatbody {...} {...} |
| doifelsemarkedcontent | \doifelsemarkedcontent {...} {...} {...} |
| doifelsemarkedpage | \doifelsemarkedpage {...} {...} {...} |
| doifelsemarking | \doifelsemarking {...} {...} {...} |
| doifelsemeaning | \doifelsemeaning \... \... {...} {...} |
| doifelsemessage | \doifelsemessage {...} {...} {...} {...} |
| doifelsemode | \doifelsemode {...} {...} {...} |

| | |
|--------------------------------|-------------------------------------------------------|
| doifelsenextbgroup | \doifelsenextbgroup {...} {...} |
| doifelsenextbgroupcs | \doifelsenextbgroupcs \... \... |
| doifelsenextchar | \doifelsenextchar {...} {...} {...} |
| doifelsenextoptional | \doifelsenextoptional {...} {...} |
| doifelsenextoptionalcs | \doifelsenextoptionalcs \... \... |
| doifelsenextparenthesis | \doifelsenextparenthesis {...} {...} |
| doifelsenonzeropositive | \doifelsenonzeropositive {...} {...} {...} |
| doifelsenoteonsamepage | \doifelsenoteonsamepage {...} {...} {...} |
| doifelsenothing | \doifelsenothing {...} {...} {...} |
| doifelsenumber | \doifelsenumber {...} {...} {...} |
| doifelseobjectfound | \doifelseobjectfound {...} {...} {...} {...} |
| doifelseobjectreferencefound | \doifelseobjectreferencefound {...} {...} {...} {...} |
| doifelseoddpge | \doifelseoddpge {...} {...} |
| doifelseoddpgefloat | \doifelseoddpgefloat {...} {...} |
| doifelseoldercontext | \doifelseoldercontext {...} {...} {...} |
| doifelseolderversion | \doifelseolderversion {...} {...} {...} {...} |
| doifelseorientation | \doifelseorientation {...} {...} {...} |
| doifelseoverlapping | \doifelseoverlapping {...} {...} {...} {...} |
| doifelseoverlay | \doifelseoverlay {...} {...} {...} |
| doifelseparallel | \doifelseparallel {...} {...} {...} {...} |
| doifelseparentfile | \doifelseparentfile {...} {...} {...} |
| doifelseparwrapper | \doifelseparwrapper {...} {...} {...} |
| doifelsepath | \doifelsepath {...} {...} {...} |
| doifelsepathexists | \doifelsepathexists {...} {...} {...} |
| doifelsepatterns | \doifelsepatterns {...} {...} {...} |
| doifelseposition | \doifelseposition {...} {...} {...} |
| doifelsepositionaction | \doifelsepositionaction {...} {...} {...} |
| doifelsepositiononpage | \doifelsepositiononpage {...} {...} {...} {...} |
| doifelsepositionsonsamepage | \doifelsepositionsonsamepage {...} {...} {...} |
| doifelsepositionsonthispage | \doifelsepositionsonthispage {...} {...} {...} |
| doifelsepositionsused | \doifelsepositionsused {...} {...} |
| doifelserreferencefound | \doifelserreferencefound {...} {...} {...} |
| doifelserightpage | \doifelserightpage {...} {...} |
| doifelserightpagefloat | \doifelserightpagefloat {...} {...} |
| doifelserighttopleftinbox | \doifelserighttopleftinbox ... {...} {...} |
| doifelsesamelinereference | \doifelsesamelinereference {...} {...} {...} |
| doifelsesamestring | \doifelsesamestring {...} {...} {...} {...} |
| doifelsesetups | \doifelsesetups {...} {...} {...} |
| doifelsesomebackground | \doifelsesomebackground {...} {...} {...} |
| doifelsesomespace | \doifelsesomespace {...} {...} {...} |
| doifelsesomething | \doifelsesomething {...} {...} {...} |
| doifelsesometoks | \doifelsesometoks \... {...} {...} |
| doifelsestringinstring | \doifelsestringinstring {...} {...} {...} {...} |
| doifelsestructurelisthasnumber | \doifelsestructurelisthasnumber {...} {...} |
| doifelsestructurelisthaspage | \doifelsestructurelisthaspage {...} {...} |
| doifelsesymboldefined | \doifelsesymboldefined {...} {...} {...} |
| doifelsesymbolset | \doifelsesymbolset {...} {...} {...} |
| doifelsetext | \doifelsetext {...} {...} {...} |
| doifelsetextflow | \doifelsetextflow {...} {...} {...} |
| doifelsetextflowcollector | \doifelsetextflowcollector {...} {...} {...} |
| doifelsetopofpage | \doifelsetopofpage {...} {...} |
| doifelsetypingfile | \doifelsetypingfile {...} {...} {...} |
| doifelseundefined | \doifelseundefined {...} {...} {...} |
| doifelseurldefined | \doifelseurldefined {...} {...} {...} |
| doifelsevalue | \doifelsevalue {...} {...} {...} {...} |
| doifelsevaluenothing | \doifelsevaluenothing {...} {...} {...} |
| doifelsevariable | \doifelsevariable {...} {...} {...} {...} |
| doifempty | \doifempty {...} {...} |
| doifemptyelse | \doifemptyelse {...} {...} {...} |
| doifemptytoks | \doifemptytoks \... {...} |
| doifemptyvalue | \doifemptyvalue {...} {...} |
| doifemptyvalueelse | \doifemptyvalueelse {...} {...} {...} |
| doifemptyvariable | \doifemptyvariable {...} {...} {...} |
| doifemptyvariableelse | \doifemptyvariableelse {...} {...} {...} {...} |
| doifenv | \doifenv {...} {...} |
| doifenvelse | \doifenvelse {...} {...} {...} |
| doiffastoptionalcheckcselse | \doiffastoptionalcheckcselse \... \... |
| doiffastoptionalcheckelse | \doiffastoptionalcheckelse {...} {...} |
| doiffielddbodyelse | \doiffielddbodyelse {...} {...} {...} |
| doiffielddcategoryelse | \doiffielddcategoryelse {...} {...} {...} |
| doiffigureelse | \doiffigureelse {...} {...} {...} |
| doiffile | \doiffile {...} {...} |

| | |
|-------------------------|------------------------------------------------|
| doiffiledefinedelse | \doiffiledefinedelse {...} {...} {...} |
| doiffileelse | \doiffileelse {...} {...} {...} |
| doiffileexistselse | \doiffileexistselse {...} {...} {...} |
| doiffirstcharelse | \doiffirstcharelse {...} {...} {...} {...} |
| doifflaggedelse | \doifflaggedelse {...} {...} {...} |
| doiffontcharelse | \doiffontcharelse {...} {...} {...} {...} |
| doiffontfeatureelse | \doiffontfeatureelse {...} {...} {...} |
| doiffontpresentelse | \doiffontpresentelse {...} {...} {...} |
| doiffontsynonymelse | \doiffontsynonymelse {...} {...} {...} |
| doifhasspaceelse | \doifhasspaceelse {...} {...} {...} |
| doifhelpelse | \doifhelpelse {...} {...} |
| doifincsnameelse | \doifincsnameelse {...} {...} {...} {...} |
| doifinelementelse | \doifinelementelse {...} {...} {...} |
| doifinputfileelse | \doifinputfileelse {...} {...} {...} |
| doifinsertionelse | \doifinsertionelse {...} {...} {...} |
| doifinset | \doifinset {...} {...} {...} |
| doifinsetelse | \doifinsetelse {...} {...} {...} {...} |
| doifinstring | \doifinstring {...} {...} {...} |
| doifinstringelse | \doifinstringelse {...} {...} {...} {...} |
| doifinsymbolset | \doifinsymbolset {...} {...} {...} {...} |
| doifinsymbolsetelse | \doifinsymbolsetelse {...} {...} {...} {...} |
| doifintokselse | \doifintokselse {...} {...} {...} {...} |
| doifintwopassdataelse | \doifintwopassdataelse {...} {...} {...} {...} |
| doifitalicelse | \doifitalicelse {...} {...} |
| doiflanguageelse | \doiflanguageelse {...} {...} {...} |
| doiflayerdataelse | \doiflayerdataelse {...} {...} {...} |
| doiflayoutdefinedelse | \doiflayoutdefinedelse {...} {...} {...} |
| doiflayoutsomelineelse | \doiflayoutsomelineelse {...} {...} {...} |
| doiflayouttextlineelse | \doiflayouttextlineelse {...} {...} {...} |
| doifleapyearelse | \doifleapyearelse {...} {...} {...} |
| doiflistelse | \doiflistelse {...} {...} {...} |
| doiflocationelse | \doiflocationelse {...} {...} |
| doiflocfileelse | \doiflocfileelse {...} {...} {...} |
| doifMPgraphicelse | \doifMPgraphicelse {...} {...} {...} |
| doifmainfloatbodyelse | \doifmainfloatbodyelse {...} {...} |
| doifmarkingelse | \doifmarkingelse {...} {...} {...} |
| doifmeaningelse | \doifmeaningelse \... \... {...} {...} |
| doifmessageelse | \doifmessageelse {...} {...} {...} {...} |
| doifmode | \doifmode {...} {...} |
| doifmodeelse | \doifmodeelse {...} {...} {...} |
| doifnextbgroupcelse | \doifnextbgroupcelse \... \... |
| doifnextbgroupelse | \doifnextbgroupelse {...} {...} |
| doifnextcharelse | \doifnextcharelse {...} {...} {...} |
| doifnextoptionalcelse | \doifnextoptionalcelse \... \... |
| doifnextoptionalelse | \doifnextoptionalelse {...} {...} |
| doifnextparenthesiselse | \doifnextparenthesiselse {...} {...} |
| doifnonzeropositiveelse | \doifnonzeropositiveelse {...} {...} {...} |
| doifnot | \doifnot {...} {...} {...} |
| doifnotallcommon | \doifnotallcommon {...} {...} {...} |
| doifnotallmodes | \doifnotallmodes {...} {...} {...} |
| doifnotcommandhandler | \doifnotcommandhandler \... {...} {...} |
| doifnotcommon | \doifnotcommon {...} {...} {...} |
| doifnotcounter | \doifnotcounter {...} {...} |
| doifnotdocumentargument | \doifnotdocumentargument {...} {...} |
| doifnotdocumentfilename | \doifnotdocumentfilename {...} {...} |
| doifnotdocumentvariable | \doifnotdocumentvariable {...} {...} |
| doifnotempty | \doifnotempty {...} {...} |
| doifnotemptyvalue | \doifnotemptyvalue {...} {...} |
| doifnotemptyvariable | \doifnotemptyvariable {...} {...} {...} |
| doifnotenv | \doifnotenv {...} {...} |
| doifnoteonsamepageelse | \doifnoteonsamepageelse {...} {...} {...} |
| doifnotescollected | \doifnotescollected {...} {...} |
| doifnotfile | \doifnotfile {...} {...} |
| doifnotflagged | \doifnotflagged {...} {...} |
| doifnothing | \doifnothing {...} {...} |
| doifnothingelse | \doifnothingelse {...} {...} {...} |
| doifnotinset | \doifnotinset {...} {...} {...} |
| doifnotinsidesplitfloat | \doifnotinsidesplitfloat {...} |
| doifnotinstring | \doifnotinstring {...} {...} {...} |
| doifnotmode | \doifnotmode {...} {...} |
| doifnotnumber | \doifnotnumber {...} {...} |
| doifnotsamestring | \doifnotsamestring {...} {...} {...} |

| | |
|--------------------------------|-------------------------------------------------------|
| doifnotsetups | \doifnotsetups {...} {...} |
| doifnotvalue | \doifnotvalue {...} {...} {...} |
| doifnotvariable | \doifnotvariable {...} {...} {...} |
| doifnumber | \doifnumber {...} {...} |
| doifnumberelse | \doifnumberelse {...} {...} {...} |
| doifobjectfoundelse | \doifobjectfoundelse {...} {...} {...} {...} |
| doifobjectreferencefoundelse | \doifobjectreferencefoundelse {...} {...} {...} {...} |
| doifoddpageelse | \doifoddpageelse {...} {...} |
| doifoddpagefloatelse | \doifoddpagefloatelse {...} {...} |
| doifoldercontextelse | \doifoldercontextelse {...} {...} {...} |
| doifolderversionelse | \doifolderversionelse {...} {...} {...} {...} |
| doifoutervmode | \doifoutervmode {...} |
| doifoverlappingelse | \doifoverlappingelse {...} {...} {...} {...} |
| doifoverlayelse | \doifoverlayelse {...} {...} {...} |
| doifparallelelse | \doifparallelelse {...} {...} {...} {...} |
| doifparentfileelse | \doifparentfileelse {...} {...} {...} |
| doifpathelse | \doifpathelse {...} {...} {...} |
| doifpathexistselse | \doifpathexistselse {...} {...} {...} |
| doifpatternselse | \doifpatternselse {...} {...} {...} |
| doifposition | \doifposition {...} {...} {...} |
| doifpositionaction | \doifpositionaction {...} {...} {...} |
| doifpositionactionelse | \doifpositionactionelse {...} {...} {...} |
| doifpositionelse | \doifpositionelse {...} {...} {...} |
| doifpositiononpageelse | \doifpositiononpageelse {...} {...} {...} {...} |
| doifpositionsonsamepageelse | \doifpositionsonsamepageelse {...} {...} {...} {...} |
| doifpositionsonthispageelse | \doifpositionsonthispageelse {...} {...} {...} |
| doifpositionsusedelse | \doifpositionsusedelse {...} {...} |
| doifreferencefoundelse | \doifreferencefoundelse {...} {...} {...} |
| doifrightpageelse | \doifrightpageelse {...} {...} |
| doifrightpagefloatelse | \doifrightpagefloatelse {...} {...} |
| doifrighttoleftinboxelse | \doifrighttoleftinboxelse ... {...} {...} |
| doifsamelinereferenceelse | \doifsamelinereferenceelse {...} {...} {...} |
| doifsamestring | \doifsamestring {...} {...} {...} |
| doifsamestringelse | \doifsamestringelse {...} {...} {...} {...} |
| doifsetups | \doifsetups {...} {...} |
| doifsetupselse | \doifsetupselse {...} {...} {...} |
| doifsomebackground | \doifsomebackground {...} {...} {...} |
| doifsomebackgroundelse | \doifsomebackgroundelse {...} {...} {...} |
| doifsomespaceelse | \doifsomespaceelse {...} {...} {...} |
| doifsomething | \doifsomething {...} {...} |
| doifsomethingelse | \doifsomethingelse {...} {...} {...} |
| doifsometoks | \doifsometoks \... {...} |
| doifsometokselse | \doifsometokselse \... {...} {...} |
| doifstringinstringelse | \doifstringinstringelse {...} {...} {...} {...} |
| doifstructurelisthasnumberelse | \doifstructurelisthasnumberelse {...} {...} |
| doifstructurelisthaspageelse | \doifstructurelisthaspageelse {...} {...} |
| doifsymboldefinedelse | \doifsymboldefinedelse {...} {...} {...} |
| doifsymbolsetelse | \doifsymbolsetelse {...} {...} {...} |
| doiftext | \doiftext {...} {...} {...} |
| doiftextelse | \doiftextelse {...} {...} {...} |
| doiftextflowcollectorelse | \doiftextflowcollectorelse {...} {...} {...} |
| doiftextflowelse | \doiftextflowelse {...} {...} {...} |
| doiftopofpageelse | \doiftopofpageelse {...} {...} |
| doiftypingfileelse | \doiftypingfileelse {...} {...} {...} |
| doifundefined | \doifundefined {...} {...} |
| doifundefinedcounter | \doifundefinedcounter {...} {...} |
| doifundefinedelse | \doifundefinedelse {...} {...} {...} |
| doifunknownfontfeature | \doifunknownfontfeature {...} {...} {...} |
| doifurldefinedelse | \doifurldefinedelse {...} {...} {...} |
| doifvalue | \doifvalue {...} {...} {...} |
| doifvalueelse | \doifvalueelse {...} {...} {...} {...} |
| doifvaluenothing | \doifvaluenothing {...} {...} |
| doifvaluenothingelse | \doifvaluenothingelse {...} {...} {...} |
| doifvaluesomething | \doifvaluesomething {...} {...} |
| doifvariable | \doifvariable {...} {...} {...} |
| doifvariableelse | \doifvariableelse {...} {...} {...} {...} |
| doindentation | \doindentation |
| dollar | \dollar |
| doloop | \doloop {...} |
| doloopoverlist | \doloopoverlist {...} {...} |
| donothing | \donothing |
| dontconvertfont | \dontconvertfont |

| | |
|---------------------------------------|----------------------------------------------------------------------|
| dontleavehmode | \dontleavehmode |
| dontpermitspacesbetweengroups | \dontpermitspacesbetweengroups |
| dopositionaction | \dopositionaction {...} |
| doprocesslocalsetups | \doprocesslocalsetups {...} |
| doquadrupleargument | \doquadrupleargument \... [...] [...] [...] [...] |
| doquadrupleempty | \doquadrupleempty \... [...] [...] [...] [...] |
| doquadruplegroupempty | \doquadruplegroupempty \... [...] [...] [...] [...] |
| doquintupleargument | \doquintupleargument \... [...] [...] [...] [...] [...] |
| doquintupleempty | \doquintupleempty \... [...] [...] [...] [...] [...] |
| doquintuplegroupempty | \doquintuplegroupempty \... [...] [...] [...] [...] [...] |
| dorechecknextindentation | \dorechecknextindentation |
| dorecurse | \dorecurse [...] {...} |
| dorepeatwithcommand | \dorepeatwithcommand [...] \... |
| doreplacefeature | \doreplacefeature {...} |
| doresetandafffeature | \doresetandafffeature {...} |
| doresetattribute | \doresetattribute {...} |
| dorotatebox | \dorotatebox [...] \... {...} |
| dosetattribute | \dosetattribute [...] {...} |
| dosetleftskipadaption | \dosetleftskipadaption {...} |
| dosetrighskipadaption | \dosetrighskipadaption {...} |
| dosetupcheckedinterlinespace | \dosetupcheckedinterlinespace {..=..} |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {...} |
| dosetupcheckedinterlinespace:name | \dosetupcheckedinterlinespace {...} |
| doseventupleargument | \doseventupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| doseventupleempty | \doseventupleempty \... [...] [...] [...] [...] [...] [...] [...] |
| dosingleargument | \dosingleargument \... [...] |
| dosingleempty | \dosingleempty \... [...] |
| dosinglegroupempty | \dosinglegroupempty \... {...} |
| dosixtupleargument | \dosixtupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| dosixtupleempty | \dosixtupleempty \... [...] [...] [...] [...] [...] [...] [...] |
| dosomebreak | \dosomebreak \... |
| dostarttagged | \dostarttagged [...] [...] \dots \dostoptagged |
| dostepwiserecurse | \dostepwiserecurse [...] [...] [...] [...] [...] [...] [...] [...] |
| dosubtractfeature | \dosubtractfeature {...} |
| dotfill | \dotfill |
| dotfskip | \dotfskip {...} |
| dotoks | \dotoks \... |
| dotripleargument | \dotripleargument \... [...] [...] [...] [...] |
| dotripleargumentwithset | \dotripleargumentwithset \... [...] [...] [...] [...] |
| dotripleempty | \dotripleempty \... [...] [...] [...] [...] |
| dotripleemptywithset | \dotripleemptywithset \... [...] [...] [...] [...] |
| dotriplegroupempty | \dotriplegroupempty \... [...] [...] [...] [...] |
| doublebond | \doublebond |
| dowith | \dowith [...] [...] [...] [...] |
| dowithnextbox | \dowithnextbox [...] \... [...] [...] [...] |
| dowithnextboxcontent | \dowithnextboxcontent [...] [...] \... [...] [...] [...] |
| dowithnextboxcontentcs | \dowithnextboxcontentcs \... \... \... [...] [...] [...] |
| dowithnextboxcs | \dowithnextboxcs \... \... [...] [...] [...] [...] |
| dowithpargument | \dowithpargument \... |
| dowithrange | \dowithrange [...] \... [...] [...] [...] [...] [...] |
| dowithwargument | \dowithwargument \... [...] [...] [...] [...] [...] [...] [...] |
| dpofstring | \dpofstring {...} |
| dummydigit | \dummydigit |
| dummyparameter | \dummyparameter {...} |
| ETEX | \ETEX |
| EveryLine | \EveryLine {...} |
| EveryPar | \EveryPar {...} |
| edefconvertedargument | \edefconvertedargument \... [...] [...] [...] [...] |
| efcmxheight | \efcmxheight {...} |
| efcmxwidth | \efcmxwidth {...} |
| efcminheight | \efcminheight {...} |
| efcminwidth | \efcminwidth {...} |
| efcparameter | \efcparameter [...] [...] [...] [...] [...] [...] [...] [...] |
| effect | \effect [...] [...] [...] [...] [...] [...] [...] [...] |
| elaborablocchi | \elaborablocchi [...] [...] [...] [...] [...] [...] [...] [...] |
| elapsedseconds | \elapsedseconds |
| elapsedsteptime | \elapsedsteptime |
| elapsedtime | \elapsedtime |
| elementi | \elementi [..=..] [...] [...] [...] [...] [...] [...] [...] [...] |
| elemento | \elemento [...] [...] [...] [...] [...] [...] [...] [...] |
| em | \em |
| emphasisboldface | \emphasisboldface |

| | |
|-----------------------------------|----------------------------------------------------------|
| emphasistypeface | \emphasistypeface |
| emptylines | \emptylines [...] |
| emspace | \emspace |
| enableasciimode | \enableasciimode |
| enabledirectives | \enabledirectives [...] |
| enableexperiments | \enableexperiments [...] |
| enablemode | \enablemode [...] |
| enableoutputstream | \enableoutputstream [...] |
| enableparpositions | \enableparpositions |
| enableregime | \enableregime [...] |
| enabletrackers | \enabletrackers [...] |
| enskip | \enskip |
| enspace | \enspace |
| enumerazione:example | \ENUMERAZIONE [...] {...} ... \par |
| env | \env {...} |
| envvar | \envvar {...} {...} |
| epos | \epos {...} |
| equaldigits | \equaldigits {...} |
| eTeX | \eTeX |
| etichetta:example | \ETICHETTA [...] {...} |
| executeifdefined | \executeifdefined {...} {...} |
| exitloop | \exitloop |
| exitloopnow | \exitloopnow |
| expandcheckedcsname | \expandcheckedcsname \... {...} {...} |
| expanded | \expanded {...} |
| expandeddoif | \expandeddoif {...} {...} {...} |
| expandeddoifelse | \expandeddoifelse {...} {...} {...} {...} |
| expandeddoifnot | \expandeddoifnot {...} {...} {...} |
| expandfontsynonym | \expandfontsynonym \... {...} |
| expdoif | \expdoif {...} {...} {...} |
| expdoifcommonelse | \expdoifcommonelse {...} {...} {...} {...} |
| expdoifelse | \expdoifelse {...} {...} {...} {...} |
| expdoifelsecommon | \expdoifelsecommon {...} {...} {...} {...} |
| expdoifelseinset | \expdoifelseinset {...} {...} {...} {...} |
| expdoifinsetelse | \expdoifinsetelse {...} {...} {...} {...} |
| expdoifnot | \expdoifnot {...} {...} {...} |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {...} |
| externalfigurecollectionmaxwidth | \externalfigurecollectionmaxwidth {...} |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {...} |
| externalfigurecollectionminwidth | \externalfigurecollectionminwidth {...} |
| externalfigurecollectionparameter | \externalfigurecollectionparameter {...} {...} |
| fakebox | \fakebox ... |
| fastdecrement | \fastdecrement \... |
| fastincrement | \fastincrement \... |
| fastlocalframed | \fastlocalframed [...] [..=..] {...} |
| fastloopfinal | \fastloopfinal |
| fastloopindex | \fastloopindex |
| fastscale | \fastscale {...} {...} |
| fastsetup | \fastsetup {...} |
| fastsetupwithargument | \fastsetupwithargument {...} {...} |
| fastsetupwithargumentswapped | \fastsetupwithargumentswapped {...} {...} |
| fastswitchtobodyfont | \fastswitchtobodyfont {...} |
| fastxsy | \fastxsy {...} {...} {...} |
| feature | \feature [...] [...] |
| feature:direct | \feature {...} {...} |
| fence | \fence |
| fenced | \fenced [...] {...} |
| fence:example | \FENCE {...} |
| fetchallmarkings | \fetchallmarkings [...] [...] |
| fetchallmarks | \fetchallmarks [...] |
| fetchmark | \fetchmark [...] [...] |
| fetchmarking | \fetchmarking [...] [...] [...] |
| fetchonemark | \fetchonemark [...] [...] |
| fetchonemarking | \fetchonemarking [...] [...] [...] |
| fetchruntinecommand | \fetchruntinecommand \... {...} |
| fetchtwomarkings | \fetchtwomarkings [...] [...] |
| fetchtwomarks | \fetchtwomarks [...] |
| fieldbody | \fieldbody [...] [..=..] |
| fifthoffivearguments | \fifthoffivearguments {...} {...} {...} {...} {...} |
| fifthofsixarguments | \fifthofsixarguments {...} {...} {...} {...} {...} {...} |
| figuraesterna | \figuraesterna [...] [...] [..=..] |
| figurefilename | \figurefilename |

| | |
|-------------------------|-----------------------------------------------------------|
| figurefilepath | \figurefilepath |
| figurefiletype | \figurefiletype |
| figurefullname | \figurefullname |
| figureheight | \figureheight |
| figurenaturalheight | \figurenaturalheight |
| figurenaturalwidth | \figurenaturalwidth |
| figuresymbol | \figuresymbol [...] [..=..] |
| figurewidth | \figurewidth |
| filename | \filename {...} |
| filledhboxb | \filledhboxb ... {...} |
| filledhboxc | \filledhboxc ... {...} |
| filledhboxg | \filledhboxg ... {...} |
| filledhboxk | \filledhboxk ... {...} |
| filledhboxm | \filledhboxm ... {...} |
| filledhboxr | \filledhboxr ... {...} |
| filledhboxy | \filledhboxy ... {...} |
| filler | \filler [...] |
| fillupto | \fillupto [...] {...} |
| filterfromnext | \filterfromnext {...} {...} {...} {...} {...} {...} {...} |
| filterfromvalue | \filterfromvalue {...} {...} {OPT..} OPT OPT OPT OPT |
| filterpages | \filterpages [...] [...] [..=..] |
| filterreference | \filterreference {...} |
| findtwopassdata | \findtwopassdata {...} {...} |
| finishregisterentry | \finishregisterentry [...] [..=..] [..=..] |
| firstcharacter | \firstcharacter |
| firstcounter | \firstcounter [...] [...] |
| firstcountervalue | \firstcountervalue [...] |
| firstinlist | \firstinlist [...] |
| firstoffivearguments | \firstoffivearguments {...} {...} {...} {...} {...} |
| firstoffourarguments | \firstoffourarguments {...} {...} {...} {...} |
| firstofoneargument | \firstofoneargument {...} |
| firstofoneunexpanded | \firstofoneunexpanded {...} |
| firstofsixarguments | \firstofsixarguments {...} {...} {...} {...} {...} {...} |
| firstofthreearguments | \firstofthreearguments {...} {...} {...} |
| firstofthreeunexpanded | \firstofthreeunexpanded {...} {...} {...} |
| firstoftwoarguments | \firstoftwoarguments {...} {...} |
| firstoftwounexpanded | \firstoftwounexpanded {...} {...} |
| firstrealpage | \firstrealpage |
| firstrealpagenumber | \firstrealpagenumber |
| firstsubcountervalue | \firstsubcountervalue [...] [...] |
| firstsubpagenumber | \firstsubpagenumber |
| firstuserpage | \firstuserpage |
| firstuserpagenumber | \firstuserpagenumber |
| fitfieldframed | \fitfieldframed [..=..] {...} |
| fittopbaselinegrid | \fittopbaselinegrid {...} |
| flag | \flag {...} |
| floatuserdataparameter | \floatuserdataparameter {...} |
| flushbox | \flushbox {...} {...} |
| flushboxregister | \flushboxregister ... |
| flushcollector | \flushcollector [...] |
| flushedrightlastline | \flushedrightlastline |
| flushlayer | \flushlayer [...] |
| flushlocalfloats | \flushlocalfloats |
| flushnextbox | \flushnextbox |
| flushnotes | \flushnotes |
| flushoutputstream | \flushoutputstream [...] |
| flushshapebox | \flushshapebox |
| flushtextflow | \flushtextflow {...} |
| flushtokens | \flushtokens [...] |
| flushtoks | \flushtoks \... |
| fontalternative | \fontalternative |
| fontbody | \fontbody |
| fontchar | \fontchar {...} |
| fontcharbyindex | \fontcharbyindex {...} |
| fontclass | \fontclass |
| fontclassname | \fontclassname {...} {...} |
| fontface | \fontface |
| fontfeaturelist | \fontfeaturelist [...] [...] |
| fontsize | \fontsize |
| fontstyle | \fontstyle |
| forcecharacterstripping | \forcecharacterstripping |
| forcelocalfloats | \forcelocalfloats |

| | |
|----------------------------|-----------------------------------------------------------|
| forgeteverypar | \forgeteverypar |
| forgetparagraphfreezing | \forgetparagraphfreezing |
| forgetparameters | \forgetparameters [...] [..=..] |
| forgetparskip | \forgetparskip |
| forgetparwrapper | \forgetparwrapper |
| forgetragged | \forgetragged |
| formula | \formula [...] {...} |
| foundbox | \foundbox {...} {...} |
| fourthoffivearguments | \fourthoffivearguments {...} {...} {...} {...} {...} |
| fourthoffourarguments | \fourthoffourarguments {...} {...} {...} {...} |
| fourthofsixarguments | \fourthofsixarguments {...} {...} {...} {...} {...} {...} |
| frameddimension | \frameddimension {...} |
| framedparameter | \framedparameter {...} |
| frazione:instance | \FRACTION {...} {...} |
| frazione:instance:binom | \binom {...} {...} |
| frazione:instance:dbinom | \dbinom {...} {...} |
| frazione:instance:dfrac | \dfrac {...} {...} |
| frazione:instance:frac | \frac {...} {...} |
| frazione:instance:sfrac | \sfrac {...} {...} |
| frazione:instance:tbinom | \tbinom {...} {...} |
| frazione:instance:xfrac | \xfrac {...} {...} |
| frazione:instance:xxfrac | \xxfrac {...} {...} |
| freezedimenmacro | \freezedimenmacro \... \... |
| freezemeasure | \freezemeasure [...] [...] |
| freezeparagraphproperties | \freezeparagraphproperties |
| frenchspacing | \frenchspacing |
| fromlinenote | \fromlinenote [...] {...} |
| frozenhbox | \frozenhbox {...} |
| frule | \frule ... \relax |
| GetPar | \GetPar |
| GIORNOSETTIMANA | \GIORNOSETTIMANA {...} |
| GotoPar | \GotoPar |
| Greeknumerals | \Greeknumerals {...} |
| gdefconvertedargument | \gdefconvertedargument \... {...} |
| gdefconvertedcommand | \gdefconvertedcommand \... \... |
| getboxfromcache | \getboxfromcache {...} {...} ... |
| getboxllx | \getboxllx ... |
| getboxlly | \getboxlly ... |
| getbufferdata | \getbufferdata [...] |
| getcommacommandsize | \getcommacommandsize [...] |
| getcommalistsize | \getcommalistsize [...] |
| getdatavalue | \getdatavalue {...} |
| getdayoftheweek | \getdayoftheweek {...} {...} {...} |
| getdayspermonth | \getdayspermonth {...} {...} |
| getdefinedbuffer | \getdefinedbuffer [...] |
| getdocumentargument | \getdocumentargument {...} |
| getdocumentargumentdefault | \getdocumentargumentdefault {...} {...} |
| getdocumentfilename | \getdocumentfilename {...} |
| getdummyparameters | \getdummyparameters [..=..] |
| getemptyparameters | \getemptyparameters [...] [..=..] |
| geteparameters | \geteparameters [...] [..=..] |
| getexpandedparameters | \getexpandedparameters [...] [..=..] |
| getfiguredimensions | \getfiguredimensions [...] [..=..] |
| getfirstcharacter | \getfirstcharacter {...} |
| getfirsttwopassdata | \getfirsttwopassdata {...} |
| getfromcommacommand | \getfromcommacommand [...] [...] |
| getfromcommalist | \getfromcommalist [...] [...] |
| getfromluatable | \getfromluatable \... {...} |
| getfromtwopassdata | \getfromtwopassdata {...} {...} |
| getglyphdirect | \getglyphdirect {...} {...} |
| getglyphstyled | \getglyphstyled {...} {...} |
| getgparameters | \getgparameters [...] [..=..] |
| getinlineuserdata | \getinlineuserdata |
| getlasttwopassdata | \getlasttwopassdata {...} |
| getlocalfloat | \getlocalfloat {...} |
| getlocalfloats | \getlocalfloats |
| getMPdrawing | \getMPdrawing |
| getMPlayer | \getMPlayer [...] [..=..] {...} |
| getmessage | \getmessage {...} {...} |
| getnamedglyphdirect | \getnamedglyphdirect {...} {...} |
| getnamedglyphstyled | \getnamedglyphstyled {...} {...} |
| getnamedtwopassdatalist | \getnamedtwopassdatalist \... {...} |

| | |
|---------------------------|---------------------------------------------------------------------------------|
| getnaturaldimensions | \getnaturaldimensions ... |
| getnoflines | \getnoflines {...} |
| getobject | \getobject {...} {...} |
| getobjectdimensions | \getobjectdimensions {...} {...} |
| getpaletsize | \getpaletsize [...] |
| getparameters | \getparameters [...] [..=..] |
| getparwrapper | \getparwrapper {...} |
| getprivatechar | \getprivatechar {...} |
| getprivateslot | \getprivateslot {...} |
| getrandomcount | \getrandomcount \... {...} {...} |
| getrandomdimen | \getrandomdimen \... {...} {...} |
| getrandomfloat | \getrandomfloat \... {...} {...} |
| getrandomnumber | \getrandomnumber \... {...} {...} |
| getrandomseed | \getrandomseed \... |
| getraweparameters | \getraweparameters [...] [..=..] |
| getrawgparameters | \getrawgparameters [...] [..=..] |
| getrawnoflines | \getrawnoflines {...} |
| getrawparameters | \getrawparameters [...] [..=..] |
| getrawxparameters | \getrawxparameters [...] [..=..] |
| getreference | \getreference [...] [...] |
| getreferenceentry | \getreferenceentry {...} |
| getroundednoflines | \getroundednoflines {...} |
| getsubstring | \getsubstring {...} {...} {...} |
| gettokenlist | \gettokenlist [...] |
| gettwopassdata | \gettwopassdata {...} |
| gettwopassdatalist | \gettwopassdatalist {...} |
| getuserdata | \getuserdata |
| getuvalue | \getuvalue {...} |
| getvalue | \getvalue {...} |
| getvariable | \getvariable {...} {...} |
| getvariabledefault | \getvariabledefault {...} {...} {...} |
| getxparameters | \getxparameters [...] [..=..] |
| giornosettimana | \giornosettimana {...} |
| globaldisablemode | \globaldisablemode [...] |
| globalenablemode | \globalenablemode [...] |
| globalletempty | \globalletempty \... |
| globalpopbox | \globalpopbox ... |
| globalpopmacro | \globalpopmacro \... |
| globalpreventmode | \globalpreventmode [...] |
| globalprocesscommalist | \globalprocesscommalist [...] \... |
| globalpushbox | \globalpushbox ... |
| globalpushmacro | \globalpushmacro \... |
| globalpushreferenceprefix | \globalpushreferenceprefix {...} ... \globalpopreferenceprefix |
| globalswapcounts | \globalswapcounts \... \... |
| globalswapdimens | \globalswapdimens \... \... |
| globalswapmacros | \globalswapmacros \... \... |
| globalundefine | \globalundefine {...} |
| glyphfontfile | \glyphfontfile {...} |
| gobbledoubleempty | \gobbledoubleempty [...] [...] |
| gobbleeightarguments | \gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...} |
| gobblefivearguments | \gobblefivearguments {...} {...} {...} {...} {...} |
| gobblefiveoptionals | \gobblefiveoptionals [...] [...] [...] [...] [...] |
| gobblefourarguments | \gobblefourarguments {...} {...} {...} {...} |
| gobblefouroptionals | \gobblefouroptionals [...] [...] [...] [...] |
| gobbleninearguments | \gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...} |
| gobbleoneargument | \gobbleoneargument {...} |
| gobbleoneoptional | \gobbleoneoptional [...] |
| gobblesevenarguments | \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...} |
| gobblesingleempty | \gobblesingleempty [...] |
| gobblesixarguments | \gobblesixarguments {...} {...} {...} {...} {...} {...} |
| gobblespacetokens | \gobblespacetokens |
| gobbletenarguments | \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...} {...} |
| gobblethreearguments | \gobblethreearguments {...} {...} {...} |
| gobblethreepoptionals | \gobblethreepoptionals [...] [...] [...] |
| gobbletwoarguments | \gobbletwoarguments {...} {...} |
| gobbletwooptionals | \gobbletwooptionals [...] [...] |
| gobbleuntil | \gobbleuntil \... |
| gobbleuntilrelax | \gobbleuntilrelax ... \relax |
| grabbufferdata | \grabbufferdata [...] [...] [...] [...] |
| grabbufferdatadirect | \grabbufferdatadirect {...} {...} {...} |
| grabuntil | \grabuntil {...} \... |
| grafiamanuale | \grafiamanuale |

| | |
|----------------------------|-----------------------------------------------------|
| grande | \grande ... |
| grassetto | \grassetto |
| grassetto corsivo | \grassetto corsivo |
| grassetto inclinato | \grassetto inclinato |
| grave | \grave {...} |
| grayvalue | \grayvalue {...} |
| greedy split string | \greedy split string ... \at ... \to \... \and \... |
| Greek numerals | \greek numerals {...} |
| griglia | \griglia [..=..] |
| grosso font del testo | \grosso font del testo |
| grouped command | \grouped command {...} {...} |
| gsetbox llx | \gsetbox llx ... {...} |
| gsetbox lly | \gsetbox lly ... {...} |
| Gujarati numerals | \gujarati numerals {...} |
| Gurmukhi numerals | \gurmukhi numerals {...} |
| hair space | \hair space |
| half line strut | \half line strut |
| half strut | \half strut |
| half way box | \half way box {...} |
| handle tokens | \handle tokens ... \with \... |
| hash | \hash |
| hat | \hat {...} |
| hbox of vbox | \hbox of vbox ... |
| hbox reference | \hbox reference [...] {...} |
| hbox: example | \hbox BOX {...} |
| hd of string | \hd of string {...} |
| head hbox | \head hbox ... {...} |
| head number content | \head number content |
| head number distance | \head number distance |
| head number width | \head number width |
| head reference attributes | \head reference attributes |
| head setup spacing | \head setup spacing |
| head text content | \head text content |
| head text distance | \head text distance |
| head text width | \head text width |
| head vbox | \head vbox ... {...} |
| head width | \head width |
| Hebrew numerals | \hebrew numerals {...} |
| height and depth of string | \height and depth of string {...} |
| height of string | \height of string {...} |
| height spanning text | \height spanning text {...} {...} {...} |
| help: instance | \HELP [...] {...} {...} |
| help: instance: help text | \help text [...] {...} {...} |
| hex number | \hex number {...} |
| hex string to number | \hex string to number {...} |
| h glue | \h glue ... |
| hidden citation | \hidden citation [...] |
| hidden cite | \hidden cite [...] |
| highlight | \highlight [...] {...} |
| highlight: example | \HIGHLIGHT {...} |
| high ordinal str | \high ordinal str {...} |
| hilo | \hilo [...] {...} {...} |
| himilo | \himilo {...} {...} {...} |
| hl | \hl [...] |
| horizontal growing bar | \horizontal growing bar [..=..] |
| horizontal position bar | \horizontal position bar [..=..] |
| h pack box | \h pack box |
| h packed box | \h packed box |
| h phantom | \h phantom {...} |
| h pos | \h pos {...} {...} |
| h size fraction | \h size fraction {...} {...} |
| h smash | \h smash {...} |
| h smash box | \h smash box ... |
| h smashed | \h smashed {...} |
| h space | \h space [...] [...] |
| htd p of string | \htd p of string {...} |
| ht of string | \ht of string {...} |
| hyphen | \hyphen |
| hyphenated colored word | \hyphenated colored word {...} |
| hyphenated file | \hyphenated file {...} |
| hyphenated filename | \hyphenated filename {...} |
| hyphenated hbox | \hyphenated hbox {...} |

| | |
|-----------------------------------------|---------------------------------------------------|
| hyphenatedpar | \hyphenatedpar {...} |
| hyphenatedurl | \hyphenatedurl {...} |
| hyphenatedword | \hyphenatedword {...} |
| INRSTEX | \INRSTEX |
| ibox | \ibox {...} |
| idxfromluatable | \idxfromluatable \... ... |
| ifassignment | \ifassignment ... \else ... \fi |
| iff | \iff |
| ifinobject | \ifinobject ... \else ... \fi |
| ifinoutputstream | \ifinoutputstream ... \else ... \fi |
| ifparameters | \ifparameters ... \else ... \fi |
| iftrialeypesetting | \iftrialeypesetting ... \else ... \fi |
| ignoreimplicitspaces | \ignoreimplicitspaces |
| ignoretagsinexport | \ignoretagsinexport [...] |
| ignorevalue | \ignorevalue {...} |
| ignoto | \ignoto |
| immediatesavetwopassdata | \immediatesavetwopassdata {...} {...} {...} |
| impliedby | \impliedby |
| implies | \implies |
| imposta | \imposta [...] |
| impostaallineamento | \impostaallineamento [...] |
| impostaambientefontdeltesto | \impostaambientefontdeltesto [...] [...] [..=..] |
| impostaampiezzariga | \impostaampiezzariga [...] |
| impostabarrainterazione | \impostabarrainterazione [...] [..=..] |
| impostablocco | \impostablocco [...] [..=..] |
| impostabloccosezione | \impostabloccosezione [...] [..=..] |
| impostabuffer | \impostabuffer [...] [..=..] |
| impostacampi | \impostacampi [...] [..=..] [..=..] [..=..] |
| impostacampo | \impostacampo [...] [...] [..=..] [..=..] [..=..] |
| impostacapoversi | \impostacapoversi [...] [...] [..=..] |
| impostacapoversi:assignment | \impostacapoversi [...] [..=..] |
| impostacaption | \impostacaption [...] [..=..] |
| impostacaptions | \impostacaptions [...] [..=..] |
| impostacima | \impostacima [...] [..=..] |
| impostaclipping | \impostaclipping [..=..] |
| impostacolonne | \impostacolonne [..=..] |
| impostacolore | \impostacolore [...] |
| impostacolori | \impostacolori [..=..] |
| impostacommento | \impostacommento [...] [..=..] |
| impostacommentopagina | \impostacommentopagina [..=..] |
| impostadescrizioni | \impostadescrizioni [...] [..=..] |
| impostadimensionicarta | \impostadimensionicarta [...] [..=..] |
| impostadimensionicarta:name | \impostadimensionicarta [...] [...] |
| impostaelementi | \impostaelementi [...] [..=..] |
| impostaelencazioni | \impostaelencazioni [...] [..=..] |
| impostaelenco | \impostaelenco [...] [..=..] |
| impostaelencocombinato | \impostaelencocombinato [...] [..=..] |
| impostaelencocombinato:instance | \impostaCOMBINEDLIST [..=..] |
| impostaelencocombinato:instance:content | \impostacontent [..=..] |
| impostaenumerazioni | \impostaenumerazioni [...] [..=..] |
| impostafigureesterne | \impostafigureesterne [...] [..=..] |
| impostafondo | \impostafondo [...] [..=..] |
| impostafontdeltesto | \impostafontdeltesto [...] |
| impostaforms | \impostaforms [..=..] |
| impostaformule | \impostaformule [...] [..=..] |
| impostagruppocolonne | \impostagruppocolonne [...] [..=..] |
| impostaincorniciato | \impostaincorniciato [...] [..=..] |
| impostainiziatermina | \impostainiziatermina [...] [..=..] |
| impostainstestazione | \impostainstestazione [...] [..=..] |
| impostainterazione | \impostainterazione [...] [..=..] |
| impostainterazione:name | \impostainterazione [...] |
| impostainterlinea | \impostainterlinea [...] [..=..] |
| impostainterlinea:argument | \impostainterlinea [...] |
| impostainterlinea:name | \impostainterlinea [...] |
| impostalayout | \impostalayout [...] [..=..] |
| impostalayout:name | \impostalayout [...] |
| impostalineemargine | \impostalineemargine [...] [..=..] |
| impostalineenere | \impostalineenere [..=..] |
| impostalineeriempimento | \impostalineeriempimento [..=..] |
| impostalinesottili | \impostalinesottili [..=..] |
| impostalineetest | \impostalineetest [..=..] |
| impostalingua | \impostalingua [...] [..=..] |

| | |
|------------------------------------------|---------------------------------------------------------|
| impostamaiuscole | \impostamaiuscole [...] [..=..] |
| impostamakeup | \impostamakeup [...] [..=..] |
| impostamarcatura | \impostamarcatura [...] [..=..] |
| impostamenuinterazione | \impostamenuinterazione [...] [..=..] |
| impostamenzione | \impostamenzione [..=..] |
| impostanotepdp | \impostanotepdp [..=..] |
| impostanumerazionecapoversi | \impostanumerazionecapoversi [..=..] |
| impostanumerazionepagina | \impostanumerazionepagina [..=..] |
| impostanumerazionerighe | \impostanumerazionerighe [...] [..=..] |
| impostanumeropagina | \impostanumeropagina [..=..] |
| impostanumerosottopagina | \impostanumerosottopagina [..=..] |
| impostanumerotesta | \impostanumerotesta [...] [...] |
| impostaoggettimmobili | \impostaoggettimmobili [...] [..=..] |
| impostaoggettomobile | \impostaoggettomobile [...] [..=..] |
| impostaordinamento | \impostaordinamento [...] [..=..] |
| impostaoutput | \impostaoutput [...] |
| impostaparranging | \impostaparranging [...] |
| impostapdp | \impostapdp [...] [..=..] |
| impostapiustretto | \impostapiustretto [...] [..=..] |
| impostaposizionamento | \impostaposizionamento [...] [..=..] |
| impostaposizionamentoopposti | \impostaposizionamentoopposti [..=..] |
| impostaprogrammi | \impostaprogrammi [..=..] |
| impostaregistro | \impostaregistro [...] [..=..] |
| impostaregistro:argument | \impostaregistro [...] [...] [..=..] |
| impostaregistro:instance | \impostaregistro [...] [..=..] |
| impostaregistro:instance:index | \impostaindex [...] [..=..] |
| impostarientro | \impostarientro [...] |
| impostariferimento | \impostariferimento [..=..] |
| impostarighe | \impostarighe [...] [..=..] |
| impostarigheriempimento | \impostarigheriempimento [..=..] |
| impostarigovuoto | \impostarigovuoto [...] |
| impostarotazione | \impostarotazione [..=..] |
| impostaschermointerazione | \impostaschermointerazione [..=..] |
| impostasegnosillabazione | \impostasegnosillabazione [..=..] |
| impostasetsimboli | \impostasetsimboli [...] |
| impostasfondi | \impostasfondi [...] [...] [..=..] |
| impostasfondi:page | \impostasfondi [...] [..=..] |
| impostasfondo | \impostasfondo [...] [..=..] |
| impostasinonimi | \impostasinonimi [...] [..=..] |
| impostasistema | \impostasistema [..=..] |
| impostaspaziatura | \impostaspaziatura [...] |
| impostaspaziobianco | \impostaspaziobianco [...] |
| impostaspezzamentooggettomobile | \impostaspezzamentooggettomobile [..=..] |
| impostastrut | \impostastrut [...] |
| impostatabelle | \impostatabelle [..=..] |
| impostatabulato | \impostatabulato [...] [...] [..=..] |
| impostatavolozza | \impostatavolozza [...] |
| impostatesta | \impostatesta [...] [..=..] |
| impostateste | \impostateste [...] [..=..] |
| impostatesticima | \impostatesticima [...] [...] [...] [...] [...] |
| impostatestifondo | \impostatestifondo [...] [...] [...] [...] [...] |
| impostatestiincorniciati | \impostatestiincorniciati [...] [..=..] |
| impostatestiintestazioni | \impostatestiintestazioni [...] [...] [...] [...] [...] |
| impostatestipdp | \impostatestipdp [...] [...] [...] [...] [...] |
| impostatesto | \impostatesto [...] [..=..] |
| impostatestoetichette:instance | \impostalABELtesto [...] [..=..] |
| impostatestoetichette:instance:btxlabel | \impostabtxlabeltesto [...] [..=..] |
| impostatestoetichette:instance:head | \impostaheadtesto [...] [..=..] |
| impostatestoetichette:instance:label | \impostalabeltesto [...] [..=..] |
| impostatestoetichette:instance:mathlabel | \impostamathlabeltesto [...] [..=..] |
| impostatestoetichette:instance:operator | \impostaoperatortesto [...] [..=..] |
| impostatestoetichette:instance:prefix | \impostaprefixtesto [...] [..=..] |
| impostatestoetichette:instance:suffix | \impostasuffixtesto [...] [..=..] |
| impostatestoetichette:instance:taglabel | \impostataglabeltesto [...] [..=..] |
| impostatestoetichette:instance:unit | \impostaunittesto [...] [..=..] |
| impostatestotesti | \impostatestotesti [...] [...] [...] [...] [...] |
| impostatolleranza | \impostatolleranza [...] |
| impostatransizionepagina | \impostatransizionepagina [...] |
| impostatype | \impostatype [...] [..=..] |
| impostatyping | \impostatyping [...] [..=..] |
| impostaur1 | \impostaur1 [..=..] |
| imposta:direct | \imposta {...} |

| | |
|-------------------------------------------------|--------------------------------------------------------------------------|
| in | \in {...} {...} [...] |
| inclinato | \inclinato |
| inclinatograssetto | \inclinatograssetto |
| includemenu | \includemenu [...] |
| includesvgbuffer | \includesvgbuffer [...] [..=..] |
| includesvgfile | \includesvgfile [...] [..=..] |
| includeversioninfo | \includeversioninfo {...} |
| incorniciato | \incorniciato [..=..] {...} |
| incorniciato:instance | \FRAMED [..=..] {...} |
| incorniciato:instance:fitfieldframed | \fitfieldframed [..=..] {...} |
| incorniciato:instance:unframed | \unframed [..=..] {...} |
| incrementa | \incrementa \... |
| incrementa:argument | \incrementa (...) |
| incrementcounter | \incrementcounter [...] [...] |
| incrementedcounter | \incrementedcounter [...] |
| incrementpagenumber | \incrementpagenumber |
| incrementsubpagenumber | \incrementsubpagenumber |
| incrementvalue | \incrementvalue {...} |
| indentation | \indentation |
| infofont | \infofont |
| infofontbold | \infofontbold |
| inheritparameter | \inheritparameter [...] [...] [...] |
| inhibitblank | \inhibitblank |
| initializeboxstack | \initializeboxstack {...} |
| inizia | \inizia [...] ... \termina |
| iniziaalignment | \iniziaalignment [...] ... \terminaalignment |
| iniziaallineacentro | \iniziaallineacentro ... \terminaallineacentro |
| iniziaallineadestra | \iniziaallineadestra ... \terminaallineadestra |
| iniziaallineasinistra | \iniziaallineasinistra ... \terminaallineasinistra |
| iniziaallmodes | \iniziaallmodes [...] ... \terminaallmodes |
| iniziaambiente | \iniziaambiente [...] ... \terminaambiente |
| iniziaambientebloccosezione | \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione |
| iniziaambiente:string | \iniziaambiente \terminaambiente |
| iniziaasciimode | \iniziaasciimode ... \terminaasciimode |
| iniziaattachment:instance | \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT |
| iniziaattachment:instance:attachment | \iniziaattachment [...] [..=..] ... \terminaattachment |
| iniziabar | \iniziabar [...] ... \terminabar |
| iniziabbordermatrix | \iniziabbordermatrix ... \terminabbordermatrix |
| iniziabitmapimage | \iniziabitmapimage [..=..] ... \terminabitmapimage |
| iniziabordermatrix | \iniziabordermatrix ... \terminabordermatrix |
| iniziabtxrenderingdefinitions | \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions |
| iniziabuffer | \iniziabuffer [...] ... \terminabuffer |
| iniziabuffer:instance | \iniziaBUFFER ... \terminaBUFFER |
| iniziabuffer:instance:hiding | \iniziahiding ... \terminahiding |
| iniziacapoverso | \iniziacapoverso [...] [..=..] ... \terminacapoverso |
| iniziacapoverso:instance | \iniziaSECTION [..=..] [..=..] ... \terminaSECTION |
| iniziacapoverso:instance:chapter | \iniziachapter [..=..] [..=..] ... \terminachapter |
| iniziacapoverso:instance:part | \iniziapart [..=..] [..=..] ... \terminapart |
| iniziacapoverso:instance:section | \iniziasection [..=..] [..=..] ... \terminasection |
| iniziacapoverso:instance:subject | \iniziaobject [..=..] [..=..] ... \terminasubject |
| iniziacapoverso:instance:subsection | \iniziasubsection [..=..] [..=..] ... \terminasubsection |
| iniziacapoverso:instance:subsubject | \iniziaobject [..=..] [..=..] ... \terminasubsubject |
| iniziacapoverso:instance:subsubsection | \iniziaobject [..=..] [..=..] ... \terminasubsubsection |
| iniziacapoverso:instance:subsubsubject | \iniziaobject [..=..] [..=..] ... \terminasubsubsubject |
| iniziacapoverso:instance:subsubsubsection | \iniziaobject [..=..] [..=..] ... \terminasubsubsubsection |
| iniziacapoverso:instance:subsubsubsubject | \iniziaobject [..=..] [..=..] ... \terminasubsubsubsubject |
| iniziacapoverso:instance:subsubsubsubsection | \iniziaobject [..=..] [..=..] ... \terminasubsubsubsubsection |
| iniziacapoverso:instance:subsubsubsubsubject | \iniziaobject [..=..] [..=..] ... \terminasubsubsubsubsubject |
| iniziacapoverso:instance:subsubsubsubsubsection | \iniziaobject [..=..] [..=..] ... \terminasubsubsubsubsubsection |
| iniziacapoverso:instance:title | \iniziatitle [..=..] [..=..] ... \terminatitle |
| iniziacatcodetable | \iniziacatcodetable \... ... \terminacatcodetable |
| iniziacenteraligned | \iniziacenteraligned ... \terminacenteraligned |
| iniziacharacteralign | \iniziacharacteralign [..=..] ... \terminacharacteralign |
| iniziacharacteralign:argument | \iniziacharacteralign [...] ... \terminacharacteralign |
| iniziacheckedfences | \iniziacheckedfences ... \terminacheckedfences |
| iniziachemical | \iniziachemical [...] [..=..] ... \terminachemical |
| iniziacodatabella | \iniziacodatabella [...] ... \terminacodatabella |
| iniziacodatabulato | \iniziacodatabulato [...] ... \terminacodatabulato |
| iniziacollect | \iniziacollect ... \terminacollect |
| iniziacollecting | \iniziacollecting ... \terminacollecting |
| iniziacolore | \iniziacolore [...] ... \terminacolore |
| iniziacolorintent | \iniziacolorintent [...] ... \terminacolorintent |
| iniziacoloronly | \iniziacoloronly [...] ... \terminacoloronly |

| | |
|-----------------------------------------|---------------------------------------------------------------------------|
| iniziacolorset | \iniziacolorset [...] ... \terminacolorset |
| iniziacolumnset | \iniziacolumnset [...] [..=..] ... \terminacolumnset |
| iniziacolumnsetspan | \iniziacolumnsetspan [...] [..=..] ... \terminacolumnsetspan |
| iniziacolumnset:example | \iniziaCOLUMNSET [..=..] ... \terminaCOLUMNSET |
| iniziacombination | \iniziacombination [...] [..=..] ... \terminacombination |
| iniziacombination:matrix | \iniziacombination [...] [...] ... \terminacombination |
| iniziacommentpagina | \iniziacommentpagina ... \terminacommentpagina |
| iniziacommento:instance | \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT |
| iniziacommento:instance:comment | \iniziacomment [...] [..=..] ... \terminacomment |
| iniziacomponenet | \iniziacomponenet [...] ... \terminacomponenet |
| iniziacomponenet:string | \iniziacomponenet \terminacomponenet |
| iniziacontextcode | \iniziacontextcode ... \terminacontextcode |
| iniziacontextdefinitioncode | \iniziacontextdefinitioncode ... \terminacontextdefinitioncode |
| iniziactxfuction | \iniziactxfuction \terminactxfuction |
| iniziactxfuctiondefinition | \iniziactxfuctiondefinition \terminactxfuctiondefinition |
| iniziacurrentcolor | \iniziacurrentcolor ... \terminacurrentcolor |
| iniziacurrentlistentrywrapper | \iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper |
| iniziadelimited | \iniziadelimited [...] [...] [...] ... \terminadelimited |
| iniziadelimitedtext | \iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext |
| iniziadelimitedtext:instance | \iniziaDELIMITEDTEXT [...] [...] ... \terminaDELIMITEDTEXT |
| iniziadelimitedtext:instance:aside | \iniziaaside [...] [...] ... \terminaaside |
| iniziadelimitedtext:instance:blockquote | \iniziablockquote [...] [...] ... \terminablockquote |
| iniziadelimitedtext:instance:quotation | \iniziaquotation [...] [...] ... \terminaquotation |
| iniziadelimitedtext:instance:quote | \iniziaquote [...] [...] ... \terminaquote |
| iniziadelimitedtext:instance:speech | \inziaspreech [...] [...] ... \terminaspreech |
| iniziadescrizione:example | \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE |
| iniziadescrizione:example:title | \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE |
| iniziadisplaymath | \iniziadisplaymath ... \terminadisplaymath |
| iniziadmth | \iniziadmth ... \terminadmth |
| iniziadocument | \iniziadocument [...] [..=..] ... \terminadocument |
| iniziadocument:example | \iniziadocument [...] [..=..] ... \terminadocument |
| iniziaeffect | \iniziaeffect [...] ... \terminaeffect |
| iniziaeffect:example | \iniziaEFFECT ... \terminaEFFECT |
| iniziaelement | \iniziaelement {...} [..=..] ... \terminaelement |
| iniziaelemento | \iniziaelemento [...] ... \terminaelemento |
| iniziembeddedxtable | \iniziembeddedxtable [..=..] ... \terminaembeddedxtable |
| iniziembeddedxtable:name | \iniziembeddedxtable [...] ... \terminaembeddedxtable |
| inizienumerazione:example | \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE |
| inizienumerazione:example:title | \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE |
| iniziexceptions | \iniziexceptions [...] ... \terminaexceptions |
| iniziexpanded | \iniziexpanded ... \terminaexpanded |
| iniziexpandedcollect | \iniziexpandedcollect ... \terminaexpandedcollect |
| iniziextendedcatcodetable | \iniziextendedcatcodetable \... ... \terminaextendedcatcodetable |
| iniziexternalfigurecollection | \iniziexternalfigurecollection [...] ... \terminaexternalfigurecollection |
| iniziafacingfloat | \iniziafacingfloat [...] ... \terminafacingfloat |
| iniziafigura | \iniziafigura [...] [...] [..=..] ... \terminafigura |
| iniziafisso | \iniziafisso [...] ... \terminafisso |
| iniziafittingpage | \iniziafittingpage [...] [..=..] ... \terminafittingpage |
| iniziafittingpage:instance | \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE |
| iniziafittingpage:instance:MPpage | \iniziaMPpage [..=..] ... \terminaMPpage |
| iniziafittingpage:instance:TEXpage | \iniziaTEXpage [..=..] ... \terminaTEXpage |
| iniziafloatcombination | \iniziafloatcombination [..=..] ... \terminafloatcombination |
| iniziafloatcombination:matrix | \iniziafloatcombination [...] ... \terminafloatcombination |
| iniziafloattext:instance | \iniziaFLOATtesto [...] [...] {...} ... \terminaFLOATtesto |
| iniziafloattext:instance:chemical | \iniziachemicaltesto [...] [...] {...} ... \terminachemicaltesto |
| iniziafloattext:instance:figure | \inizifiguretesto [...] [...] {...} ... \terminafiguretesto |
| iniziafloattext:instance:graphic | \iniziagraphictesto [...] [...] {...} ... \terminagraphictesto |
| iniziafloattext:instance:intermezzo | \iniziaintermezzotesto [...] [...] {...} ... \terminaintermezzotesto |
| iniziafloattext:instance:table | \iniziatabletesto [...] [...] {...} ... \terminatabletesto |
| iniziafont | \iniziafont [...] ... \terminafont |
| iniziafontclass | \iniziafontclass [...] ... \terminafontclass |
| iniziafontsolution | \iniziafontsolution [...] ... \terminafontsolution |
| iniziformula | \iniziformula [...] ... \terminaformula |
| iniziformula:assignment | \iniziformula [..=..] ... \terminaformula |
| iniziformula:instance | \iniziaFORMULAformula [...] ... \terminaFORMULAformula |
| iniziformula:instance:md | \iniziamdformula [...] ... \terminamdformula |
| iniziformula:instance:mp | \iniziampformula [...] ... \terminampformula |
| iniziformula:instance:sd | \inizasdformula [...] ... \terminasdformula |
| iniziformula:instance:sp | \iniziaspformula [...] ... \terminaspformula |
| iniziformule | \iniziformule [...] ... \terminaformule |
| iniziaframedcell | \iniziaframedcell [..=..] ... \terminaframedcell |
| iniziaframedcontent | \iniziaframedcontent [...] ... \terminaframedcontent |

| | |
|------------------------------------------|---------------------------------------------------------------------------------|
| iniziaframedrow | <code>\iniziaframedrow [..=..] ... \terminaframedrow</code> |
| iniziaframedtable | <code>\iniziaframedtable [...] [..=..] ... \terminaframedtable</code> |
| iniziagridsnapping | <code>\iniziagridsnapping [...] ... \terminagridsnapping</code> |
| iniziagridsnapping:list | <code>\iniziagridsnapping [...] ... \terminagridsnapping</code> |
| iniziahboxestohbox | <code>\iniziahboxestohbox ... \terminahboxestohbox</code> |
| iniziahboxregister | <code>\iniziahboxregister \terminahboxregister</code> |
| iniziahelp:instance | <code>\iniziaHELP [...] ... \terminaHELP</code> |
| iniziahelp:instance:helptext | <code>\iniziahelptext [...] ... \terminahelptext</code> |
| iniziahighlight | <code>\iniziahighlight [...] ... \terminahighlight</code> |
| iniziahyphenation | <code>\iniziahyphenation [...] ... \terminahyphenation</code> |
| iniziaimath | <code>\iniziaimath ... \terminaimath</code> |
| iniziaimpaccato | <code>\iniziaimpaccato [...] ... \terminaimpaccato</code> |
| iniziaincorniciato | <code>\iniziaincorniciato [...] [..=..] ... \terminaincorniciato</code> |
| iniziaindentedtext | <code>\iniziaindentedtext [...] ... \terminaindentedtext</code> |
| iniziaindentedtext:example | <code>\iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT</code> |
| iniziainterazione | <code>\iniziainterazione [...] ... \terminainterazione</code> |
| iniziainterface | <code>\iniziainterface \terminainterface</code> |
| iniziaintertext | <code>\iniziaintertext ... \terminaintertext</code> |
| iniziaitemgroup | <code>\iniziaitemgroup [...] [...] [..=..] ... \terminaitemgroup</code> |
| iniziaitemgroup:instance | <code>\iniziaITEMGROUP [...] [..=..] ... \terminaITEMGROUP</code> |
| iniziaitemgroup:instance:itemize | <code>\iniziaitemize [...] [..=..] ... \terminaitemize</code> |
| iniziaJScode | <code>\iniziaJScode \terminaJScode</code> |
| iniziaJSreamble | <code>\iniziaJSreamble \terminaJSreamble</code> |
| iniziaknockout | <code>\iniziaknockout ... \terminaknockout</code> |
| inizialayout | <code>\inizialayout [...] ... \terminalayout</code> |
| inizialinealignment | <code>\inizialinealignment [...] ... \terminalinealignment</code> |
| inizialineamargine | <code>\inizialineamargine [...] ... \terminalineamargine</code> |
| inizialineamargine:assignment | <code>\inizialineamargine [..=..] ... \terminalineamargine</code> |
| inizialineatesto | <code>\inizialineatesto {...} ... \terminalineatesto</code> |
| inizialinecorrection | <code>\inizialinecorrection [...] ... \terminalinecorrection</code> |
| inizialinefiller | <code>\inizialinefiller [...] [..=..] ... \terminalinefiller</code> |
| inizialinenumbering | <code>\inizialinenumbering [...] [..=..] ... \terminalinenumbering</code> |
| inizialinenumbering:argument | <code>\inizialinenumbering [...] [...] ... \terminalinenumbering</code> |
| inizialinetable | <code>\inizialinetable ... \terminalinetable</code> |
| inizialinetablebody | <code>\inizialinetablebody ... \terminalinetablebody</code> |
| inizialinetablecell | <code>\inizialinetablecell [..=..] ... \terminalinetablecell</code> |
| inizialinetablehead | <code>\inizialinetablehead ... \terminalinetablehead</code> |
| inizialingua | <code>\inizialingua [...] ... \terminalingua</code> |
| inizialocalfootnotes | <code>\inizialocalfootnotes ... \terminalocalfootnotes</code> |
| inizialocalheadsetup | <code>\inizialocalheadsetup ... \terminalocalheadsetup</code> |
| inizialocallinecorrection | <code>\inizialocallinecorrection [...] ... \terminalocallinecorrection</code> |
| inizialocalnotes | <code>\inizialocalnotes [...] ... \terminalocalnotes</code> |
| inizialocalsetups | <code>\inizialocalsetups [...] [...] ... \terminalocalsetups</code> |
| inizialocalsetups:string | <code>\inizialocalsetups \terminalocalsetups</code> |
| inizialua | <code>\inizialua ... \terminalua</code> |
| inizialuacode | <code>\inizialuacode ... \terminaluacode</code> |
| inizialuaparameterset | <code>\inizialuaparameterset [...] ... \terminaluaparameterset</code> |
| inizialuasetups | <code>\inizialuasetups [...] [...] ... \terminaluasetups</code> |
| inizialuasetups:string | <code>\inizialuasetups \terminaluasetups</code> |
| iniziaMPclip | <code>\iniziaMPclip {...} ... \terminaMPclip</code> |
| iniziaMPcode | <code>\iniziaMPcode {...} ... \terminaMPcode</code> |
| iniziaMPdefinitions | <code>\iniziaMPdefinitions {...} ... \terminaMPdefinitions</code> |
| iniziaMPdrawing | <code>\iniziaMPdrawing [...] ... \terminaMPdrawing</code> |
| iniziaMPenvironment | <code>\iniziaMPenvironment [...] ... \terminaMPenvironment</code> |
| iniziaMPextensions | <code>\iniziaMPextensions {...} ... \terminaMPextensions</code> |
| iniziaMPinclusions | <code>\iniziaMPinclusions [...] {...} ... \terminaMPinclusions</code> |
| iniziaMPinitializations | <code>\iniziaMPinitializations ... \terminaMPinitializations</code> |
| iniziaMPpositiongraphic | <code>\iniziaMPpositiongraphic {...} {...} ... \terminaMPpositiongraphic</code> |
| iniziaMPpositionmethod | <code>\iniziaMPpositionmethod {...} ... \terminaMPpositionmethod</code> |
| iniziaMPrun | <code>\iniziaMPrun {...} ... \terminaMPrun</code> |
| iniziaakeup | <code>\iniziaakeup [...] [..=..] ... \terminakeup</code> |
| iniziaakeup:instance | <code>\iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup</code> |
| iniziaakeup:instance:middle | <code>\iniziaupmiddlemakeup [..=..] ... \terminaupmiddlemakeup</code> |
| iniziaakeup:instance:page | <code>\iniziaupagemakeup [..=..] ... \terminaupagemakeup</code> |
| iniziaakeup:instance:standard | <code>\iniziaupstandardmakeup [..=..] ... \terminaupstandardmakeup</code> |
| iniziaakeup:instance:text | <code>\iniziauptextmakeup [..=..] ... \terminauptextmakeup</code> |
| iniamarginblock | <code>\iniamarginblock [...] ... \terminamarginblock</code> |
| iniamarkedcontent | <code>\iniamarkedcontent [...] ... \terminamarkedcontent</code> |
| iniamarkpages | <code>\iniamarkpages [...] ... \terminamarkpages</code> |
| iniamathalignment:instance | <code>\iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT</code> |
| iniamathalignment:instance:align | <code>\iniziaalign [..=..] ... \terminaalign</code> |
| iniamathalignment:instance:mathalignment | <code>\iniziaupmathalignment [..=..] ... \terminaupmathalignment</code> |

| | |
|----------------------------------------------|-------------------------------------------------------------------------------------------|
| iniziamathcases:instance | <code>\iniziaMATHCASES [..=..] ... \terminaMATHCASES</code> |
| iniziamathcases:instance:cases | <code>\iniziacases [..=..] ... \terminacases</code> |
| iniziamathcases:instance:mathcases | <code>\iniziamathcases [..=..] ... \terminamathcases</code> |
| iniziamathmatrix:instance | <code>\iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX</code> |
| iniziamathmatrix:instance:mathmatrix | <code>\iniziamathmatrix [..=..] ... \terminamathmatrix</code> |
| iniziamathmatrix:instance:matrix | <code>\iniziamatrix [..=..] ... \terminamatrix</code> |
| iniziamathmatrix:instance:thematrix | <code>\iniziathematrix [..=..] ... \terminathematrix</code> |
| iniziamathmode | <code>\iniziamathmode ... \terminamathmode</code> |
| iniziamathstyle | <code>\iniziamathstyle [...] ... \terminamathstyle</code> |
| iniziamatrices | <code>\iniziamatrices [..=..] ... \terminamatrices</code> |
| iniziamaxaligned | <code>\iniziamaxaligned ... \terminamaxaligned</code> |
| iniziamenuinterattivo | <code>\iniziamenuinterattivo [...] ... \terminamenuinterattivo</code> |
| iniziamettiformula | <code>\iniziamettiformula [..=..] ... \terminamettiformula</code> |
| iniziamettiformula:argument | <code>\iniziamettiformula [...] ... \terminamettiformula</code> |
| iniziamiddlealigned | <code>\iniziamiddlealigned ... \terminamiddlealigned</code> |
| iniziamixedcolumns | <code>\iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns</code> |
| iniziamixedcolumns:instance | <code>\iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS</code> |
| iniziamixedcolumns:instance:boxedcolumns | <code>\iniziaboxedcolumns [..=..] ... \terminaboxedcolumns</code> |
| iniziamixedcolumns:instance:columns | <code>\iniziacolumns [..=..] ... \terminacolumns</code> |
| iniziamixedcolumns:instance:itemgroupcolumns | <code>\iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns</code> |
| iniziamode | <code>\iniziamode [...] ... \terminamode</code> |
| iniziamodeset | <code>\iniziamodeset [...] {...} ... \terminamodeset</code> |
| iniziamodule | <code>\iniziamodule [...] ... \terminamodule</code> |
| iniziamoduletestsection | <code>\iniziamoduletestsection ... \terminamoduletestsection</code> |
| iniziamodule:string | <code>\iniziamodule \terminamodule</code> |
| iniziamulticolumns | <code>\iniziamulticolumns [..=..] ... \terminamulticolumns</code> |
| inizianamedsection | <code>\inizianamedsection [...] [..=..] [..=..] ... \terminanamedsection</code> |
| inizianamedsubformulas | <code>\inizianamedsubformulas [...] {...} ... \terminanamedsubformulas</code> |
| inizianarrower | <code>\inizianarrower [...] ... \terminanarrower</code> |
| inizianarrower:example | <code>\iniziaNARROWER [...] ... \terminaNARROWER</code> |
| inizianegativo | <code>\inizianegativo ... \terminanegativo</code> |
| inizianicelyfilledbox | <code>\inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox</code> |
| inizianointerference | <code>\inizianointerference ... \terminanointerference</code> |
| inizianotallmodes | <code>\inizianotallmodes [...] ... \terminanotallmodes</code> |
| inizianota:instance | <code>\iniziaNOTE [...] ... \terminaNOTE</code> |
| inizianota:instance:assignment | <code>\iniziaNOTE [..=..] ... \terminaNOTE</code> |
| inizianota:instance:assignment:endnote | <code>\iniziaendnote [..=..] ... \terminaendnote</code> |
| inizianota:instance:assignment:footnote | <code>\iniziafootnote [..=..] ... \terminafootnote</code> |
| inizianota:instance:endnote | <code>\iniziaendnote [...] ... \terminaendnote</code> |
| inizianota:instance:footnote | <code>\iniziafootnote [...] ... \terminafootnote</code> |
| inizianotext | <code>\inizianotext ... \terminanotext</code> |
| inizianotmode | <code>\inizianotmode [...] ... \terminanotmode</code> |
| iniziaopposto | <code>\iniziaopposto ... \terminaopposto</code> |
| iniziaoutputstream | <code>\iniziaoutputstream [...] ... \terminaoutputstream</code> |
| iniziaoverprint | <code>\iniziaoverprint ... \terminaoverprint</code> |
| iniziapagecolumns | <code>\iniziapagecolumns [..=..] ... \terminapagecolumns</code> |
| iniziapagecolumns:instance | <code>\iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS</code> |
| iniziapagecolumns:name | <code>\iniziapagecolumns [...] ... \terminapagecolumns</code> |
| iniziapagefigure | <code>\iniziapagefigure [...] [..=..] ... \terminapagefigure</code> |
| iniziapagelayout | <code>\iniziapagelayout [...] ... \terminapagelayout</code> |
| iniziapar | <code>\iniziapar [...] [..=..] ... \terminapar</code> |
| iniziaparagraphs | <code>\iniziaparagraphs [...] ... \terminaparagraphs</code> |
| iniziaparagraphscell | <code>\iniziaparagraphscell ... \terminaparagraphscell</code> |
| iniziaparagraphs:example | <code>\iniziaPARAGRAPHS ... \terminaPARAGRAPHS</code> |
| iniziaparallel:example | <code>\iniziaPARALLEL ... \terminaPARALLEL</code> |
| iniziaparbuilder | <code>\iniziaparbuilder [...] ... \terminaparbuilder</code> |
| iniziaplacefloat | <code>\iniziaplacefloat [...] [..=..] [..=..] ... \terminaplacefloat</code> |
| iniziaplacefloat:instance | <code>\iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT</code> |
| iniziaplacefloat:instance:chemical | <code>\iniziamettichemical [..=..] [..=..] ... \terminamettichemical</code> |
| iniziaplacefloat:instance:figure | <code>\iniziamettifigure [..=..] [..=..] ... \terminamettifigure</code> |
| iniziaplacefloat:instance:graphic | <code>\iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic</code> |
| iniziaplacefloat:instance:intermezzo | <code>\iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo</code> |
| iniziaplacefloat:instance:table | <code>\iniziamettitable [..=..] [..=..] ... \terminamettitable</code> |
| iniziaplacepairedbox | <code>\iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox</code> |
| iniziaplacepairedbox:instance | <code>\iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX</code> |
| iniziaplacepairedbox:instance:legend | <code>\iniziamettilegend [..=..] ... \terminamettilegend</code> |
| iniziapositioning | <code>\iniziapositioning [...] [..=..] ... \terminapositioning</code> |
| iniziapositionoverlay | <code>\iniziapositionoverlay {...} ... \terminapositionoverlay</code> |
| iniziapositivo | <code>\iniziapositivo ... \terminapositivo</code> |
| iniziaposporre | <code>\iniziaposporre [...] ... \terminaposporre</code> |
| iniziapostponingnotes | <code>\iniziapostponingnotes ... \terminapostponingnotes</code> |
| iniziaprocessassignmentcommand | <code>\iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcommand</code> |

| | |
|-----------------------------------------|--------------------------------------------------------------------------|
| iniziaprocessassignmentlist | \iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist |
| iniziaprocesscommaccommand | \iniziaprocesscommaccommand [...] ... \terminaprocesscommaccommand |
| iniziaprocesscommalist | \iniziaprocesscommalist [...] ... \terminaprocesscommalist |
| iniziaprodotta | \iniziaprodotta [...] ... \terminaprodotta |
| iniziaprodotta:string | \iniziaprodotta \terminaprodotta |
| iniziaprogetto | \iniziaprogetto [...] ... \terminaprogetto |
| iniziaprogetto:string | \iniziaprogetto \terminaprogetto |
| iniziaprotectedcolors | \iniziaprotectedcolors ... \terminaprotectedcolors |
| iniziapubblicazione | \iniziapubblicazione [...] [..=..] ... \terminapubblicazione |
| iniziarandomized | \iniziarandomized ... \terminarandomized |
| iniziarawsetups | \iniziarawsetups [...] [...] ... \terminarawsetups |
| iniziarawsetups:string | \iniziarawsetups \terminarawsetups |
| iniziareadingfile | \iniziareadingfile ... \terminareadingfile |
| iniziaregime | \iniziaregime [...] ... \terminaregime |
| iniziareusableMPgraphic | \iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic |
| iniziariga | \iniziariga [...] |
| iniziariqhe:instance | \iniziaLINES [..=..] ... \terminaLINES |
| iniziariqhe:instance:lines | \iniziaLINES [..=..] ... \terminalines |
| iniziaruby | \iniziaruby [...] ... \terminaruby |
| iniziascript | \iniziascript [...] ... \terminascript |
| iniziasectionblock | \iniziasectionblock [...] [..=..] ... \terminasectionblock |
| iniziasectionblock:instance | \iniziaSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK |
| iniziasectionblock:instance:appendices | \iniziaappendices [..=..] ... \terminaappendices |
| iniziasectionblock:instance:backmatter | \iniziabackmatter [..=..] ... \terminabackmatter |
| iniziasectionblock:instance:bodymatter | \iniziabodymatter [..=..] ... \terminabodymatter |
| iniziasectionblock:instance:frontmatter | \iniziafrontmatter [..=..] ... \terminafrontmatter |
| iniziasectionlevel | \iniziasectionlevel [...] [..=..] [..=..] ... \terminasectionlevel |
| iniziasetups | \iniziasetups [...] [...] ... \terminasetups |
| iniziasetups:string | \iniziasetups \terminasetups |
| iniziasfondo | \iniziasfondo [..=..] ... \terminasfondo |
| iniziasfondo:example | \iniziaSFONDO [..=..] ... \terminaSFONDO |
| iniziashift | \iniziashift [...] ... \terminashift |
| iniziasidebar | \iniziasidebar [...] [..=..] ... \terminasidebar |
| iniziasimplecolumns | \iniziasimplecolumns [..=..] ... \terminasimplecolumns |
| iniziasospeso | \iniziasospeso [..=..] {...} ... \terminasospeso |
| iniziasospeso:argument | \iniziasospeso [...] {...} ... \terminasospeso |
| iniziasovrapponi | \iniziasovrapponi ... \terminasovrapponi |
| iniziaspecialitem:item | \iniziaspecialitem [...] [...] ... \terminaspecialitem |
| iniziaspecialitem:none | \iniziaspecialitem [...] ... \terminaspecialitem |
| iniziaspecialitem:symbol | \iniziaspecialitem [...] {...} ... \terminaspecialitem |
| iniziasplitformula | \iniziasplitformula ... \terminasplitformula |
| iniziasplittext | \iniziasplittext ... \terminasplittext |
| iniziaspread | \iniziaspread ... \terminaspread |
| iniziastartstop:example | \iniziaSTARTSTOP ... \terminaSTARTSTOP |
| iniziastaticMPfigure | \iniziastaticMPfigure {...} ... \terminastaticMPfigure |
| iniziastaticMPgraphic | \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic |
| iniziastretto | \iniziastretto [...] [..=..] ... \terminastretto |
| iniziastretto:assignment | \iniziastretto [..=..] [...] ... \terminastretto |
| iniziastretto:name | \iniziastretto [...] [...] ... \terminastretto |
| iniziastRICTinspectnextcharacter | \iniziastRICTinspectnextcharacter ... \terminastrictinspectnextcharacter |
| iniziastyle | \iniziastyle [..=..] ... \terminastyle |
| iniziastyle:argument | \iniziastyle [...] ... \terminastyle |
| iniziastyle:instance | \iniziaSTYLE ... \terminaSTYLE |
| iniziastsubformulas | \iniziastsubformulas [...] ... \terminastsubformulas |
| iniziastsubjectlevel | \iniziastsubjectlevel [...] [..=..] [..=..] ... \terminastsubjectlevel |
| iniziastsubsentence | \iniziastsubsentence ... \terminastsubsentence |
| iniziastsubstack | \iniziastsubstack ... \terminastsubstack |
| iniziastsymbolset | \iniziastsymbolset [...] [..=..] ... \terminastsymbolset |
| iniziaTABLE | \iniziaTABLE [..=..] ... \terminaTABLE |
| iniziaTABLEbody | \iniziaTABLEbody [..=..] ... \terminaTABLEbody |
| iniziaTABLEfoot | \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot |
| iniziaTABLEhead | \iniziaTABLEhead [..=..] ... \terminaTABLEhead |
| iniziaTABLEnext | \iniziaTABLEnext [..=..] ... \terminaTABLEnext |
| iniziatabella | \iniziatabella [...] [..=..] ... \terminatabella |
| iniziatabella:name | \iniziatabella [...] [..=..] ... \terminatabella |
| iniziatabelle | \iniziatabelle [...] ... \terminatabelle |
| iniziatabelle:name | \iniziatabelle [...] ... \terminatabelle |
| iniziatabulato | \iniziatabulato [/..../] [..=..] ... \terminatabulato |
| iniziatabulato:instance | \iniziaTABULATE [.. ^{OP?}] [..=..] ... \terminaTABULATE |
| iniziatabulato:instance:fact | \iniziafact [...] [..=..] ... \terminaifact |
| iniziatabulato:instance:legend | \inizialegend [...] [..=..] ... \terminalegend |
| iniziatesta | \iniziatesta [...] {...} ... \terminatesta |

| | |
|---------------------------------------------|-------------------------------------------------------------------------------------------|
| iniziatastabella | <code>\iniziatastabella [...] ... \terminatestabella</code> |
| iniziatastabulato | <code>\iniziatastabulato [...] ... \terminatestabulato</code> |
| iniziatesto | <code>\iniziatesto ... \terminatesto</code> |
| iniziatestoaiuto | <code>\iniziatestoaiuto [...] ... \terminatestoaiuto</code> |
| iniziatestoetichetta:instance | <code>\iniziaLABELtesto [...] [...] ... \terminaLABELtesto</code> |
| iniziatestoetichetta:instance:btxlabel | <code>\iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto</code> |
| iniziatestoetichetta:instance:head | <code>\iniziaheadtesto [...] [...] ... \terminaheadtesto</code> |
| iniziatestoetichetta:instance:label | <code>\inizia-labeltesto [...] [...] ... \termina-labeltesto</code> |
| iniziatestoetichetta:instance:mathlabel | <code>\inizia-mathlabeltesto [...] [...] ... \termina-mathlabeltesto</code> |
| iniziatestoetichetta:instance:operator | <code>\iniziaoperator-testo [...] [...] ... \terminaoperator-testo</code> |
| iniziatestoetichetta:instance:prefix | <code>\inizia-prefix-testo [...] [...] ... \termina-prefix-testo</code> |
| iniziatestoetichetta:instance:suffix | <code>\inizia-suffix-testo [...] [...] ... \termina-suffix-testo</code> |
| iniziatestoetichetta:instance:taglabel | <code>\inizia-tag-label-testo [...] [...] ... \termina-tag-label-testo</code> |
| iniziatestoetichetta:instance:unit | <code>\inizia-unit-testo [...] [...] ... \termina-unit-testo</code> |
| iniziatestoincorniciato:instance | <code>\iniziaFRAMEDTEXT [...] [...] ... \terminaFRAMEDTEXT</code> |
| iniziatestoincorniciato:instance:framedtext | <code>\iniziaframedtext [...] [...] ... \terminaframedtext</code> |
| iniziatexcode | <code>\iniziatexcode ... \terminatexcode</code> |
| iniziatexdefinition | <code>\iniziatexdefinition [...] [...] ... \terminatexdefinition</code> |
| iniziatextbackground | <code>\iniziatextbackground [...] [...] ... \terminatextbackground</code> |
| iniziatextbackgroundmanual | <code>\iniziatextbackgroundmanual ... \terminatextbackgroundmanual</code> |
| iniziatextbackground:example | <code>\iniziaTEXTBACKGROUND [...] [...] ... \terminaTEXTBACKGROUND</code> |
| iniziatextcolor | <code>\iniziatextcolor [...] ... \terminatextcolor</code> |
| iniziatextcolorintent | <code>\iniziatextcolorintent ... \terminatextcolorintent</code> |
| iniziatextflow | <code>\iniziatextflow [...] ... \terminatextflow</code> |
| iniziatokenlist | <code>\iniziatokenlist [...] ... \terminatokenlist</code> |
| iniziatokens | <code>\iniziatokens [...] ... \terminatokens</code> |
| iniziatransparent | <code>\iniziatransparent [...] ... \terminatransparent</code> |
| iniziatypescript | <code>\iniziatypescript [...] [...] [...] ... \terminatypescript</code> |
| iniziatypescriptcollection | <code>\iniziatypescriptcollection [...] ... \terminatypescriptcollection</code> |
| iniziatyping:instance | <code>\iniziaTYPING [...] [...] ... \terminaTYPING</code> |
| iniziatyping:instance:argument | <code>\iniziaTYPING [...] ... \terminaTYPING</code> |
| iniziatyping:instance:argument:LUA | <code>\iniziaLUA [...] ... \terminaLUA</code> |
| iniziatyping:instance:argument:MP | <code>\iniziaMP [...] ... \terminaMP</code> |
| iniziatyping:instance:argument:PARSEDXML | <code>\iniziaPARSEDXML [...] ... \terminaPARSEDXML</code> |
| iniziatyping:instance:argument:TEX | <code>\iniziaTEX [...] ... \terminaTEX</code> |
| iniziatyping:instance:argument:typing | <code>\iniziatyping [...] ... \terminatyping</code> |
| iniziatyping:instance:argument:XML | <code>\iniziaXML [...] ... \terminaXML</code> |
| iniziatyping:instance:LUA | <code>\iniziaLUA [...] [...] ... \terminaLUA</code> |
| iniziatyping:instance:MP | <code>\iniziaMP [...] [...] ... \terminaMP</code> |
| iniziatyping:instance:PARSEDXML | <code>\iniziaPARSEDXML [...] [...] ... \terminaPARSEDXML</code> |
| iniziatyping:instance:TEX | <code>\iniziaTEX [...] [...] ... \terminaTEX</code> |
| iniziatyping:instance:typing | <code>\iniziatyping [...] [...] ... \terminatyping</code> |
| iniziatyping:instance:XML | <code>\iniziaXML [...] [...] ... \terminaXML</code> |
| iniziauniqueMPgraphic | <code>\iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic</code> |
| iniziauniqueMPpagegraphic | <code>\iniziauniqueMPpagegraphic {...} {...} ... \terminauniqueMPpagegraphic</code> |
| iniziaunpacked | <code>\iniziaunpacked ... \terminaunpacked</code> |
| iniziausableMPgraphic | <code>\iniziausableMPgraphic {...} {...} ... \terminausableMPgraphic</code> |
| iniziauseMPgraphic | <code>\iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic</code> |
| iniziausemathstyleparameter | <code>\iniziausemathstyleparameter [...] [...] ... \terminausemathstyleparameter</code> |
| iniziuserdata | <code>\iniziuserdata [...] [...] [...] ... \terminauserdata</code> |
| iniziusingbtxspecification | <code>\iniziusingbtxspecification [...] ... \terminausingbtxspecification</code> |
| iniziavaia | <code>\iniziavaia [...] ... \terminavaia</code> |
| iniziavboxregister | <code>\iniziavboxregister [...] [...] ... \terminavboxregister</code> |
| iniziavboxtohbox | <code>\iniziavboxtohbox ... \terminavboxtohbox</code> |
| iniziavboxtohboxseparator | <code>\iniziavboxtohboxseparator [...] [...] ... \terminavboxtohboxseparator</code> |
| iniziaviewerlayer | <code>\iniziaviewerlayer [...] [...] ... \terminaviewerlayer</code> |
| iniziaviewerlayer:example | <code>\iniziaVIEWERLAYER ... \terminaVIEWERLAYER</code> |
| iniziavtopregister | <code>\iniziavtopregister [...] [...] ... \terminavtopregister</code> |
| iniziaxcell | <code>\iniziaxcell [...] [...] [...] ... \terminaxcell</code> |
| iniziaxcellgroup | <code>\iniziaxcellgroup [...] [...] [...] ... \terminaxcellgroup</code> |
| iniziaxcolumn | <code>\iniziaxcolumn [...] [...] [...] ... \terminaxcolumn</code> |
| iniziaxcolumn:name | <code>\iniziaxcolumn [...] [...] ... \terminaxcolumn</code> |
| iniziaxgroup | <code>\iniziaxgroup [...] [...] [...] [...] ... \terminaxgroup</code> |
| iniziaxmldisplayverbatim | <code>\iniziaxmldisplayverbatim [...] [...] ... \terminaxmldisplayverbatim</code> |
| iniziaxmlinlineverbatim | <code>\iniziaxmlinlineverbatim [...] [...] ... \terminaxmlinlineverbatim</code> |
| iniziaxmlraw | <code>\iniziaxmlraw [...] [...] ... \terminaxmlraw</code> |
| iniziaxmlsetups | <code>\iniziaxmlsetups [...] [...] [...] ... \terminaxmlsetups</code> |
| iniziaxmlsetups:string | <code>\iniziaxmlsetups [...] [...] [...] ... \terminaxmlsetups</code> |
| iniziaxrow | <code>\iniziaxrow [...] [...] [...] [...] ... \terminaxrow</code> |
| iniziaxrowgroup | <code>\iniziaxrowgroup [...] [...] [...] [...] [...] ... \terminaxrowgroup</code> |
| iniziaxtable | <code>\iniziaxtable [...] [...] [...] [...] [...] ... \terminaxtable</code> |
| iniziaxtablebody | <code>\iniziaxtablebody [...] [...] [...] [...] [...] [...] ... \terminaxtablebody</code> |

| | | |
|-----------------------------------|-----------------------------------------|-----------------------|
| iniziatablebody:name | \iniziatablebody [...] | ... \terminatablebody |
| iniziatablefoot | \iniziatablefoot [..=..] | ... \terminatablefoot |
| iniziatablefoot:name | \iniziatablefoot [...] | ... \terminatablefoot |
| iniziatablehead | \iniziatablehead [..=..] | ... \terminatablehead |
| iniziatablehead:name | \iniziatablehead [...] | ... \terminatablehead |
| iniziablenext | \iniziablenext [..=..] | ... \terminablenext |
| iniziablenext:name | \iniziablenext [...] | ... \terminablenext |
| iniziatable:example | \iniziaXTABLE [..=..] | ... \terminaXTABLE |
| iniziatable:name | \iniziatable [...] | ... \terminatable |
| inlinebuffer | \inlinebuffer [...] | |
| inlinedbox | \inlinedbox {...} | |
| inlinemath | \inlinemath {...} | |
| inlinemathematics | \inlinemathematics {...} | |
| inlinemessage | \inlinemessage {...} | |
| inlineordisplaymath | \inlineordisplaymath {...} {...} | |
| inlineprettyprintbuffer | \inlineprettyprintbuffer {...} {...} | |
| inlinerange | \inlinerange [...] | |
| innerflushshapebox | \innerflushshapebox | |
| input | \input {...} | |
| inputfilebarename | \inputfilebarename | |
| inputfilename | \inputfilename | |
| inputfilerealsuffix | \inputfilerealsuffix | |
| inputfilesuffix | \inputfilesuffix | |
| inputgivenfile | \inputgivenfile {...} | |
| input:string | \input ... | |
| inriga | \inriga {...} [...] | |
| insertpages | \insertpages [...] | [...] [..=..] |
| inspectluatable | \inspectluatable \... | |
| installactionhandler | \installactionhandler {...} | |
| installactivecharacter | \installactivecharacter ... | |
| installalingua | \installalingua [...] | [..=..] |
| installalingua:name | \installalingua [...] | [...] |
| installanddefineactivecharacter | \installanddefineactivecharacter ... | {...} |
| installattributestack | \installattributestack \... | |
| installautocommandhandler | \installautocommandhandler \... | {...} \... |
| installautosetuphandler | \installautosetuphandler \... | {...} |
| installbasicautosetuphandler | \installbasicautosetuphandler \... | {...} \... |
| installbasicparameterhandler | \installbasicparameterhandler \... | {...} |
| installbottomframerenderer | \installbottomframerenderer {...} | {...} |
| installcommandhandler | \installcommandhandler \... | {...} \... |
| installcorenamespace | \installcorenamespace {...} | |
| installctxfunction | \installctxfunction \... | {...} |
| installctxscanner | \installctxscanner \... | {...} |
| installdefinehandler | \installdefinehandler \... | {...} \... |
| installdefinitionset | \installdefinitionset \... | {...} |
| installdefinitionsetmember | \installdefinitionsetmember \... | {...} \... {...} |
| installdirectcommandhandler | \installdirectcommandhandler \... | {...} |
| installdirectparameterhandler | \installdirectparameterhandler \... | {...} |
| installdirectparametersethandler | \installdirectparametersethandler \... | {...} |
| installdirectsetuphandler | \installdirectsetuphandler \... | {...} |
| installdirectstyleandcolorhandler | \installdirectstyleandcolorhandler \... | {...} |
| installframedautocommandhandler | \installframedautocommandhandler \... | {...} \... |
| installframedcommandhandler | \installframedcommandhandler \... | {...} \... |
| installglobalmacrostack | \installglobalmacrostack \... | |
| installleftframerenderer | \installleftframerenderer {...} | {...} |
| installmacrostack | \installmacrostack \... | |
| installnamespace | \installnamespace {...} | |
| installoutputroutine | \installoutputroutine \... | {...} |
| installpagearrangement | \installpagearrangement ... | {...} |
| installparameterhandler | \installparameterhandler \... | {...} |
| installparameterhashhandler | \installparameterhashhandler \... | {...} |
| installparametersethandler | \installparametersethandler \... | {...} |
| installparentinjector | \installparentinjector \... | {...} |
| installprotectedctxfunction | \installprotectedctxfunction \... | {...} |
| installprotectedctxscanner | \installprotectedctxscanner \... | {...} |
| installrightframerenderer | \installrightframerenderer {...} | {...} |
| installrootparameterhandler | \installrootparameterhandler \... | {...} |
| installsetuphandler | \installsetuphandler \... | {...} |
| installsetuponlycommandhandler | \installsetuponlycommandhandler \... | {...} |
| installshipoutmethod | \installshipoutmethod {...} | {...} |
| installsimplecommandhandler | \installsimplecommandhandler \... | {...} \... |
| installsimpleframedcommandhandler | \installsimpleframedcommandhandler \... | {...} \... |

| | |
|----------------------------------|----------------------------------------------|
| installstyleandcolorhandler | \installstyleandcolorhandler \... {...} |
| installswitchcommandhandler | \installswitchcommandhandler \... {...} \... |
| installswitchsetuphandler | \installswitchsetuphandler \... {...} |
| installtexdirective | \installtexdirective {...} {...} {...} |
| installtextracker | \installtextracker {...} {...} {...} |
| installtopframerenderer | \installtopframerenderer {...} {...} |
| installunitsseparator | \installunitsseparator {...} {...} |
| installunitsspace | \installunitsspace {...} {...} |
| installversioninfo | \installversioninfo {...} {...} |
| integerrounding | \integerrounding {...} |
| intertext | \intertext {...} |
| interwordspaceafter | \interwordspaceafter |
| interwordspacebefore | \interwordspacebefore |
| interwordspaces | \interwordspaces {...} |
| interwordspacesafter | \interwordspacesafter {...} |
| interwordspacesbefore | \interwordspacesbefore {...} |
| intorno | \intorno [...] |
| invokepagehandler | \invokepagehandler {...} {...} |
| italiccorrection | \italiccorrection |
| italicface | \italicface |
| itemtag | \itemtag [...] |
| jobfilename | \jobfilename |
| jobfilesuffix | \jobfilesuffix |
| kap | \kap {...} |
| keeplinestogether | \keeplinestogether {...} |
| keepunwantedspaces | \keepunwantedspaces |
| kerncharacters | \kerncharacters [...] {...} |
| koreancirclenumerals | \koreancirclenumerals {...} |
| koreannumerals | \koreannumerals {...} |
| koreannumeralsc | \koreannumeralsc {...} |
| koreannumeralsp | \koreannumeralsp {...} |
| koreanparentnumerals | \koreanparentnumerals {...} |
| LAMSTEX | \LAMSTEX |
| LATEX | \LATEX |
| LamSTeX | \LamSTeX |
| LaTeX | \LaTeX |
| Lettera | \Lettera {...} |
| Lettere | \Lettere {...} |
| LUAJITTEX | \LUAJITTEX |
| LUAMETATEX | \LUAMETATEX |
| LUATEX | \LUATEX |
| Lua | \Lua |
| LuajitTeX | \LuajitTeX |
| LuaMetaTeX | \LuaMetaTeX |
| LuaTeX | \LuaTeX |
| labellanguage:instance | \LABELLingua |
| labellanguage:instance:btxlabel | \btxlabelingua |
| labellanguage:instance:head | \headlingua |
| labellanguage:instance:label | \labelingua |
| labellanguage:instance:mathlabel | \mathlabelingua |
| labellanguage:instance:operator | \operatororingua |
| labellanguage:instance:prefix | \prefixlingua |
| labellanguage:instance:suffix | \suffixlingua |
| labellanguage:instance:taglabel | \taglabelingua |
| labellanguage:instance:unit | \unitlingua |
| labeltexts:instance | \LABELtexts {...} {...} |
| labeltexts:instance:head | \headtexts {...} {...} |
| labeltexts:instance:label | \labeltexts {...} {...} |
| labeltexts:instance:mathlabel | \mathlabeltexts {...} {...} |
| languageCharacters | \languageCharacters {...} |
| languagecharacters | \languagecharacters {...} |
| languagecharwidth | \languagecharwidth {...} |
| lastcounter | \lastcounter [...] [...] |
| lastcountervalue | \lastcountervalue [...] |
| lastdigit | \lastdigit {...} |
| lastlinewidth | \lastlinewidth |
| lastnaturalboxdp | \lastnaturalboxdp |
| lastnaturalboxht | \lastnaturalboxht |
| lastnaturalboxwd | \lastnaturalboxwd |
| lastparwrapper | \lastparwrapper {...} |
| lastpredefinedsymbol | \lastpredefinedsymbol |
| lastrealpage | \lastrealpage |

| | |
|----------------------------------|----------------------------------------------------------------|
| lastrealpagenumber | \lastrealpagenumber |
| lastsubcountervalue | \lastsubcountervalue [...] [...] |
| lastsubpagenumber | \lastsubpagenumber |
| lasttwodigits | \lasttwodigits {...} |
| lastuserpage | \lastuserpage |
| lastuserpagenumber | \lastuserpagenumber |
| lateluacode | \lateluacode {...} |
| layeredtext | \layeredtext [..=..] [..=..] {...} {...} |
| layerheight | \layerheight |
| layerwidth | \layerwidth |
| lazysavetaggedtwopassdata | \lazysavetaggedtwopassdata {...} {...} {...} {...} |
| lazysavetwopassdata | \lazysavetwopassdata {...} {...} {...} |
| lbox | \lbox ... {...} |
| lchexnumber | \lchexnumber {...} |
| lchexnumbers | \lchexnumbers {...} |
| leftbottombox | \leftbottombox {...} |
| leftbox | \leftbox {...} |
| lefthbox | \lefthbox {...} |
| leftlabeltext:instance | \leftLABELtesto {...} |
| leftlabeltext:instance:head | \lefttheadtesto {...} |
| leftlabeltext:instance:label | \leftlabeltesto {...} |
| leftlabeltext:instance:mathlabel | \leftmathlabeltesto {...} |
| leftline | \leftline {...} |
| lefttorrighthbox | \lefttorrighthbox ... {...} |
| lefttorrightvbox | \lefttorrightvbox ... {...} |
| lefttorrightvtop | \lefttorrightvtop ... {...} |
| leftskipadaption | \leftskipadaption |
| leftsubguillemot | \leftsubguillemot |
| lefttopbox | \lefttopbox {...} |
| lefttoright | \lefttoright |
| lefttorrighthbox | \lefttorrighthbox ... {...} |
| lefttorrightvbox | \lefttorrightvbox ... {...} |
| lefttorrightvtop | \lefttorrightvtop ... {...} |
| letbeundefined | \letbeundefined {...} |
| letcatcodecommand | \letcatcodecommand \... ... \... |
| letcscsname | \letcscsname \... \cscsname ... \endcscsname |
| letcsnamecs | \letcsnamecs \csname ... \endcsname \... |
| letcsnamecsname | \letcsnamecsname \csname ... \endcsname \csname ... \endcsname |
| letdummyparameter | \letdummyparameter {...} \... |
| letempty | \letempty \... |
| letgvalue | \letgvalue {...} \... |
| letgvalueempty | \letgvalueempty {...} |
| letgvalurelax | \letgvalurelax {...} |
| lettera | \lettera {...} |
| letterampersand | \letterampersand |
| letterat | \letterat |
| letterbackslash | \letterbackslash |
| letterbar | \letterbar |
| letterbgroup | \letterbgroup |
| letterclosebrace | \letterclosebrace |
| lettercolon | \lettercolon |
| letterdollar | \letterdollar |
| letterdoublequote | \letterdoublequote |
| lettere | \lettere {...} |
| lettereigroup | \lettereigroup |
| letterescape | \letterescape |
| letterexclamationmark | \letterexclamationmark |
| letterhash | \letterhash |
| letterhat | \letterhat |
| letterleftbrace | \letterleftbrace |
| letterleftbracket | \letterleftbracket |
| letterleftparenthesis | \letterleftparenthesis |
| letterless | \letterless |
| lettermore | \lettermore |
| letteropenbrace | \letteropenbrace |
| letterpercent | \letterpercent |
| letterquestionmark | \letterquestionmark |
| letterrightbrace | \letterrightbrace |
| letterrightbracket | \letterrightbracket |
| letterrightparenthesis | \letterrightparenthesis |
| lettersinglequote | \lettersinglequote |
| letterslash | \letterslash |

| | |
|----------------------------|----------------------------------------------|
| letterspacing | \letterspacing [...] {...} |
| lettertilde | \lettertilde |
| letterunderscore | \letterunderscore |
| letvalue | \letvalue {...} \... |
| letvalueempty | \letvalueempty {...} |
| letvaluerelax | \letvaluerelax {...} |
| lfence | \lfence {...} |
| lhbox | \lhbox {...} |
| limitatefirstline | \limitatefirstline {...} {...} {...} |
| limitatelines | \limitatelines {...} {...} {...} |
| limitatetext | \limitatetext {...} {...} {...} |
| limitatetext:list | \limitatetext {...} {...} {...} |
| lineanera | \lineanera [..=..] |
| lineasottile | \lineasottile |
| lineatesto | \lineatesto [...] {...} |
| linebox | \linebox {...} |
| lineenere | \lineenere [..=..] |
| lineeriempimento | \lineeriempimento [..=..] {...} {...} |
| linesottili | \linesottili [..=..] |
| linefillerhbox | \linefillerhbox [...] ... {...} |
| linefillervbox | \linefillervbox [...] ... {...} |
| linefillervtop | \linefillervtop [...] ... {...} |
| linenote:instance | \LINENOTE {...} |
| linenote:instance:linenote | \linenote {...} |
| linespanningtext | \linespanningtext {...} {...} {...} |
| lingua | \lingua [...] |
| linguaprincipale | \linguaprincipale [...] |
| lingua:example | \LANGUAGE |
| listcitation | \listcitation [..=..] [...] |
| listcitation:alternative | \listcitation [...] [...] |
| listcitation:userdata | \listcitation [..=..] [..=..] |
| listcite | \listcite [..=..] [...] |
| listcite:alternative | \listcite [...] [...] |
| listcite:userdata | \listcite [..=..] [..=..] |
| listnamespaces | \listnamespaces |
| literalmode | \literalmode |
| llap | \llap {...} |
| loadanyfile | \loadanyfile [...] |
| loadanyfileonce | \loadanyfileonce [...] |
| loadbtxdefinitionfile | \loadbtxdefinitionfile [...] |
| loadbtxreplacementfile | \loadbtxreplacementfile [...] |
| loadcldfile | \loadcldfile [...] |
| loadcldfileonce | \loadcldfileonce [...] |
| loadfontgoodies | \loadfontgoodies [...] |
| loadluafile | \loadluafile [...] |
| loadluafileonce | \loadluafileonce [...] |
| loadspellchecklist | \loadspellchecklist [...] [...] |
| loadtexfile | \loadtexfile [...] |
| loadtexfileonce | \loadtexfileonce [...] |
| loadtypescriptfile | \loadtypescriptfile [...] |
| localframed | \localframed [...] [..=..] {...} |
| localframedwithsettings | \localframedwithsettings [...] [..=..] {...} |
| localhsize | \localhsize |
| localpopbox | \localpopbox ... |
| localpopmacro | \localpopmacro \... |
| localpushbox | \localpushbox ... |
| localpushmacro | \localpushmacro \... |
| localundefine | \localundefine {...} |
| locatedfilepath | \locatedfilepath |
| locatefilepath | \locatefilepath {...} |
| locfilename | \locfilename {...} |
| lomihi | \lomihi {...} {...} {...} |
| lowerbox | \lowerbox {...} \... {...} |
| lowercased | \lowercased {...} |
| lowercasestring | \lowercasestring ... \to \... |
| lowercasing | \lowercasing |
| lowerleftdblulinequote | \lowerleftdblulinequote |
| lowerleftsingleslinequote | \lowerleftsingleslinequote |
| lowerrightdblulinequote | \lowerrightdblulinequote |
| lowerrightsingleslinequote | \lowerrightsingleslinequote |
| lowhigh:instance | \LOWHIGH [...] {...} {...} |
| lowmidhigh:instance | \LOWMIDHIGH [...] {...} {...} |

| | |
|-------------------|---------------------------------------|
| lrbbox | \lrbbox {...} {...} {...} {...} {...} |
| ltop | \ltop ... {...} |
| ltrhbox | \ltrhbox ... {...} |
| ltrvbox | \ltrvbox ... {...} |
| ltrvtop | \ltrvtop ... {...} |
| luacode | \luacode {...} |
| luaconditional | \luaconditional \... |
| luaenvironment | \luaenvironment ... |
| luaexpanded | \luaexpanded {...} |
| luaexpr | \luaexpr {...} |
| luafunction | \luafunction {...} |
| luajitTeX | \luajitTeX |
| luamajorversion | \luamajorversion |
| luametaTeX | \luametaTeX |
| luaminorversion | \luaminorversion |
| luaparameterset | \luaparameterset {...} {...} |
| luasetup | \luasetup {...} |
| luaTeX | \luaTeX |
| luaversion | \luaversion |
| lunghezzaelenco | \lunghezzaelenco |
| MESE | \MESE {...} |
| METAFONT | \METAFONT |
| METAFUN | \METAFUN |
| METAPOST | \METAPOST |
| MetaFont | \MetaFont |
| MetaFun | \MetaFun |
| MetaPost | \MetaPost |
| MKII | \MKII |
| MKIV | \MKIV |
| MKIX | \MKIX |
| MKLX | \MKLX |
| MKVI | \MKVI |
| MKXI | \MKXI |
| MKXL | \MKXL |
| MONTHLONG | \MONTHLONG {...} |
| MONTHSHORT | \MONTHSHORT {...} |
| MPanchor | \MPanchor {...} |
| MPbetex | \MPbetex {...} |
| MPc | \MPc {...} |
| MPcode | \MPcode {...} {...} |
| MPcolor | \MPcolor {...} |
| MPcoloronly | \MPcoloronly {...} |
| MPcolumn | \MPcolumn {...} |
| MPd | \MPd {...} |
| MPdrawing | \MPdrawing {...} |
| MPfontsizehskip | \MPfontsizehskip {...} |
| MPgetmultipars | \MPgetmultipars {...} {...} |
| MPgetmultishape | \MPgetmultishape {...} {...} |
| MPgetposboxes | \MPgetposboxes {...} {...} |
| MPh | \MPh {...} |
| MPII | \MPII |
| MPIV | \MPIV |
| MPinclusions | \MPinclusions [...] {...} {...} |
| MPLX | \MPLX |
| MPleftskip | \MPleftskip {...} |
| MPll | \MPll {...} |
| MPlr | \MPlr {...} |
| MPls | \MPls {...} |
| MPmenubuttons | \MPmenubuttons {...} |
| MPn | \MPn {...} |
| MPoptions | \MPoptions {...} |
| MPOverlayanchor | \MPOverlayanchor {...} |
| MPp | \MPp {...} |
| MPpage | \MPpage {...} |
| MPpardata | \MPpardata {...} |
| MPplus | \MPplus {...} {...} {...} |
| MPpos | \MPpos {...} |
| MPpositiongraphic | \MPpositiongraphic {...} {..=..} |
| MPposset | \MPposset {...} |
| MPr | \MPr {...} |
| MPrawvar | \MPrawvar {...} {...} |
| MPreigion | \MPreigion {...} |

| | |
|-------------------------------------------------------|-----------------------------------------|
| MPrest | \MPrest {...} {...} |
| MPrightskip | \MPrightskip {...} |
| MPrs | \MPrs {...} |
| MPstring | \MPstring {...} |
| MPtext | \MPtext {...} |
| MPtransparency | \MPtransparency {...} |
| MPul | \MPul {...} |
| MPur | \MPur {...} |
| MPVI | \MPVI |
| MPv | \MPv {...} {...} {...} |
| MPvar | \MPvar {...} |
| MPvariable | \MPvariable {...} |
| MPvv | \MPvv {...} {...} |
| MPw | \MPw {...} |
| MPwhd | \MPwhd {...} |
| MPXL | \MPXL |
| MPx | \MPx {...} |
| MPxy | \MPxy {...} |
| MPxywhd | \MPxywhd {...} |
| MPy | \MPy {...} |
| m | \m [...] {...} |
| maiuscoletto | \maiuscoletto {...} |
| maiuscolo | \maiuscolo {...} |
| makecharacteractive | \makecharacteractive ... |
| makerawcommalist | \makerawcommalist [...] \... |
| makestrutofbox | \makestrutofbox ... |
| mapfontsize | \mapfontsize [...] [...] |
| marcatura | \marcatura (...,...) (...,...) [...] |
| margindata | \margindata [...] [..=..] [..=..] {...} |
| margindata:instance | \MARGINDATA [..=..] [..=..] {...} |
| margindata:instance:atleftmargin | \atleftmargin [..=..] [..=..] {...} |
| margindata:instance:atrightmargin | \atrightmargin [..=..] [..=..] {...} |
| margindata:instance:ininner | \ininner [..=..] [..=..] {...} |
| margindata:instance:ininneredge | \ininneredge [..=..] [..=..] {...} |
| margindata:instance:ininnermargin | \ininnermargin [..=..] [..=..] {...} |
| margindata:instance:inleft | \inleft [..=..] [..=..] {...} |
| margindata:instance:inleftedge | \inleftedge [..=..] [..=..] {...} |
| margindata:instance:inleftmargin | \inleftmargin [..=..] [..=..] {...} |
| margindata:instance:inmargin | \inmargin [..=..] [..=..] {...} |
| margindata:instance:inoth | \inoth [..=..] [..=..] {...} |
| margindata:instance:inouter | \inouter [..=..] [..=..] {...} |
| margindata:instance:inouteredge | \inouteredge [..=..] [..=..] {...} |
| margindata:instance:inoutermargin | \inoutermargin [..=..] [..=..] {...} |
| margindata:instance:inright | \inright [..=..] [..=..] {...} |
| margindata:instance:inrightedge | \inrightedge [..=..] [..=..] {...} |
| margindata:instance:inrightmargin | \inrightmargin [..=..] [..=..] {...} |
| margindata:instance:margintext | \margintext [..=..] [..=..] {...} |
| markcontent | \markcontent [...] {...} |
| markedpages | \markedpages [...] |
| markinjector | \markinjector [...] |
| markpage | \markpage [...] [...] |
| markreferencepage | \markreferencepage |
| mat | \mat {...} |
| matematica | \matematica [...] {...} |
| matematica:assignment | \matematica [..=..] {...} |
| math | \math [...] {...} |
| mathbf | \mathbf |
| mathbi | \mathbi |
| mathblackboard | \mathblackboard |
| mathbs | \mathbs |
| mathcommand:example | \MATHCOMMAND {...} {...} |
| mathdefault | \mathdefault |
| mathdouble | \mathdouble [...] {...} {...} {...} |
| mathdoubleextensible:instance | \MATHDOUBLEEXTENSIBLE {...} {...} |
| mathdoubleextensible:instance:doublebar | \doublebar {...} {...} |
| mathdoubleextensible:instance:doublebrace | \doublebrace {...} {...} |
| mathdoubleextensible:instance:doublebracket | \doublebracket {...} {...} |
| mathdoubleextensible:instance:doubleparent | \doubleparent {...} {...} |
| mathdoubleextensible:instance:overbarunderbar | \overbarunderbar {...} {...} |
| mathdoubleextensible:instance:overbraceunderbrace | \overbraceunderbrace {...} {...} |
| mathdoubleextensible:instance:overbracketunderbracket | \overbracketunderbracket {...} {...} |
| mathdoubleextensible:instance:overparentunderparent | \overparentunderparent {...} {...} |

| | |
|--------------------------------------------------------------------|---------------------------------------------------|
| <code>mathextensible:instance:xmapsto</code> | <code>\xmapsto {...} {...}</code> |
| <code>mathextensible:instance:xRightarrow</code> | <code>\xrightarrow {...} {...}</code> |
| <code>mathextensible:instance:xrel</code> | <code>\xrel {...} {...}</code> |
| <code>mathextensible:instance:xrightarrow</code> | <code>\xrightarrow {...} {...}</code> |
| <code>mathextensible:instance:xrightharpoondown</code> | <code>\xrightarrow{...} {...}</code> |
| <code>mathextensible:instance:xrightharpoonup</code> | <code>\xrightarrow{...} {...}</code> |
| <code>mathextensible:instance:xrightleftharpoons</code> | <code>\xrightleftharpoons {...} {...}</code> |
| <code>mathextensible:instance:xrightoverleftarrow</code> | <code>\xrightarrow{...} {...}</code> |
| <code>mathextensible:instance:xtriplerel</code> | <code>\xtriplerel {...} {...}</code> |
| <code>mathextensible:instance:xtwoheadleftarrow</code> | <code>\xrightarrow{...} {...}</code> |
| <code>mathextensible:instance:xtwoheadrightarrow</code> | <code>\xrightarrow{...} {...}</code> |
| <code>mathfraktur</code> | <code>\mathfraktur</code> |
| <code>mathframed:instance</code> | <code>\MATHFRAMED [..=..] {...}</code> |
| <code>mathframed:instance:inmframed</code> | <code>\inmframed [..=..] {...}</code> |
| <code>mathframed:instance:mcfamed</code> | <code>\mcfamed [..=..] {...}</code> |
| <code>mathframed:instance:mframed</code> | <code>\mframed [..=..] {...}</code> |
| <code>mathfunction</code> | <code>\mathfunction {...}</code> |
| <code>mathit</code> | <code>\mathit</code> |
| <code>mathitalic</code> | <code>\mathitalic</code> |
| <code>mathmatrix:instance</code> | <code>\MATHMATRIX [..=..] {...}</code> |
| <code>mathmatrix:instance:thematrix</code> | <code>\thematrix [..=..] {...}</code> |
| <code>mathop</code> | <code>\mathop {...}</code> |
| <code>mathornament:example</code> | <code>\MATHORNAMENT {...}</code> |
| <code>mathover</code> | <code>\mathover [...] {...} {...}</code> |
| <code>mathoverextensible:example</code> | <code>\MATHOVEREXTENSIBLE {...}</code> |
| <code>mathovertextextensible:instance</code> | <code>\MATHOVERTEXTENSIBLE {...} {...}</code> |
| <code>mathovertextextensible:instance:overbar</code> | <code>\overbar {...} {...}</code> |
| <code>mathovertextextensible:instance:overbartext</code> | <code>\overbartext {...} {...}</code> |
| <code>mathovertextextensible:instance:overbrace</code> | <code>\overbrace {...} {...}</code> |
| <code>mathovertextextensible:instance:overbracket</code> | <code>\overbracket {...} {...}</code> |
| <code>mathovertextextensible:instance:overbrackettext</code> | <code>\overbrackettext {...} {...}</code> |
| <code>mathovertextextensible:instance:overleftarrow</code> | <code>\overleftarrow {...} {...}</code> |
| <code>mathovertextextensible:instance:overleftharpoondown</code> | <code>\overleftharpoondown {...} {...}</code> |
| <code>mathovertextextensible:instance:overleftharpoonup</code> | <code>\overleftharpoonup {...} {...}</code> |
| <code>mathovertextextensible:instance:overleftrightarrow</code> | <code>\overleftrightarrow {...} {...}</code> |
| <code>mathovertextextensible:instance:overparent</code> | <code>\overparent {...} {...}</code> |
| <code>mathovertextextensible:instance:overparenttext</code> | <code>\overparenttext {...} {...}</code> |
| <code>mathovertextextensible:instance:overrightarrow</code> | <code>\overrightarrow {...} {...}</code> |
| <code>mathovertextextensible:instance:overrightharpoondown</code> | <code>\overrightarrow{...} {...}</code> |
| <code>mathovertextextensible:instance:overrightharpoonup</code> | <code>\overrightarrow{...} {...}</code> |
| <code>mathovertextextensible:instance:overtwoheadleftarrow</code> | <code>\overrightarrow{...} {...}</code> |
| <code>mathovertextextensible:instance:overtwoheadrightarrow</code> | <code>\overrightarrow{...} {...}</code> |
| <code>mathradical:example</code> | <code>\MATHRADICAL [...] {...}</code> |
| <code>mathrm</code> | <code>\mathrm</code> |
| <code>mathscript</code> | <code>\mathscript</code> |
| <code>mathsl</code> | <code>\mathsl</code> |
| <code>mathss</code> | <code>\mathss</code> |
| <code>mathtext</code> | <code>\mathtext ... {...}</code> |
| <code>mathtextbf</code> | <code>\mathtextbf ... {...}</code> |
| <code>mathtextbi</code> | <code>\mathtextbi ... {...}</code> |
| <code>mathtextbs</code> | <code>\mathtextbs ... {...}</code> |
| <code>mathtextit</code> | <code>\mathtextit ... {...}</code> |
| <code>mathtextsl</code> | <code>\mathtextsl ... {...}</code> |
| <code>mathtexttf</code> | <code>\mathtexttf ... {...}</code> |
| <code>mathtf</code> | <code>\mathtf</code> |
| <code>mathtriplet</code> | <code>\mathtriplet [...] {...} {...} {...}</code> |
| <code>mathtriplet:example</code> | <code>\MATHTRIPLET [...] {...} {...} {...}</code> |
| <code>mathtt</code> | <code>\mathtt</code> |
| <code>mathunder</code> | <code>\mathunder [...] {...} {...}</code> |
| <code>mathunderextensible:example</code> | <code>\MATHUNDEREXTENSIBLE {...}</code> |
| <code>mathundertextextensible:instance</code> | <code>\MATHUNDERTEXTENSIBLE {...} {...}</code> |
| <code>mathundertextextensible:instance:underbar</code> | <code>\underbar {...} {...}</code> |
| <code>mathundertextextensible:instance:underbartext</code> | <code>\underbartext {...} {...}</code> |
| <code>mathundertextextensible:instance:underbrace</code> | <code>\underbrace {...} {...}</code> |
| <code>mathundertextextensible:instance:underbracket</code> | <code>\underbracket {...} {...}</code> |
| <code>mathundertextextensible:instance:underbrackettext</code> | <code>\underbrackettext {...} {...}</code> |
| <code>mathundertextextensible:instance:underleftarrow</code> | <code>\underleftarrow {...} {...}</code> |
| <code>mathundertextextensible:instance:underleftharpoondown</code> | <code>\underleftharpoondown {...} {...}</code> |
| <code>mathundertextextensible:instance:underleftharpoonup</code> | <code>\underleftharpoonup {...} {...}</code> |
| <code>mathundertextextensible:instance:underleftrightarrow</code> | <code>\underleftrightarrow {...} {...}</code> |

| | |
|----------------------------------------------------------------------|---------------------------------------------------|
| <code>mathundertextextensible:instance:underparent</code> | <code>\underparent {...} {...}</code> |
| <code>mathundertextextensible:instance:underparenttext</code> | <code>\underparenttext {...} {...}</code> |
| <code>mathundertextextensible:instance:underrightarrow</code> | <code>\underrightarrow {...} {...}</code> |
| <code>mathundertextextensible:instance:underrightharpoondown</code> | <code>\underrightharpoondown {...} {...}</code> |
| <code>mathundertextextensible:instance:underrightharpoonup</code> | <code>\underrightharpoonup {...} {...}</code> |
| <code>mathundertextextensible:instance:undertwoheadleftarrow</code> | <code>\undertwoheadleftarrow {...} {...}</code> |
| <code>mathundertextextensible:instance:undertwoheadrightarrow</code> | <code>\undertwoheadrightarrow {...} {...}</code> |
| <code>mathunstacked:example</code> | <code>\MATHUNSTACKED</code> |
| <code>mathupright</code> | <code>\mathupright</code> |
| <code>mathword</code> | <code>\mathword ... {...}</code> |
| <code>mathwordbf</code> | <code>\mathwordbf ... {...}</code> |
| <code>mathwordbi</code> | <code>\mathwordbi ... {...}</code> |
| <code>mathwordbs</code> | <code>\mathwordbs ... {...}</code> |
| <code>mathwordit</code> | <code>\mathwordit ... {...}</code> |
| <code>mathwordsl</code> | <code>\mathwordsl ... {...}</code> |
| <code>mathwordtf</code> | <code>\mathwordtf ... {...}</code> |
| <code>math:assignment</code> | <code>\math [..=..] {...}</code> |
| <code>maxaligned</code> | <code>\maxaligned {...}</code> |
| <code>mbox</code> | <code>\mbox {...}</code> |
| <code>measure</code> | <code>\measure {...}</code> |
| <code>measured</code> | <code>\measured {...}</code> |
| <code>medskip</code> | <code>\medskip</code> |
| <code>medspace</code> | <code>\medspace</code> |
| <code>menuinterattivo</code> | <code>\menuinterattivo [...] [..=..]</code> |
| <code>mese</code> | <code>\mese {...}</code> |
| <code>message</code> | <code>\message {...}</code> |
| <code>mettielenco</code> | <code>\mettielenco [...] [..=..]</code> |
| <code>mettielencocombinato</code> | <code>\mettielencocombinato [...] [..=..]</code> |
| <code>mettielencocombinato:instance</code> | <code>\mettiCOMBINEDLIST [..=..]</code> |
| <code>mettielencocombinato:instance:content</code> | <code>\mettiCONTENT [..=..]</code> |
| <code>mettifiancoafianco</code> | <code>\mettifiancoafianco {...} {...}</code> |
| <code>mettiformula</code> | <code>\mettiformula [...] {...}</code> |
| <code>mettiingriglia</code> | <code>\mettiingriglia [...] {...}</code> |
| <code>mettiingriglia:list</code> | <code>\mettiingriglia [...] {...}</code> |
| <code>mettinotepdp</code> | <code>\mettinotepdp [..=..]</code> |
| <code>mettinotepdplocali</code> | <code>\mettinotepdplocali [..=..]</code> |
| <code>mettinumeropagina</code> | <code>\mettinumeropagina</code> |
| <code>mettiregistro</code> | <code>\mettiregistro [...] [..=..]</code> |
| <code>mettiregistro:instance</code> | <code>\mettiREGISTER [..=..]</code> |
| <code>mettiregistro:instance:index</code> | <code>\mettiindex [..=..]</code> |
| <code>mettisegnalibro</code> | <code>\mettisegnalibro [...] [...] [..=..]</code> |
| <code>mettisottoformula</code> | <code>\mettisottoformula [...] {...}</code> |
| <code>mettiunosullaltro</code> | <code>\mettiunosullaltro {...} {...}</code> |
| <code>mfence</code> | <code>\mfence {...}</code> |
| <code>mfunction</code> | <code>\mfunction {...}</code> |
| <code>mfunctionlabeltext</code> | <code>\mfunctionlabeltext {...}</code> |
| <code>mhbox</code> | <code>\mhbox {...}</code> |
| <code>middlealigned</code> | <code>\middlealigned {...}</code> |
| <code>middlebox</code> | <code>\middlebox {...}</code> |
| <code>midhbox</code> | <code>\midhbox {...}</code> |
| <code>midsubsentence</code> | <code>\midsubsentence</code> |
| <code>minimalhbox</code> | <code>\minimalhbox ... {...}</code> |
| <code>mixedcaps</code> | <code>\mixedcaps {...}</code> |
| <code>mkvibuffer</code> | <code>\mkvibuffer [...]</code> |
| <code>moduleparameter</code> | <code>\moduleparameter {...} {...}</code> |
| <code>molecule</code> | <code>\molecule {...}</code> |
| <code>mono</code> | <code>\mono</code> |
| <code>monograssetto</code> | <code>\monograssetto</code> |
| <code>mononormal</code> | <code>\mononormal</code> |
| <code>monthlong</code> | <code>\monthlong {...}</code> |
| <code>monthshort</code> | <code>\monthshort {...}</code> |
| <code>mostraambientefontdeltesto</code> | <code>\mostraambientefontdeltesto [...]</code> |
| <code>mostracolore</code> | <code>\mostracolore [...]</code> |
| <code>mostracornice</code> | <code>\mostracornice [...] [...]</code> |
| <code>mostrafontdeltesto</code> | <code>\mostrafontdeltesto [...]</code> |
| <code>mostragriglia</code> | <code>\mostragriglia [...]</code> |
| <code>mostragruppocolori</code> | <code>\mostragruppocolori [...] [...]</code> |
| <code>mostraimpostazioni</code> | <code>\mostraimpostazioni [...]</code> |
| <code>mostralyout</code> | <code>\mostralyout [...]</code> |
| <code>mostramakeup</code> | <code>\mostramakeup [...]</code> |
| <code>mostrasettsimboli</code> | <code>\mostrasettsimboli [...]</code> |
| <code>mostrastampa</code> | <code>\mostrastampa [...] [...] [..=..]</code> |

| | |
|----------------------------|------------------------------------------------------|
| mostrastruts | \mostrastruts |
| mostratavolozza | \mostratavolozza [...] [...] |
| mprandomnumber | \mprandomnumber |
| mtext | \mtext {...} |
| m:assignment | \m [..=..] {...} |
| NormalizeFontHeight | \NormalizeFontHeight \... {...} {...} {...} |
| NormalizeFontWidth | \NormalizeFontWidth \... {...} {...} {...} |
| NormalizeTextHeight | \NormalizeTextHeight {...} {...} {...} |
| NormalizeTextWidth | \NormalizeTextWidth {...} {...} {...} |
| Numeri | \Numeri {...} |
| Numeriromani | \Numeriromani {...} |
| namedheadnumber | \namedheadnumber {...} |
| namedstructureheadlocation | \namedstructureheadlocation {...} |
| namedstructureuservariable | \namedstructureuservariable {...} {...} |
| namedstructurevariable | \namedstructurevariable {...} {...} |
| namedtaggedlabeltexts | \namedtaggedlabeltexts {...} {...} {...} {...} {...} |
| nascondiblocchi | \nascondiblocchi [...] [...] |
| naturalhbox | \naturalhbox ... {...} |
| naturalhpack | \naturalhpack ... {...} |
| naturaltpack | \naturaltpack ... {...} |
| naturalvbox | \naturalvbox ... {...} |
| naturalvcenter | \naturalvcenter ... {...} |
| naturalvpack | \naturalvpack ... {...} |
| naturalvtop | \naturalvtop ... {...} |
| naturalwd | \naturalwd ... |
| negatecolorbox | \negatecolorbox ... |
| negated | \negated {...} |
| negemspace | \negemspace |
| negenspace | \negenspace |
| negthinspace | \negthinspace |
| newattribute | \newattribute \... |
| newcatcodetable | \newcatcodetable \... |
| newcounter | \newcounter \... |
| newevery | \newevery \... \... |
| newfrenchspacing | \newfrenchspacing |
| newluatable | \newluatable \... |
| newmode | \newmode {...} |
| newsignal | \newsignal \... |
| newsystemmode | \newsystemmode {...} |
| nextbox | \nextbox |
| nextboxdp | \nextboxdp |
| nextboxht | \nextboxht |
| nextboxhtdp | \nextboxhtdp |
| nextboxwd | \nextboxwd |
| nextcounter | \nextcounter [...] [...] |
| nextcountervalue | \nextcountervalue [...] |
| nextdepth | \nextdepth |
| nextparagraphs | \nextparagraphs |
| nextparagraphs:example | \successivoPARAGRAPHS |
| nextrealpage | \nextrealpage |
| nextrealpagenumber | \nextrealpagenumber |
| nextsubcountervalue | \nextsubcountervalue [...] [...] |
| nextsubpagenumber | \nextsubpagenumber |
| nextuserpage | \nextuserpage |
| nextuserpagenumber | \nextuserpagenumber |
| nientelineecimafondo | \nientelineecimafondo |
| nientelineintestazionepdp | \nientelineintestazionepdp |
| nientespazio | \nientespazio |
| nocap | \nocap {...} |
| nocharacteralign | \nocharacteralign |
| nocitation | \nocitation [...] |
| nocitation:direct | \nocitation {...} |
| nocite | \nocite [...] |
| nocite:direct | \nocite {...} |
| nodetostring | \nodetostring \... {...} |
| noffigurepages | \noffigurepages |
| noflines | \noflines |
| noflinesinbox | \noflinesinbox ... |
| noflocalfloats | \noflocalfloats |
| noheightstrut | \noheightstrut |
| nohyphens | \nohyphens |
| noindentation | \noindentation |

| | |
|-----------------------------------|---------------------------------------------|
| noitem | \noitem |
| nonfrenchspacing | \nonfrenchspacing |
| nonmathematics | \nonmathematics {...} |
| nonvalidassignment | \nonvalidassignment {...} |
| normalboldface | \normalboldface |
| normale | \normale |
| normalframedwithsettings | \normalframedwithsettings [..=..] {...} |
| normalitalicface | \normalitalicface |
| normalizebodyfontsize | \normalizebodyfontsize \... {...} |
| normalizedfontsize | \normalizedfontsize |
| normalizefontdepth | \normalizefontdepth \... {...} {...} {...} |
| normalizefontheight | \normalizefontheight \... {...} {...} {...} |
| normalizefontline | \normalizefontline \... {...} {...} {...} |
| normalizefontwidth | \normalizefontwidth \... {...} {...} {...} |
| normalizetextdepth | \normalizetextdepth {...} {...} {...} |
| normalizetextheight | \normalizetextheight {...} {...} {...} |
| normalizetextline | \normalizetextline {...} {...} {...} |
| normalizetextwidth | \normalizetextwidth {...} {...} {...} |
| normalslantedface | \normalslantedface |
| normaltypeface | \normaltypeface |
| nota | \nota [...] [...] |
| nota:instance | \NOTE [...] {...} |
| nota:instance:assignment | \NOTE [..=..] |
| nota:instance:assignment:endnote | \endnote [..=..] |
| nota:instance:assignment:footnote | \footnote [..=..] |
| nota:instance:endnote | \endnote [...] {...} |
| nota:instance:footnote | \footnote [...] {...} |
| notesymbol | \notesymbol [...] [...] |
| notragged | \notragged |
| ntimes | \ntimes {...} {...} |
| numberofpoints | \numberofpoints {...} |
| numeri | \numeri {...} |
| numeriromani | \numeriromani {...} |
| numeroformula | \numeroformula [...] |
| numeropagina | \numeropagina |
| numeropaginacompleto | \numeropaginacompleto |
| numerotesta | \numerotesta [...] [...] |
| numerotestacorrente | \numerotestacorrente |
| obeydepth | \obeydepth |
| objectdepth | \objectdepth |
| objectheight | \objectheight |
| objectmargin | \objectmargin |
| objectwidth | \objectwidth |
| obox | \obox {...} |
| octnumber | \octnumber {...} |
| octstringtonumber | \octstringtonumber {...} |
| offset | \offset [..=..] {...} |
| offsetbox | \offsetbox [..=..] \... {...} |
| onedigitrounding | \onedigitrounding {...} |
| ordinaldaynumber | \ordinaldaynumber {...} |
| ordinalstr | \ordinalstr {...} |
| ornamenttext:collector | \ornamenttext [..=..] [..=..] {...} {...} |
| ornamenttext:direct | \ornamenttext [...] {...} {...} |
| ornamenttext:layer | \ornamenttext [..=..] [..=..] {...} {...} |
| ornament:example | \ORNAMENT {...} {...} |
| outputfilename | \outputfilename |
| outputstreambox | \outputstreambox [...] |
| outputstreamcopy | \outputstreamcopy [...] |
| outputstreamunvbox | \outputstreamunvbox [...] |
| outputstreamunvcopy | \outputstreamunvcopy [...] |
| over | \over [...] |
| overlaybutton | \overlaybutton [...] |
| overlaybutton:direct | \overlaybutton {...} |
| overlaycolor | \overlaycolor |
| overlaydepth | \overlaydepth |
| overlayfigure | \overlayfigure {...} |
| overlayheight | \overlayheight |
| overlayimage | \overlayimage {...} |
| overlaylinecolor | \overlaylinecolor |
| overlaylinewidth | \overlaylinewidth |
| overlayoffset | \overlayoffset |
| overlayrollbutton | \overlayrollbutton [...] [...] |

| | |
|-----------------------------|------------------------------------------|
| overlaywidth | \overlaywidth |
| overloaderror | \overloaderror |
| overset | \overset {...} {...} |
| PAROLA | \PAROLA {...} |
| PAROLE | \PAROLE {...} |
| Parola | \Parola {...} |
| Parole | \Parole {...} |
| PDFcolor | \PDFcolor {...} |
| PDFETEX | \PDFETEX |
| PDFTEX | \PDFTEX |
| PICTEX | \PICTEX |
| PiCTeX | \PiCTeX |
| PointsToBigPoints | \PointsToBigPoints {...} \... |
| PointsToReal | \PointsToReal {...} \... |
| PointsToWholeBigPoints | \PointsToWholeBigPoints {...} \... |
| PPCHTEX | \PPCHTEX |
| PPCHTeX | \PPCHTeX |
| PRAGMA | \PRAGMA |
| PtToCm | \PtToCm {...} |
| pagearea | \pagearea [...] [...] [...] |
| pagebreak | \pagebreak [...] |
| pagefigure | \pagefigure [...] [..=..] |
| pageinjection | \pageinjection [...] [..=..] |
| pageinjection:assignment | \pageinjection [..=..] [..=..] |
| pagestaterealpage | \pagestaterealpage {...} {...} |
| pagestaterealpageorder | \pagestaterealpageorder {...} {...} |
| pagina | \pagina [...] |
| paletsize | \paletsize |
| paragraphs:example | \PARAGRAPHS |
| parola | \parola {...} |
| paroladestra | \paroladestra [...] {...} |
| pdfactualtext | \pdfactualtext {...} {...} |
| pdfbackendactualtext | \pdfbackendactualtext {...} {...} |
| pdfbackendcurrentresources | \pdfbackendcurrentresources |
| pdfbackendsetcatalog | \pdfbackendsetcatalog {...} {...} |
| pdfbackendsetcolorspace | \pdfbackendsetcolorspace {...} {...} |
| pdfbackendsetextgstate | \pdfbackendsetextgstate {...} {...} |
| pdfbackendsetinfo | \pdfbackendsetinfo {...} {...} |
| pdfbackendsetname | \pdfbackendsetname {...} {...} |
| pdfbackendsetpageattribute | \pdfbackendsetpageattribute {...} {...} |
| pdfbackendsetpageresource | \pdfbackendsetpageresource {...} {...} |
| pdfbackendsetpagesattribute | \pdfbackendsetpagesattribute {...} {...} |
| pdfbackendsetpattern | \pdfbackendsetpattern {...} {...} |
| pdfbackendsetshade | \pdfbackendsetshade {...} {...} |
| pdfcolor | \pdfcolor {...} |
| pdfTeX | \pdfTeX |
| pdfTeX | \pdfTeX |
| ped | \ped {...} |
| pedap | \pedap [...] {...} {...} |
| ped:instance | \LOW {...} |
| ped:instance:unitslow | \unitslow {...} |
| percent | \percent |
| percentdimen | \percentdimen {...} {...} |
| perlungo | \perlungo {...} |
| permitcaretescape | \permitcaretescape |
| permitcircumflexescape | \permitcircumflexescape |
| permitspacesbetweengroups | \permitspacesbetweengroups |
| persiandecimals | \persiandecimals {...} |
| persiannumerals | \persiannumerals {...} |
| phantom | \phantom {...} |
| phantombox | \phantombox [..=..] |
| piccolo | \piccolo |
| piccolocorsivograssetto | \piccolocorsivograssetto |
| piccolofontdelcorpo | \piccolofontdelcorpo |
| piccolograssetto | \piccolograssetto |
| piccolograssetto corsivo | \piccolograssetto corsivo |
| piccolograssetto inclinato | \piccolograssetto inclinato |
| piccoloinclinato | \piccoloinclinato |
| piccoloinclinatograssetto | \piccoloinclinatograssetto |
| piccolonormale | \piccolonormale |
| piccolotype | \piccolotype |
| pickupgroupedcommand | \pickupgroupedcommand {...} {...} {...} |

| | |
|--------------------------------------------|-----------------------------------------------------|
| placeattachments | \placeattachments |
| placebtxrendering | \placebtxrendering [...] [..=..] |
| placecitation | \placecitation [...] |
| placecomments | \placecomments |
| placecurrentformulanumber | \placecurrentformulanumber |
| placedbox | \placedbox {...} |
| placefloat | \placefloat [...] [...] [...] {...} {...} |
| placefloatcaption | \placefloatcaption [...] [..=..] [..=..] |
| placefloatwithsetups | \placefloatwithsetups [...] [...] [...] {...} {...} |
| placefloat:instance | \mettiFLOAT [...] [...] {...} {...} |
| placefloat:instance:chemical | \mettichemical [...] [...] {...} {...} |
| placefloat:instance:figure | \mettifigure [...] [...] {...} {...} |
| placefloat:instance:graphic | \mettigraphic [...] [...] {...} {...} |
| placefloat:instance:intermezzo | \mettiintermezzo [...] [...] {...} {...} |
| placefloat:instance:table | \mettitable [...] [...] {...} {...} |
| placeframed | \placeframed [...] [..=..] {...} |
| placehelp | \placehelp |
| placeholder | \placeholder [...] |
| placeinitial | \placeinitial [...] |
| placelayer | \placelayer [...] |
| placelayeredtext | \placelayeredtext [...] [..=..] [..=..] {...} {...} |
| placelistoffloats:instance | \placelistofFLOATS [..=..] |
| placelistoffloats:instance:chemicals | \placelistofchemicals [..=..] |
| placelistoffloats:instance:figures | \placelistoffigures [..=..] |
| placelistoffloats:instance:graphics | \placelistofgraphics [..=..] |
| placelistoffloats:instance:intermezzi | \placelistofintermezzi [..=..] |
| placelistoffloats:instance:tables | \placelistoftables [..=..] |
| placelistofpublications | \placelistofpublications [...] [..=..] |
| placelistofsorts | \placelistofsorts [...] [..=..] |
| placelistofsorts:instance | \placelistofSORTS [..=..] |
| placelistofsorts:instance:logos | \placelistoflogos [..=..] |
| placelistofsynonyms | \placelistofsynonyms [...] [..=..] |
| placelistofsynonyms:instance | \placelistofSYNONYMS [..=..] |
| placelistofsynonyms:instance:abbreviations | \placelistofabbreviations [..=..] |
| placelocalnotes | \placelocalnotes [...] [..=..] |
| placement | \placement [...] [..=..] {...} |
| placement:example | \PLACEMENT [..=..] {...} |
| placenamefloat | \placenamefloat [...] [...] |
| placenameformula | \placenameformula [...] {...} {...} |
| placenotes | \placenotes [...] [..=..] |
| placepairedbox | \placepairedbox [...] [..=..] {...} {...} |
| placepairedbox:instance | \mettiPAIREDBOX [..=..] {...} {...} |
| placepairedbox:instance:legend | \mettilegend [..=..] {...} {...} |
| placeparallel | \placeparallel [...] [...] [..=..] |
| placeraheaddata | \placeraheaddata [...] |
| placeraheadnumber | \placeraheadnumber [...] |
| placeraheadtext | \placeraheadtext [...] |
| placeraheadlist | \placeraheadlist [...] [..=..] |
| placereadingwindow | \placereadingwindow [...] [...] |
| popattribute | \popattribute \... |
| popmacro | \popmacro \... |
| popmode | \popmode [...] |
| popssystemmode | \popssystemmode {...} |
| positionoverlay | \positionoverlay {...} |
| positionregionoverlay | \positionregionoverlay {...} {...} |
| posizioneumerotesta | \posizioneumerotesta [...] |
| posizionatestotesta | \posizionatestotesta [...] |
| posizione | \posizione [..=..] (...,...) {...} |
| postponenotes | \postponenotes |
| predefinedfont | \predefinedfont [...] |
| predefinefont | \predefinefont [...] [...] |
| predefinesymbol | \predefinesymbol [...] |
| prefixedpagenumber | \prefixedpagenumber |
| prendibuffer | \prendibuffer [...] |
| prendibuffer:instance | \prendiBUFFER |
| prendimarcatura | \prendimarcatura [...] [...] [...] |
| prependetoks | \prependetoks ... \to \... |
| prependgvalue | \prependgvalue {...} {...} |
| prepdtocomma | \prepdtocomma {...} \... |
| prepdetoks | \prepdetoks ... \to \... |
| prepdetoksonce | \prepdetoksonce ... \to \... |
| prepdvalue | \prepdvalue {...} {...} |

| | |
|------------------------------------|-------------------------------------------------|
| prerollblank | \prerollblank [...] |
| presetdocument | \presetdocument [...] [..=..] |
| presetfieldsymbols | \presetfieldsymbols [...] |
| presetlabeltext:instance | \presetLABELtesto [...] [..=..] |
| presetlabeltext:instance:btxlabel | \presetbtxlabeltesto [...] [..=..] |
| presetlabeltext:instance:head | \presetheadtesto [...] [..=..] |
| presetlabeltext:instance:label | \presetlabeltesto [...] [..=..] |
| presetlabeltext:instance:mathlabel | \presetmathlabeltesto [...] [..=..] |
| presetlabeltext:instance:operator | \presetoperatortesto [...] [..=..] |
| presetlabeltext:instance:prefix | \presetprefixtesto [...] [..=..] |
| presetlabeltext:instance:suffix | \presetsuffixtesto [...] [..=..] |
| presetlabeltext:instance:taglabel | \presettaglabeltesto [...] [..=..] |
| presetlabeltext:instance:unit | \presetunittesto [...] [..=..] |
| pretocommalist | \pretocommalist {...} \... |
| prettyprintbuffer | \prettyprintbuffer {...} {...} |
| prevcounter | \prevcounter [...] [...] |
| prevcountervalue | \prevcountervalue [...] |
| preventmode | \preventmode [...] |
| prevrealpage | \prevrealpage |
| prevrealpagenumber | \prevrealpagenumber |
| prevsubcountervalue | \prevsubcountervalue [...] [...] |
| prevsubpage | \prevsubpage |
| prevsubpagenumber | \prevsubpagenumber |
| prevuserpage | \prevuserpage |
| prevuserpagenumber | \prevuserpagenumber |
| primasottopagina | \primasottopagina |
| procent | \procent |
| processaction | \processaction [...] [...,==>...,...] |
| processallactionsinset | \processallactionsinset [...] [...,==>...,...] |
| processassignlist | \processassignlist [...] \... |
| processassignmentcommand | \processassignmentcommand [..=..] \... |
| processassignmentlist | \processassignmentlist [..=..] \... |
| processbetween | \processbetween {...} \... |
| processbodyfontenvironmentlist | \processbodyfontenvironmentlist \... |
| processcolorcomponents | \processcolorcomponents {...} |
| processcommaccommand | \processcommaccommand [...] \... |
| processcommalist | \processcommalist [...] \... |
| processcommalistwithparameters | \processcommalistwithparameters [...] \... |
| processcontent | \processcontent {...} \... |
| processfile | \processfile {...} |
| processfilemany | \processfilemany {...} |
| processfilenone | \processfilenone {...} |
| processfileonce | \processfileonce {...} |
| processfirstactioninset | \processfirstactioninset [...] [...,==>...,...] |
| processisolatedchars | \processisolatedchars {...} \... |
| processisolatedwords | \processisolatedwords {...} \... |
| processlinetablebuffer | \processlinetablebuffer [...] |
| processlinetablefile | \processlinetablefile {...} |
| processlist | \processlist {...} {...} {...} \... |
| processMPbuffer | \processMPbuffer [...] |
| processMPfigurefile | \processMPfigurefile {...} |
| processmonth | \processmonth {...} {...} {...} |
| processranges | \processranges [...] \... |
| processseparatedlist | \processseparatedlist [...] [...] {...} |
| processtexbuffer | \processtexbuffer [...] |
| processtokens | \processtokens {...} {...} {...} {...} {...} |
| processuntil | \processuntil \... |
| processxtablebuffer | \processxtablebuffer [...] |
| processyear | \processyear {...} {...} {...} {...} |
| prodotto | \prodotto [...] |
| prodotto:string | \prodotto ... |
| profiledbox | \profiledbox [...] [..=..] {...} |
| profilegivenbox | \profilegivenbox {...} ... |
| progetto | \progetto [...] |
| progetto:string | \progetto ... |
| programma | \programma [...] |
| pseudoMixedCapped | \pseudoMixedCapped {...} |
| pseudoSmallCapped | \pseudoSmallCapped {...} |
| pseudoSmallcapped | \pseudoSmallcapped {...} |
| pseudosmallcapped | \pseudosmallcapped {...} |
| pulsante | \pulsante [..=..] {...} [...] |
| pulsantemenu:button | \pulsantemenu [..=..] {...} {...} |

| | |
|------------------------------|----------------------------------------------------|
| pulsantemenu:interactionmenu | \pulsantemenu [...] [..=..] {...} {...} |
| pulsante:example | \BUTTON [..=..] {...} [...] |
| pulsantinterazione | \pulsantinterazione [..=..] [...] |
| punti | \punti [...] |
| punti:assignment | \punti [..=..] |
| punto | \punto {...} |
| purenumber | \purenumber {...} |
| pusharrangedpages | \pusharrangedpages ... \poparrangedpages |
| pushattribute | \pushattribute \... |
| pushbar | \pushbar [...] ... \popbar |
| pushbutton | \pushbutton [...] [...] |
| pushcatcodetable | \pushcatcodetable ... \popcatcodetable |
| pushcolore | \pushcolore [...] ... \popcolore |
| pushendofline | \pushendofline ... \popendofline |
| pushindentation | \pushindentation ... \popindentation |
| pushMPdrawing | \pushMPdrawing ... \popMPdrawing |
| pushmacro | \pushmacro \... |
| pushmathstyle | \pushmathstyle ... \popmathstyle |
| pushmode | \pushmode [...] |
| pushoutputstream | \pushoutputstream [...] |
| pushpath | \pushpath [...] ... \poppath |
| pushpunctuation | \pushpunctuation ... \poppunctuation |
| pushrandomseed | \pushrandomseed ... \poprandomseed |
| pushreferenceprefix | \pushreferenceprefix {...} ... \popreferenceprefix |
| pushsfondo | \pushsfondo [...] ... \popsfondo |
| pushsystemmode | \pushsystemmode {...} |
| putboxincache | \putboxincache {...} {...} ... |
| putnextboxincache | \putnextboxincache {...} {...} \... {...} |
| qquad | \qquad |
| quad | \quad |
| quads | \quads [...] |
| qualcheriga | \qualcheriga [...] |
| quarterstrut | \quarterstrut |
| quitcommalist | \quitcommalist |
| quitprevcommalist | \quitprevcommalist |
| quittypescriptscanning | \quittypescriptscanning |
| ReadFile | \ReadFile {...} |
| raggedbottom | \raggedbottom |
| raggedcenter | \raggedcenter |
| raggedleft | \raggedleft |
| raggedright | \raggedright |
| raggedwidecenter | \raggedwidecenter |
| raisebox | \raisebox {...} \... {...} |
| randomizetext | \randomizetext {...} |
| randomnumber | \randomnumber {...} {...} |
| rawcounter | \rawcounter [...] [...] |
| rawcountervalue | \rawcountervalue [...] |
| rawdate | \rawdate [...] |
| rawdoifelseinset | \rawdoifelseinset {...} {...} {...} {...} |
| rawdoifinset | \rawdoifinset {...} {...} {...} |
| rawdoifinsetelse | \rawdoifinsetelse {...} {...} {...} {...} |
| rawgetparameters | \rawgetparameters [...] [..=..] |
| rawprocessaction | \rawprocessaction [...] [..., ...=>..., ...] |
| rawprocesscommacommand | \rawprocesscommacommand [...] \... |
| rawprocesscommalist | \rawprocesscommalist [...] \... |
| rawstructurelistuservariable | \rawstructurelistuservariable {...} |
| rawsubcountervalue | \rawsubcountervalue [...] [...] |
| rbox | \rbox ... {...} |
| readfile | \readfile {...} {...} {...} |
| readfixfile | \readfixfile {...} {...} {...} {...} |
| readjobfile | \readjobfile {...} {...} {...} |
| readlocfile | \readlocfile {...} {...} {...} |
| readsetfile | \readsetfile {...} {...} {...} {...} |
| readsysfile | \readsysfile {...} {...} {...} |
| readtexfile | \readtexfile {...} {...} {...} |
| readxmlfile | \readxmlfile {...} {...} {...} |
| realpagenumber | \realpagenumber |
| realSmallCapped | \realSmallCapped {...} |
| realSmallcapped | \realSmallcapped {...} |
| realsmallcapped | \realsmallcapped {...} |
| recursedepth | \recursedepth |
| recurselevel | \recurselevel |

| | |
|-----------------------------------|--------------------------------------------------|
| recursestring | \recursestring |
| redoconvertfont | \redoconvertfont |
| referencecolumnnumber | \referencecolumnnumber |
| referenceformat:example | \REFERENCEFORMAT {...} {...} [...] |
| referencepagedetail | \referencepagedetail |
| referencepagestate | \referencepagestate |
| referenceprefix | \referenceprefix |
| referencerealpage | \referencerealpage |
| referencesymbol | \referencesymbol |
| referring | \referring (...,...) (...,...) [...] |
| registerattachment | \registerattachment [...] [..=..] |
| registerctxluafile | \registerctxluafile {...} {...} |
| registerexternalfigure | \registerexternalfigure [...] [...] [..=..] |
| registerfontclass | \registerfontclass {...} |
| registerhyphenationexception | \registerhyphenationexception [...] [...] |
| registerhyphenationpattern | \registerhyphenationpattern [...] [...] |
| registermenubuttons | \registermenubuttons [...] [...] |
| registerparwrapper | \registerparwrapper {...} {...} {...} |
| registerparwrapperreverse | \registerparwrapperreverse {...} {...} {...} |
| registersort | \registersort [...] [...] |
| registersynonym | \registersynonym [...] [...] |
| registerunit | \registerunit [...] [..=..] |
| registro:instance | \REGISTER [...] {...+...+..} |
| registro:instance:index | \index [...] {...+...+..} |
| registro:instance:ownnumber | \REGISTER [...] {...} {...+...+..} |
| registro:instance:ownnumber:index | \index [...] {...} {...+...+..} |
| regolare | \regolare |
| reimpostamarcatura | \reimpostamarcatura [...] |
| relatemarking | \relatemarking [...] [...] |
| relateparameterhandlers | \relateparameterhandlers {...} {...} {...} {...} |
| relaxvalueifundefined | \relaxvalueifundefined {...} |
| remainingcharacters | \remainingcharacters |
| removebottomthings | \removebottomthings |
| removedepth | \removedepth |
| removefromcommalist | \removefromcommalist {...} \... |
| removelastskip | \removelastskip |
| removelastspace | \removelastspace |
| removemarkedcontent | \removemarkedcontent [...] |
| removepunctuation | \removepunctuation |
| removesubstring | \removesubstring ... \from ... \to \... |
| removetoks | \removetoks ... \from \... |
| removeunwantedspaces | \removeunwantedspaces |
| repeathead | \repeathead [...] |
| replacefeature | \replacefeature [...] |
| replacefeature:direct | \replacefeature {...} |
| replaceincommalist | \replaceincommalist \... {...} |
| replaceword | \replaceword [...] [...] [...] |
| rescan | \rescan {...} |
| rescanwithsetup | \rescanwithsetup {...} {...} |
| resetallattributes | \resetallattributes |
| resetandaddfeature | \resetandaddfeature [...] |
| resetandaddfeature:direct | \resetandaddfeature {...} |
| resetbar | \resetbar |
| resetboxesincache | \resetboxesincache {...} |
| resetbreakpoints | \resetbreakpoints |
| resetbuffer | \resetbuffer [...] |
| resetcharacteralign | \resetcharacteralign |
| resetcharacterkerning | \resetcharacterkerning |
| resetcharacterspacing | \resetcharacterspacing |
| resetcharacterstripping | \resetcharacterstripping |
| resetcollector | \resetcollector [...] |
| resetcounter | \resetcounter [...] [...] |
| resetctxscanner | \resetctxscanner \... |
| resetdigitsmanipulation | \resetdigitsmanipulation |
| resetdirection | \resetdirection |
| resetfeature | \resetfeature |
| resetflag | \resetflag {...} |
| resetfontcolorsheme | \resetfontcolorsheme |
| resetfontfallback | \resetfontfallback [...] [...] |
| resetfontsolution | \resetfontsolution |
| resethyphenationfeatures | \resethyphenationfeatures |
| resetinjector | \resetinjector [...] |

| | |
|-----------------------------------|-----------------------------------|
| resetinteractionmenu | \resetinteractionmenu [...] |
| resetitaliccorrection | \resetitaliccorrection |
| resetlayer | \resetlayer [...] |
| resetlocalfloats | \resetlocalfloats |
| resetMPdrawing | \resetMPdrawing |
| resetMPenvironment | \resetMPenvironment |
| resetMPinstance | \resetMPinstance [...] |
| resetmarker | \resetmarker [...] |
| resetmode | \resetmode {...} |
| resetpagenumber | \resetpagenumber |
| resetparallel | \resetparallel [...] [...] |
| resetpath | \resetpath |
| resetpenalties | \resetpenalties \... |
| resetperiodkerning | \resetperiodkerning |
| resetprofile | \resetprofile |
| resetrecurselevel | \resetrecurselevel |
| resetreference | \resetreference [...] |
| resetreplacements | \resetreplacements |
| resetscript | \resetscript |
| resetsetups | \resetsetups [...] |
| resetshownsynonyms | \resetshownsynonyms [...] |
| resetsubpagenumber | \resetsubpagenumber |
| resetsymbolset | \resetsymbolset |
| resetsystemmode | \resetsystemmode {...} |
| resettimer | \resettimer |
| resettokenlist | \resettokenlist [...] |
| resettrackers | \resettrackers |
| resettrialtypesetting | \resettrialtypesetting |
| resetusedsortings | \resetusedsortings [...] |
| resetusedsynonyms | \resetusedsynonyms [...] |
| resetuserpagenumber | \resetuserpagenumber |
| resetvalue | \resetvalue {...} |
| resetvisualizers | \resetvisualizers |
| reshapebox | \reshapebox {...} |
| resolvedglyphdirect | \resolvedglyphdirect {...} {...} |
| resolvedglyphstyled | \resolvedglyphstyled {...} {...} |
| restartcounter | \restartcounter [...] [...] [...] |
| restorebox | \restorebox {...} {...} |
| restorecatcodes | \restorecatcodes |
| restorecounter | \restorecounter [...] |
| restorecurrentattributes | \restorecurrentattributes {...} |
| restoreendofline | \restoreendofline |
| restoreglobalbodyfont | \restoreglobalbodyfont |
| retestfeature | \retestfeature |
| reusableMPgraphic | \reusableMPgraphic {...} {...} |
| reuseMPgraphic | \reuseMPgraphic {...} {...} |
| reuserandomseed | \reuserandomseed |
| reversehbox | \reversehbox ... {...} |
| reversehpack | \reversehpack ... {...} |
| reversetpack | \reversetpack ... {...} |
| reversevbox | \reversevbox ... {...} |
| reversevboxcontent | \reversevboxcontent ... |
| reversevpack | \reversevpack ... {...} |
| reversevtop | \reversevtop ... {...} |
| revivefeature | \revivefeature |
| rfence | \rfence {...} |
| rhbox | \rhbox {...} |
| rif | \rif [...] [...] |
| riferimento | \riferimento [...] {...} |
| riferimentopagina | \riferimentopagina [...] |
| riferimentotesto | \riferimentotesto [...] {...} |
| riflessione | \riflessione {...} |
| riga | \riga {...} |
| rigariempimento | \rigariempimento [...] |
| rightbottombox | \rightbottombox {...} |
| rightbox | \rightbox {...} |
| righthbox | \righthbox {...} |
| rightlabeltext:instance | \rightLABELtesto {...} |
| rightlabeltext:instance:head | \righttheadtesto {...} |
| rightlabeltext:instance:label | \rightlabeltesto {...} |
| rightlabeltext:instance:mathlabel | \rightmathlabeltesto {...} |
| rightline | \rightline {...} |

| | |
|------------------------------|-----------------------------------------------------------|
| rightorleftpageaction | \rightorleftpageaction {...} {...} |
| rightpageorder | \rightpageorder |
| rightskipadaption | \rightskipadaption |
| rightsubguillemot | \rightsubguillemot |
| righttopleft | \righttopleft |
| righttopleftthbox | \righttopleftthbox ... {...} |
| righttopleftvbox | \righttopleftvbox ... {...} |
| righttopleftvtop | \righttopleftvtop ... {...} |
| righttopbox | \righttopbox {...} |
| rigovuoto | \rigovuoto [...] |
| ring | \ring {...} |
| rlap | \rlap {...} |
| robustadtdocommalist | \robustadtdocommalist {...} \... |
| robustdoifelseinset | \robustdoifelseinset {...} {...} {...} {...} |
| robustdoifinsetelse | \robustdoifinsetelse {...} {...} {...} {...} |
| robustpretocommalist | \robustpretocommalist {...} \... |
| rollbutton:button | \rollbutton [..=..] ... [...] |
| rollbutton:interactionmenu | \rollbutton [...] [..=..] ... [...] |
| roman | \roman |
| rtlhbox | \rtlhbox ... {...} |
| rtlvbox | \rtlvbox ... {...} |
| rtlvtop | \rtlvtop ... {...} |
| rtop | \rtop ... {...} |
| ruby | \ruby [...] {...} {...} |
| ruledhbox | \ruledhbox ... {...} |
| ruledhpack | \ruledhpack ... {...} |
| ruledmbox | \ruledmbox {...} |
| ruledtopv | \ruledtopv ... {...} |
| ruledtpack | \ruledtpack ... {...} |
| ruledvbox | \ruledvbox ... {...} |
| ruledvpack | \ruledvpack ... {...} |
| ruledvtop | \ruledvtop ... {...} |
| runMPbuffer | \runMPbuffer [...] |
| runninghbox | \runninghbox {...} |
| ruota | \ruota [..=..] {...} |
| russianNumerals | \russianNumerals {...} |
| russiannumerals | \russiannumerals {...} |
| ScaledPointsToBigPoints | \ScaledPointsToBigPoints {...} \... |
| ScaledPointsToWholeBigPoints | \ScaledPointsToWholeBigPoints {...} \... |
| Smallcapped | \Smallcapped {...} |
| safechar | \safechar {...} |
| samplefile | \samplefile {...} |
| sans | \sans |
| sansgrassetto | \sansgrassetto |
| sansnormal | \sansnormal |
| sansserif | \sansserif |
| savebox | \savebox {...} {...} {...} |
| savebtxdataset | \savebtxdataset [...] [...] [..=..] |
| savebuffer | \savebuffer [..=..] |
| savebuffer:list | \savebuffer [...] [...] |
| savecolore | \savecolore ... \restorecolore |
| savecounter | \savecounter [...] |
| savecurrentattributes | \savecurrentattributes {...} |
| savenormalmeaning | \savenormalmeaning \... |
| savetaggedtwopassdata | \savetaggedtwopassdata {...} {...} {...} {...} |
| savetwopassdata | \savetwopassdata {...} {...} {...} |
| sbox | \sbox {...} |
| scala | \scala [...] [..=..] {...} |
| schermo | \schermo [...] |
| script:instance | \SCRIPT |
| script:instance:ethiopic | \ethiopic |
| script:instance:hangul | \hangul |
| script:instance:hanzi | \hanzi |
| script:instance:latin | \latin |
| script:instance:nihongo | \nihongo |
| script:instance:test | \test |
| script:instance:thai | \thai |
| scrividentroelenco | \scrividentroelenco [...] [..=..] {...} |
| scriviinelenco | \scriviinelenco [...] [..=..] {...} {...} |
| secondoffivearguments | \secondoffivearguments {...} {...} {...} {...} {...} |
| secondoffourarguments | \secondoffourarguments {...} {...} {...} {...} |
| secondofsixarguments | \secondofsixarguments {...} {...} {...} {...} {...} {...} |

| | |
|----------------------------|-------------------------------------------------------------------------------------------------------------------|
| secondofthreearguments | \secondofthreearguments {...} {...} {...} |
| secondofthreeunexpanded | \secondofthreeunexpanded {...} {...} {...} |
| secondoftwoarguments | \secondoftwoarguments {...} {...} |
| secondoftwounexpanded | \secondoftwounexpanded {...} {...} |
| seeregister:instance | \vediREGISTER [...] {...+...+...} {...} |
| seeregister:instance:index | \vediindex [...] {...+...+...} {...} |
| segnalibro | \segnalibro [...] {...} |
| select | \select {...} {...} {...} {...} {...} {...} |
| selezionablocchi | \selezionablocchi ^{OPT} [... ^{OPT}] [... ^{OPT}] [... ^{OPT}] ^{OPT} |
| serializecommalist | \serializecommalist [...] |
| serializedcommalist | \serializedcommalist |
| serif | \serif |
| serifbold | \serifbold |
| serifnormal | \serifnormal |
| setautopagestaterealpago | \setautopagestaterealpago {...} |
| setbar | \setbar [...] |
| setbigbodyfont | \setbigbodyfont |
| setboxllx | \setboxllx ... {...} |
| setboxlly | \setboxlly ... {...} |
| setbreakpoints | \setbreakpoints [...] |
| setbuffer | \setbuffer [...] ... \endbuffer |
| setcapstrut | \setcapstrut |
| setcatcodetable | \setcatcodetable \... |
| setcharacteralign | \setcharacteralign {...} {...} |
| setcharacteraligndetail | \setcharacteraligndetail {...} {...} {...} {...} |
| setcharactercasing | \setcharactercasing [...] |
| setcharactercleaning | \setcharactercleaning [...] |
| setcharacterkerning | \setcharacterkerning [...] |
| setcharacterspacing | \setcharacterspacing [...] |
| setcharacterstripping | \setcharacterstripping [...] |
| setcharstrut | \setcharstrut {...} |
| setcollector | \setcollector [...] [...=..] {...} |
| setcolormodell | \setcolormodell [...] |
| setcounter | \setcounter [...] [...] [...] |
| setcounterown | \setcounterown [...] [...] [...] |
| setctxluafunction | \setctxluafunction {...} {...} |
| setcurrentfontclass | \setcurrentfontclass {...} |
| setdataset | \setdataset [...] [...] [...=..] |
| setdatavalue | \setdatavalue {...} {...} |
| setdefaultpenalties | \setdefaultpenalties |
| setdigitsmanipulation | \setdigitsmanipulation [...] |
| setdirection | \setdirection [...] |
| setdocumentargument | \setdocumentargument {...} {...} |
| setdocumentargumentdefault | \setdocumentargumentdefault {...} {...} |
| setdocumentfilename | \setdocumentfilename {...} {...} |
| setdummyparameter | \setdummyparameter {...} {...} |
| setelementexporttag | \setelementexporttag [...] [...] [...] |
| setemeasure | \setemeasure {...} {...} |
| setevalue | \setevalue {...} {...} |
| setevariable | \setevariable {...} {...} {...} |
| setevariables | \setevariables [...] [...=..] |
| setexpansion | \setexpansion [...] |
| setfirstline | \setfirstline [...] |
| setfirstpasscharacteralign | \setfirstpasscharacteralign |
| setflag | \setflag {...} |
| setfont | \setfont ... |
| setfontcolorsheme | \setfontcolorsheme [...] |
| setfontfeature | \setfontfeature {...} |
| setfontsolution | \setfontsolution [...] |
| setfontstrut | \setfontstrut |
| setfractions | \setfractions |
| setglobalscript | \setglobalscript [...] |
| setgmeasure | \setgmeasure {...} {...} |
| setgvalue | \setgvalue {...} {...} |
| setgvariable | \setgvariable {...} {...} {...} |
| setgvariables | \setgvariables [...] [...=..] |
| sethboxregister | \sethboxregister ... {...} |
| sethyphenatedurlafter | \sethyphenatedurlafter {...} |
| sethyphenatedurlbefore | \sethyphenatedurlbefore {...} |
| sethyphenatedurlnormal | \sethyphenatedurlnormal {...} |
| sethyphenationfeatures | \sethyphenationfeatures [...] |
| setinitial | \setinitial [...] [...=..] |

| | |
|-----------------------------|----------------------------------------------------|
| setinjector | \setinjector [...] [...] [...] |
| setinteraction | \setinteraction [...] |
| setinterfacecommand | \setinterfacecommand {...} {...} |
| setinterfaceconstant | \setinterfaceconstant {...} {...} |
| setinterfaceelement | \setinterfaceelement {...} {...} |
| setinterfacemessage | \setinterfacemessage {...} {...} {...} |
| setinterfacevariable | \setinterfacevariable {...} {...} |
| setinternalrendering | \setinternalrendering [...] [...] [...] |
| setitaliccorrection | \setitaliccorrection [...] |
| setJSreamble | \setJSreamble {...} {...} |
| setlayer | \setlayer [...] [...] [...] [...] |
| setlayerframed | \setlayerframed [...] [...] [...] [...] |
| setlayerframed:combination | \setlayerframed [...] [...] [...] |
| setlayertext | \setlayertext [...] [...] [...] [...] |
| setlinefiller | \setlinefiller [...] |
| setlocalhsize | \setlocalhsize [...] |
| setlocalscript | \setlocalscript [...] |
| setluatable | \setluatable \... {...} |
| setMPlayer | \setMPlayer [...] [...] [...] [...] |
| setMPpositiongraphic | \setMPpositiongraphic {...} {...} {...} |
| setMPpositiongraphicrange | \setMPpositiongraphicrange {...} {...} {...} {...} |
| setMPtext | \setMPtext {...} {...} |
| setMPvariable | \setMPvariable [...] [...] [...] |
| setMPvariables | \setMPvariables [...] [...] [...] |
| setmainbodyfont | \setmainbodyfont |
| setmainparbuilder | \setmainparbuilder [...] |
| setmarker | \setmarker [...] [...] |
| setmarking | \setmarking [...] {...} |
| setmathstyle | \setmathstyle {...} |
| setmeasure | \setmeasure {...} {...} |
| setmessagetext | \setmessagetext {...} {...} |
| setmode | \setmode {...} |
| setnostrut | \setnostrut |
| setnote | \setnote [...] [...] [...] |
| setnotetext | \setnotetext [...] [...] [...] |
| setnotetext:assignment | \setnotetext [...] [...] [...] |
| setnote:assignment | \setnote [...] [...] [...] |
| setobject | \setobject {...} {...} \... {...} |
| setoldstyle | \setoldstyle |
| setpagereference | \setpagereference {...} {...} |
| setpagestate | \setpagestate [...] [...] |
| setpagestaterealpageno | \setpagestaterealpageno {...} {...} |
| setparagraphfreezing | \setparagraphfreezing |
| setpenalties | \setpenalties \... {...} {...} |
| setpercentdimen | \setpercentdimen {...} {...} |
| setperiodkerning | \setperiodkerning [...] |
| setposition | \setposition {...} |
| setpositionbox | \setpositionbox {...} \... {...} |
| setpositiondata | \setpositiondata {...} {...} {...} {...} |
| setpositiondataplus | \setpositiondataplus {...} {...} {...} {...} {...} |
| setpositiononly | \setpositiononly {...} |
| setpositionplus | \setpositionplus {...} {...} \... {...} |
| setpositionstrut | \setpositionstrut [...] |
| setprofile | \setprofile [...] |
| setrandomseed | \setrandomseed {...} |
| setreference | \setreference [...] [...] [...] |
| setreferencedobject | \setreferencedobject {...} {...} \... {...} |
| setregisterentry | \setregisterentry [...] [...] [...] [...] |
| setreplacements | \setreplacements [...] [...] |
| setrigidcolumnbalance | \setrigidcolumnbalance ... |
| setrigidcolumnhsize | \setrigidcolumnhsize {...} {...} {...} |
| setscript | \setscript [...] |
| setsecondpasscharacteralign | \setsecondpasscharacteralign |
| setsectionblock | \setsectionblock [...] [...] [...] |
| setsimplecolumnhsize | \setsimplecolumnhsize [...] [...] |
| setsmallbodyfont | \setsmallbodyfont |
| setsmallcaps | \setsmallcaps |
| setstackbox | \setstackbox {...} {...} {...} |
| setstructurepageregister | \setstructurepageregister [...] [...] [...] [...] |
| setstrut | \setstrut |
| setsuperiors | \setsuperiors |
| setssystemmode | \setssystemmode {...} |

| | |
|----------------------------|----------------------------------------------------|
| settabular | \settabular |
| settaggedmetadata | \settaggedmetadata [..=..] |
| settestcrlf | \settestcrlf |
| settext | \settext [...] [...] [...] [...] [...] |
| settightobject | \settightobject {...} {...} \... {...} |
| settightreferencedobject | \settightreferencedobject {...} {...} \... {...} |
| settightstrut | \settightstrut |
| settightunreferencedobject | \settightunreferencedobject {...} {...} \... {...} |
| settokenlist | \settokenlist [...] {...} |
| settrialtypesetting | \settrialtypesetting |
| setuevalue | \setuevalue {...} {...} |
| setugvalue | \setugvalue {...} {...} |
| setunreferencedobject | \setunreferencedobject {...} {...} \... {...} |
| setupalternativestyles | \setupalternativestyles [..=..] |
| setupattachment | \setupattachment [...] [..=..] |
| setupattachments | \setupattachments [...] [..=..] |
| setupbackend | \setupbackend [..=..] |
| setupbar | \setupbar [...] [..=..] |
| setupbars | \setupbars [...] [..=..] |
| setupbleeding | \setupbleeding [..=..] |
| setupbookmark | \setupbookmark [..=..] |
| setupbtx | \setupbtx [...] [..=..] |
| setupbtxdataset | \setupbtxdataset [...] [..=..] |
| setupbtxlist | \setupbtxlist [...] [..=..] |
| setupbtxregister | \setupbtxregister [...] [..=..] |
| setupbtxrendering | \setupbtxrendering [...] [..=..] |
| setupbtx:name | \setupbtx [...] |
| setupbutton | \setupbutton [...] [..=..] |
| setupcharacteralign | \setupcharacteralign [..=..] |
| setupcharacterkerning | \setupcharacterkerning [...] [..=..] |
| setupcharacterspacing | \setupcharacterspacing [...] [...] [..=..] |
| setupchemical | \setupchemical [...] [..=..] |
| setupchemicalframed | \setupchemicalframed [...] [..=..] |
| setupcollector | \setupcollector [...] [..=..] |
| setupcolumnsetarea | \setupcolumnsetarea [...] [..=..] |
| setupcolumnsetareatext | \setupcolumnsetareatext [...] [...] |
| setupcolumnsetlines | \setupcolumnsetlines [...] [...] [...] [...] |
| setupcolumnsetspan | \setupcolumnsetspan [...] [..=..] |
| setupcolumnsetstart | \setupcolumnsetstart [...] [...] [...] [...] |
| setupcombination | \setupcombination [...] [..=..] |
| setupcounter | \setupcounter [...] [..=..] |
| setupdataset | \setupdataset [...] [..=..] |
| setupdelimitedtext | \setupdelimitedtext [...] [..=..] |
| setupdescription | \setupdescription [...] [..=..] |
| setupdirections | \setupdirections [..=..] |
| setupdocument | \setupdocument [...] [..=..] |
| setupeffect | \setupeffect [...] [..=..] |
| setupenumeration | \setupenumeration [...] [..=..] |
| setupenv | \setupenv [..=..] |
| setupexpansion | \setupexpansion [...] [..=..] |
| setupexport | \setupexport [..=..] |
| setupexternalfigure | \setupexternalfigure [...] [..=..] |
| setupexternalsoundtracks | \setupexternalsoundtracks [..=..] |
| setupfacingfloat | \setupfacingfloat [...] [..=..] |
| setupfieldbody | \setupfieldbody [...] [..=..] |
| setupfieldcategory | \setupfieldcategory [...] [..=..] |
| setupfieldcontentframed | \setupfieldcontentframed [...] [..=..] |
| setupfieldlabelframed | \setupfieldlabelframed [...] [..=..] |
| setupfieldtotalframed | \setupfieldtotalframed [...] [..=..] |
| setupfiller | \setupfiller [...] [..=..] |
| setupfirstline | \setupfirstline [...] [..=..] |
| setupfittingpage | \setupfittingpage [...] [..=..] |
| setupfloatframed | \setupfloatframed [...] [..=..] |
| setupfontexpansion | \setupfontexpansion [...] [..=..] |
| setupfontprotrusion | \setupfontprotrusion [...] [..=..] |
| setupfonts | \setupfonts [..=..] |
| setupfontsolution | \setupfontsolution [...] [..=..] |
| setupformula | \setupformula [...] [..=..] |
| setupformulaframed | \setupformulaframed [...] [..=..] |
| setupframedcontent | \setupframedcontent [...] [..=..] |
| setupframedtable | \setupframedtable [...] [..=..] |
| setupframedtablecolumn | \setupframedtablecolumn [...] [...] [..=..] |

| | |
|-----------------------------------|----------------------------------------------|
| setupframedtablerow | \setupframedtablerow [...] [...] [..=..] |
| setupframedtext | \setupframedtext [...] [..=..] |
| setupglobalreferenceprefix | \setupglobalreferenceprefix [...] |
| setupheadalternative | \setupheadalternative [...] [..=..] |
| setuphelp | \setuphelp [...] [..=..] |
| setuphigh | \setuphigh [...] [..=..] |
| setuphighlight | \setuphighlight [...] [..=..] |
| setuphyphenation | \setuphyphenation [..=..] |
| setupindentedtext | \setupindentedtext [...] [..=..] |
| setupinitial | \setupinitial [...] [..=..] |
| setupinsertion | \setupinsertion [...] [..=..] |
| setupitaliccorrection | \setupitaliccorrection [...] |
| setupitemgroup | \setupitemgroup [...] [...] [...] [..=..] |
| setupitemgroup:assignment | \setupitemgroup [...] [..=..] |
| setupitemgroup:instance | \impostaiTEMGROUP [...] [...] [..=..] |
| setupitemgroup:instance:itemize | \impostaitemize [...] [...] [..=..] |
| setuplabel | \setuplabel [...] [..=..] |
| setuplayer | \setuplayer [...] [..=..] |
| setuplayeredtext | \setuplayeredtext [...] [..=..] |
| setuplayouttext | \setuplayouttext [...] [...] [..=..] |
| setuplinefiller | \setuplinefiller [...] [..=..] |
| setuplinefillers | \setuplinefillers [...] [..=..] |
| setuplinenote | \setuplinenote [...] [..=..] |
| setuplinetable | \setuplinetable [...] [...] [..=..] |
| setuplistalternative | \setuplistalternative [...] [..=..] |
| setuplistextra | \setuplistextra [...] [..=..] |
| setuplocalfloats | \setuplocalfloats [..=..] |
| setuplocalinterlinespace | \setuplocalinterlinespace [...] [..=..] |
| setuplocalinterlinespace:argument | \setuplocalinterlinespace [...] |
| setuplocalinterlinespace:name | \setuplocalinterlinespace [...] |
| setuplow | \setuplow [...] [..=..] |
| setuplowhigh | \setuplowhigh [...] [..=..] |
| setuplowmidhigh | \setuplowmidhigh [...] [..=..] |
| setupMPgraphics | \setupMPgraphics [..=..] |
| setupMPinstance | \setupMPinstance [...] [..=..] |
| setupMPpage | \setupMPpage [..=..] |
| setupMPvariables | \setupMPvariables [...] [..=..] |
| setupmarginblock | \setupmarginblock [...] [..=..] |
| setupmargindata | \setupmargindata [...] [..=..] |
| setupmarginframed | \setupmarginframed [...] [..=..] |
| setupmarginrule | \setupmarginrule [...] [..=..] |
| setupmathalignment | \setupmathalignment [...] [..=..] |
| setupmathcases | \setupmathcases [...] [..=..] |
| setupmathematics | \setupmathematics [...] [..=..] |
| setupmathfence | \setupmathfence [...] [..=..] |
| setupmathfraction | \setupmathfraction [...] [..=..] |
| setupmathfractions | \setupmathfractions [...] [..=..] |
| setupmathframed | \setupmathframed [...] [..=..] |
| setupmathmatrix | \setupmathmatrix [...] [..=..] |
| setupmathornament | \setupmathornament [...] [..=..] |
| setupmathradical | \setupmathradical [...] [..=..] |
| setupmathstackers | \setupmathstackers [...] [..=..] |
| setupmathstyle | \setupmathstyle [...] |
| setupmixedcolumns | \setupmixedcolumns [...] [..=..] |
| setupmodule | \setupmodule [...] [..=..] |
| setupmulticolumns | \setupmulticolumns [...] [..=..] |
| setupnotation | \setupnotation [...] [..=..] |
| setupnotations | \setupnotations [...] [..=..] |
| setupnote | \setupnote [...] [..=..] |
| setupnotes | \setupnotes [...] [..=..] |
| setupoffset | \setupoffset [..=..] |
| setupoffsetbox | \setupoffsetbox [..=..] |
| setuporientation | \setuporientation [...] [..=..] |
| setupoutputroutine | \setupoutputroutine [...] [..=..] |
| setupoutputroutine:name | \setupoutputroutine [...] |
| setuppagechecker | \setuppagechecker [...] [..=..] |
| setuppagecolumns | \setuppagecolumns [...] [..=..] |
| setuppageinjection | \setuppageinjection [...] [..=..] |
| setuppageinjectionalternative | \setuppageinjectionalternative [...] [..=..] |
| setuppageshift | \setuppageshift [...] [...] [...] |
| setuppagestate | \setuppagestate [...] [..=..] |
| setuppairedbox | \setuppairedbox [...] [..=..] |

| | |
|--------------------------------|-----------------------------------------------------------------|
| setuppairedbox:instance | <code>\impostaPAIREDBOX [..=..]</code> |
| setuppairedbox:instance:legend | <code>\impostalegend [..=..]</code> |
| setuppaper | <code>\setuppaper [..=..]</code> |
| setupparagraph | <code>\setupparagraph [...] [..=..]</code> |
| setupparagraphintro | <code>\setupparagraphintro [...] [...]</code> |
| setupparallel | <code>\setupparallel [...] [...] [..=..]</code> |
| setupperiodkerning | <code>\setupperiodkerning [...] [..=..]</code> |
| setupperiods | <code>\setupperiods [..=..]</code> |
| setupplaceholder | <code>\setupplaceholder [...] [..=..]</code> |
| setupplacement | <code>\setupplacement [...] [..=..]</code> |
| setuppositionbar | <code>\setuppositionbar [..=..]</code> |
| setupprocessor | <code>\setupprocessor [...] [..=..]</code> |
| setupprofile | <code>\setupprofile [...] [..=..]</code> |
| setupquotation | <code>\setupquotation [..=..]</code> |
| setuprealpagenumber | <code>\setuprealpagenumber [..=..]</code> |
| setupreferenceformat | <code>\setupreferenceformat [...] [..=..]</code> |
| setupreferenceprefix | <code>\setupreferenceprefix [...]</code> |
| setupreferencestructureprefix | <code>\setupreferencestructureprefix [...] [...] [..=..]</code> |
| setupregisters | <code>\setupregisters [...] [..=..]</code> |
| setupregisters:argument | <code>\setupregisters [...] [...] [..=..]</code> |
| setuprenderingwindow | <code>\setuprenderingwindow [...] [..=..]</code> |
| setupruby | <code>\setupruby [...] [..=..]</code> |
| setups | <code>\setups [...]</code> |
| setupscale | <code>\setupscale [...] [..=..]</code> |
| setupscrip | <code>\setupscrip [...] [..=..]</code> |
| setupscrip | <code>\setupscrip [...] [..=..]</code> |
| setupscrip | <code>\setupscrip [...] [..=..]</code> |
| setupselector | <code>\setupselector [...] [..=..]</code> |
| setupshift | <code>\setupshift [...] [..=..]</code> |
| setupsidebar | <code>\setupsidebar [...] [..=..]</code> |
| setupspellchecking | <code>\setupspellchecking [..=..]</code> |
| setupstretched | <code>\setupstretched [..=..]</code> |
| setupstyle | <code>\setupstyle [...] [..=..]</code> |
| setupsubformula | <code>\setupsubformula [...] [..=..]</code> |
| setupsubformulas | <code>\setupsubformulas [...] [..=..]</code> |
| setupsymbols | <code>\setupsymbols [..=..]</code> |
| setupsynctex | <code>\setupsynctex [..=..]</code> |
| setups:direct | <code>\setups {...}</code> |
| setupTABLE | <code>\setupTABLE [...] [...] [..=..]</code> |
| setupTEXpage | <code>\setupTEXpage [..=..]</code> |
| setuptagging | <code>\setuptagging [..=..]</code> |
| setuptextbackground | <code>\setuptextbackground [...] [..=..]</code> |
| setuptextflow | <code>\setuptextflow [...] [..=..]</code> |
| setuptextnote | <code>\setuptextnote [...] [..=..]</code> |
| setuptooltip | <code>\setuptooltip [...] [..=..]</code> |
| setupunit | <code>\setupunit [...] [..=..]</code> |
| setupuserdata | <code>\setupuserdata [...] [..=..]</code> |
| setupuserdataalternative | <code>\setupuserdataalternative [...] [..=..]</code> |
| setupuserpagenumber | <code>\setupuserpagenumber [..=..]</code> |
| setupversion | <code>\setupversion [...]</code> |
| setupviewerlayer | <code>\setupviewerlayer [..=..]</code> |
| setupvspacing | <code>\setupvspacing [...]</code> |
| setupwithargument | <code>\setupwithargument {...} {...}</code> |
| setupwithargumentswapped | <code>\setupwithargumentswapped {...} {...}</code> |
| setupxml | <code>\setupxml [..=..]</code> |
| setupxtable | <code>\setupxtable [...] [..=..]</code> |
| setuvalue | <code>\setuvalue {...} {...}</code> |
| setuxvalue | <code>\setuxvalue {...} {...}</code> |
| setvalue | <code>\setvalue {...} {...}</code> |
| setvariable | <code>\setvariable {...} {...} {...}</code> |
| setvariables | <code>\setvariables [...] [..=..]</code> |
| setvboxregister | <code>\setvboxregister ... {...}</code> |
| setvisualizerfont | <code>\setvisualizerfont [...]</code> |
| setvtopregister | <code>\setvtopregister ... {...}</code> |
| setwidthof | <code>\setwidthof ... \to \dots</code> |
| setxmeasure | <code>\setxmeasure {...} {...}</code> |
| setxvalue | <code>\setxvalue {...} {...}</code> |
| setxvariable | <code>\setxvariable {...} {...} {...}</code> |
| setxvariables | <code>\setxvariables [...] [..=..]</code> |
| sfondo | <code>\sfondo {...}</code> |
| sfondo:example | <code>\SFONDO {...}</code> |
| shapedhbox | <code>\shapedhbox {...}</code> |
| shiftbox | <code>\shiftbox {...}</code> |

| | |
|-------------------------------------|------------------------------------------------------|
| shift:instance | \SHIFT {...} |
| shift:instance:shiftdown | \shiftdown {...} |
| shift:instance:shiftup | \shiftup {...} |
| showallmakeup | \showallmakeup |
| showattributes | \showattributes |
| showboxes | \showboxes |
| showbtxdatasetauthors | \showbtxdatasetauthors [..=..] |
| showbtxdatasetauthors:argument | \showbtxdatasetauthors [...] |
| showbtxdatasetcompleteness | \showbtxdatasetcompleteness [..=..] |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness [...] |
| showbtxdatasetfields | \showbtxdatasetfields [..=..] |
| showbtxdatasetfields:argument | \showbtxdatasetfields [...] |
| showbtxfields | \showbtxfields [..=..] |
| showbtxfields:argument | \showbtxfields [...] |
| showbtxhashedauthors | \showbtxhashedauthors [...] |
| showbtxtables | \showbtxtables [...] |
| showchardata | \showchardata {...} |
| showcharratio | \showcharratio {...} |
| showcolorbar | \showcolorbar [...] |
| showcolorcomponents | \showcolorcomponents [...] |
| showcolorset | \showcolorset [...] |
| showcolorstruts | \showcolorstruts |
| showcounter | \showcounter [...] |
| showdirectives | \showdirectives |
| showdirsinmargin | \showdirsinmargin |
| showedebuginfo | \showedebuginfo |
| showexperiments | \showexperiments |
| showfont | \showfont [...] [...] |
| showfontdata | \showfontdata |
| showfontexpansion | \showfontexpansion |
| showfontitalics | \showfontitalics |
| showfontkerns | \showfontkerns |
| showfontparameters | \showfontparameters |
| showfontstrip | \showfontstrip [...] |
| showfontstyle | \showfontstyle [...] [...] [...] [...] |
| showglyphdata | \showglyphdata |
| showglyphs | \showglyphs |
| showgridsnapping | \showgridsnapping |
| showhelp | \showhelp {...} [...] |
| showhyphenationtrace | \showhyphenationtrace [...] [...] |
| showhyphens | \showhyphens {...} |
| showinjector | \showinjector [...] |
| showjustification | \showjustification |
| showkerning | \showkerning {...} |
| showlayoutcomponents | \showlayoutcomponents |
| showligature | \showligature {...} |
| showligatures | \showligatures [...] |
| showlogcategories | \showlogcategories |
| showluatables | \showluatables |
| showmargins | \showmargins |
| showmessage | \showmessage {...} {...} {...} |
| showminimalbaseline | \showminimalbaseline |
| shownextbox | \shownextbox \... {...} |
| showotfcomposition | \showotfcomposition {...} {...} {...} |
| showparentchain | \showparentchain \... {...} |
| showparwrapperstate | \showparwrapperstate {...} |
| showsetupsdefinition | \showsetupsdefinition [...] |
| showtimer | \showtimer {...} |
| showtokens | \showtokens [...] |
| showtrackers | \showtrackers |
| showvalue | \showvalue {...} |
| showvariable | \showvariable {...} {...} |
| showwarning | \showwarning {...} {...} {...} |
| signalrightpage | \signalrightpage |
| simbolo | \simbolo [...] [...] |
| simbolo:direct | \simbolo {...} |
| simplealignedbox | \simplealignedbox {...} {...} {...} |
| simplealignedboxplus | \simplealignedboxplus {...} {...} {...} {...} |
| simplealignedspreadbox | \simplealignedspreadbox {...} {...} {...} |
| simplegroupedcommand | \simplegroupedcommand {...} {...} |
| simplereversealignedbox | \simplereversealignedbox {...} {...} {...} |
| simplereversealignedboxplus | \simplereversealignedboxplus {...} {...} {...} {...} |

| | |
|---------------------------------|------------------------------------------------------------------------------|
| singalcharacteralign | \singalcharacteralign {...} {...} |
| singlebond | \singlebond |
| sinistra | \sinistra ... |
| sixthofsixarguments | \sixthofsixarguments {...} {...} {...} {...} {...} {...} |
| slantedface | \slantedface |
| slicepages | \slicepages [...] [..=..] [..=..] |
| slovenianNumerals | \slovenianNumerals {...} |
| sloveniannumerals | \sloveniannumerals {...} |
| smallcappedcharacters | \smallcappedcharacters {...} |
| smallcappedromannumerals | \smallcappedromannumerals {...} |
| smaller | \smaller |
| smallskip | \smallskip |
| smash | \smash [...] {...} |
| smashbox | \smashbox ... |
| smashboxed | \smashboxed ... |
| smashedhbox | \smashedhbox ... {...} |
| smashedvbox | \smashedvbox ... {...} |
| snaptogrid | \snaptogrid [...] \... {...} |
| snaptogrid:list | \snaptogrid [...] \... {...} |
| someheadnumber | \someheadnumber [...] [...] |
| somekindoftab | \somekindoftab [..=..] |
| somelocalfloat | \somelocalfloat |
| somenamedheadnumber | \somenamedheadnumber {...} {...} |
| someplace | \someplace {...} {...} {...} {...} {...} {...} [...] |
| sorting:instance | \SORTING [...] {...} |
| sorting:instance:logo | \logo [...] {...} |
| sottopaginasuccessiva | \sottopaginasuccessiva |
| spaceddigits | \spaceddigits {...} |
| spaceddigitismethod | \spaceddigitismethod |
| spaceddigitsseparator | \spaceddigitsseparator |
| spaceddigitssymbol | \spaceddigitssymbol |
| spanishNumerals | \spanishNumerals {...} |
| spanishnumerals | \spanishnumerals {...} |
| spazifissi | \spazifissi |
| spazio | \spazio |
| spaziofisso | \spaziofisso |
| spessoreriga | \spessoreriga |
| spezzaoggettomobile | \spezzaoggettomobile [..=..] {...} {...} |
| splitatasterisk | \splitatasterisk ... \... \... |
| splitatcolon | \splitatcolon ... \... \... |
| splitatcolons | \splitatcolons ... \... \... |
| splitatcomma | \splitatcomma ... \... \... |
| splitatperiod | \splitatperiod ... \... \... |
| splitfrac | \splitfrac {...} {...} |
| splitfilename | \splitfilename {...} |
| splitfrac | \splitfrac {...} {...} |
| splitoffbase | \splitoffbase |
| splitofffull | \splitofffull |
| splitoffkind | \splitoffkind |
| splitoffname | \splitoffname |
| splitoffpath | \splitoffpath |
| splitoffroot | \splitoffroot |
| splitofftokens | \splitofftokens ... \from ... \to \... |
| splitofftype | \splitofftype |
| splitstring | \splitstring ... \at ... \to \... \and \... |
| spreadhbox | \spreadhbox ... |
| sqrt | \sqrt [...] {...} |
| stackcampi | \stackcampi [...] [...] [..=..] |
| stackrel | \stackrel {...} {...} |
| stackscripts | \stackscripts |
| startlinenote:instance | \iniziaLINENOTE [...] {...} |
| startlinenote:instance:linenote | \inizialinenote [...] {...} |
| startregister | \startregister [...] [...] [...] [...] {...+...+...} ... \stopregister [...] |
| startstop:example | \STARTSTOP {...} |
| startstructurepageregister | \startstructurepageregister [...] [...] [..=..] [..=..] ... \stopstructur |
| stirato | \stirato [..=..] {...} |
| stoplinenote:instance | \terminalINENOTE [...] |
| stoplinenote:instance:linenote | \terminalinenote [...] |
| strictdoifelsenextoptional | \strictdoifelsenextoptional {...} {...} |
| strictdoifnextoptionalelse | \strictdoifnextoptionalelse {...} {...} |
| stripcharacter | \stripcharacter ... \from ... \to \... |
| strippedcsname | \strippedcsname \... |

| | |
|----------------------------------|----------------------------------------------------|
| strippedcsname:string | \strippedcsname ... |
| stripspaces | \stripspaces \from ... \to \... |
| structurelistuservariable | \structurelistuservariable {...} |
| structurenumber | \structurenumber |
| structuretitle | \structuretitle |
| structureuservariable | \structureuservariable {...} |
| structurevariable | \structurevariable {...} |
| strut | \strut |
| strutdp | \strutdp |
| strutgap | \strutgap |
| strutht | \strutht |
| struthtdp | \struthtdp |
| struttedbox | \struttedbox {...} |
| strutwd | \strutwd |
| style | \style [..=..] {...} |
| styleinstance | \styleinstance [...] |
| style:argument | \style [...] {...} |
| style:instance | \STYLE {...} |
| subpagenumber | \subpagenumber |
| subsentence | \subsentence {...} |
| substituteincommalist | \substituteincommalist {...} {...} \... |
| subtractfeature | \subtractfeature [...] |
| subtractfeature:direct | \subtractfeature {...} |
| swapcounts | \swapcounts \... \... |
| swapdimens | \swapdimens \... \... |
| swapface | \swapface |
| swapmacros | \swapmacros \... \... |
| swaptypface | \swaptypface |
| switchstyleonly | \switchstyleonly [...] |
| switchstyleonly:command | \switchstyleonly \... |
| switchtocolour | \switchtocolour [...] |
| switchtointerlinespace | \switchtointerlinespace [...] [..=..] |
| switchtointerlinespace:argument | \switchtointerlinespace [...] |
| switchtointerlinespace:name | \switchtointerlinespace [...] |
| symbolreference | \symbolreference [...] |
| synchronizeblank | \synchronizeblank |
| synchronizeindenting | \synchronizeindenting |
| synchronizemarking | \synchronizemarking [...] [...] [...] |
| synchronizeoutputstreams | \synchronizeoutputstreams [...] |
| synchronizestrut | \synchronizestrut {...} |
| synchronizewhitespace | \synchronizewhitespace |
| synctexblockfilename | \synctexblockfilename {...} |
| synctexresetfilename | \synctexresetfilename |
| synctexsetfilename | \synctexsetfilename {...} |
| synonym:instance | \SYNONYM [...] {...} {...} |
| synonym:instance:abbreviation | \abbreviation [...] {...} {...} |
| systemlog | \systemlog {...} {...} {...} |
| systemlogfirst | \systemlogfirst [...] {...} {...} |
| systemloglast | \systemloglast [...] {...} {...} |
| systemsetups | \systemsetups {...} |
| TABLE | \TABLE |
| Table | \Table |
| TEX | \TEX |
| TeX | \TeX |
| TheNormalizedFontSize | \TheNormalizedFontSize |
| TransparencyHack | \TransparencyHack |
| tabulateautoline | \tabulateautoline |
| tabulateautorule | \tabulateautorule |
| tabulateline | \tabulateline |
| tabulaterule | \tabulaterule |
| taggedctxcommand | \taggedctxcommand {...} |
| taggedlabeltexts | \taggedlabeltexts [...] [...] {...} |
| tbox | \tbox {...} |
| terminariga | \terminariga [...] |
| testandsplitstring | \testandsplitstring ... \at ... \to \... \and \... |
| testcolumn | \testcolumn [...] [...] |
| testfeature | \testfeature [...] {...} |
| testfeatureonce | \testfeatureonce [...] {...} |
| testoaiuto | \testoaiuto [...] [...] {...} |
| testoetichetta:instance | \LABELtesto {...} |
| testoetichetta:instance:btxlabel | \btxlabeltesto {...} |
| testoetichetta:instance:head | \headtesto {...} |

| | |
|---------------------------------------|-----------------------------------------------------------------------|
| testoetichetta:instance:label | <code>\labeltesto {...}</code> |
| testoetichetta:instance:mathlabel | <code>\mathlabeltesto {...}</code> |
| testoetichetta:instance:operator | <code>\operatorortesto {...}</code> |
| testoetichetta:instance:prefix | <code>\prefixtesto {...}</code> |
| testoetichetta:instance:suffix | <code>\suffixtesto {...}</code> |
| testoetichetta:instance:taglabel | <code>\taglabeltesto {...}</code> |
| testoetichetta:instance:unit | <code>\unittesto {...}</code> |
| testoincorniciato:instance | <code>\FRAMEDTEXT [...=..] {...}</code> |
| testoincorniciato:instance:framedtext | <code>\framedtext [...=..] {...}</code> |
| testonotapdp | <code>\testonotapdp [...] {...}</code> |
| testonotapdp:assignment | <code>\testonotapdp [...=..]</code> |
| testoriempimento | <code>\testoriempimento [...=..] {...} {...}</code> |
| testpage | <code>\testpage [...] [...]</code> |
| testpageonly | <code>\testpageonly [...] [...]</code> |
| testpagesync | <code>\testpagesync [...] [...]</code> |
| testtokens | <code>\testtokens [...]</code> |
| tex | <code>\tex {...}</code> |
| texdefinition | <code>\texdefinition {...}</code> |
| texsetup | <code>\texsetup {...}</code> |
| textbackground:example | <code>\TEXTBACKGROUND {...}</code> |
| textcitation | <code>\textcitation [...=..] [...]</code> |
| textcitation:alternative | <code>\textcitation [...] [...]</code> |
| textcitation:userdata | <code>\textcitation [...=..] [...=..]</code> |
| textcite | <code>\textcite [...=..] [...]</code> |
| textcite:alternative | <code>\textcite [...] [...]</code> |
| textcite:userdata | <code>\textcite [...=..] [...=..]</code> |
| textcontrolspace | <code>\textcontrolspace</code> |
| textflowcollector | <code>\textflowcollector {...}</code> |
| textmath | <code>\textmath {...}</code> |
| textminus | <code>\textminus</code> |
| textnote:example | <code>\textnote [...=..] {...}</code> |
| textormathchar | <code>\textormathchar {...}</code> |
| textormathchars | <code>\textormathchars {...}</code> |
| textplus | <code>\textplus</code> |
| textvisiblespace | <code>\textvisiblespace</code> |
| thainumerals | <code>\thainumerals {...}</code> |
| thedatavalue | <code>\thedatavalue {...}</code> |
| thefirstcharacter | <code>\thefirstcharacter {...}</code> |
| thenormalizedbodyfontsize | <code>\thenormalizedbodyfontsize {...}</code> |
| theorientation | <code>\theorientation {...}</code> |
| theremainingcharacters | <code>\theremainingcharacters {...}</code> |
| thickspace | <code>\thickspace</code> |
| thinspace | <code>\thinspace</code> |
| thirdoffivearguments | <code>\thirdoffivearguments {...} {...} {...} {...} {...}</code> |
| thirdoffourarguments | <code>\thirdoffourarguments {...} {...} {...} {...}</code> |
| thirdofsixarguments | <code>\thirdofsixarguments {...} {...} {...} {...} {...} {...}</code> |
| thirdofthreearguments | <code>\thirdofthreearguments {...} {...} {...}</code> |
| thirdofthreeunexpanded | <code>\thirdofthreeunexpanded {...} {...} {...}</code> |
| threedigitrounding | <code>\threedigitrounding {...}</code> |
| tibetanumerals | <code>\tibetanumerals {...}</code> |
| tieniblocchi | <code>\tieniblocchi [...] [...]</code> |
| tightlayer | <code>\tightlayer [...]</code> |
| tilde | <code>\tilde {...}</code> |
| tinyfont | <code>\tinyfont</code> |
| tlap | <code>\tlap {...}</code> |
| tochar | <code>\tochar {...}</code> |
| tolinenote | <code>\tolinenote [...]</code> |
| tooltip:instance | <code>\TOOLTIP [...=..] {...} {...}</code> |
| tooltip:instance:argument | <code>\TOOLTIP [...] {...} {...}</code> |
| tooltip:instance:argument:tooltip | <code>\tooltip [...] {...} {...}</code> |
| tooltip:instance:tooltip | <code>\tooltip [...=..] {...} {...}</code> |
| topbox | <code>\topbox {...}</code> |
| opleftbox | <code>\opleftbox {...}</code> |
| toplinesebox | <code>\toplinesebox {...}</code> |
| toprightbox | <code>\toprightbox {...}</code> |
| topskippedbox | <code>\topskippedbox {...}</code> |
| tracecatcodetables | <code>\tracecatcodetables</code> |
| tracedfontname | <code>\tracedfontname {...}</code> |
| tracedpagestate | <code>\tracedpagestate</code> |
| traceoutputroutines | <code>\traceoutputroutines</code> |
| tracepositions | <code>\tracepositions</code> |
| traduci | <code>\traduci [...=..]</code> |

| | |
|------------------------------|-------------------------------------------|
| transparencypcomponents | \transparencypcomponents {...} |
| transparent | \transparent [...] {...} |
| triplebond | \triplebond |
| truefilename | \truefilename {...} |
| truefontname | \truefontname {...} |
| ttraggedright | \ttraggedright |
| twodigitrounding | \twodigitrounding {...} |
| tx | \tx |
| txx | \txx |
| typ | \typ [..=..] {...} |
| type | \type [..=..] {...} |
| typebuffer | \typebuffer [...] [..=..] |
| typebuffer:instance | \typeBUFFER [..=..] |
| typedefinedbuffer | \typedefinedbuffer [...] [..=..] |
| typeface | \typeface |
| typefile | \typefile [...] [..=..] {...} |
| typeinlinebuffer | \typeinlinebuffer [...] [..=..] |
| typescriptone | \typescriptone |
| typescriptprefix | \typescriptprefix {...} |
| typescriptthree | \typescriptthree |
| typescripttwo | \typescripttwo |
| typesetbuffer | \typesetbuffer [...] [..=..] |
| typesetbufferonly | \typesetbufferonly [...] |
| typesetfile | \typesetfile [...] [...] [..=..] |
| type:angles | \type [..=..] <<...>> |
| type:example | \TYPE [..=..] {...} |
| type:example:angles | \TYPE [..=..] <<...>> |
| typ:angles | \typ [..=..] <<...>> |
| uchexnumber | \uchexnumber {...} |
| uchexnumbers | \uchexnumbers {...} |
| uconvertnumber | \uconvertnumber {...} {...} |
| uedcatcodecommand | \uedcatcodecommand \... \... {...} |
| ultimasottopagina | \ultimasottopagina |
| undefinevalue | \undefinevalue {...} |
| undepthed | \undepthed {...} |
| underset | \underset {...} {...} |
| undoassign | \undoassign [...] [..=..] |
| unexpandeddocumentvariable | \unexpandeddocumentvariable {...} |
| unhhbox | \unhhbox ... \with {...} |
| unihex | \unihex {...} |
| uniqueMPgraphic | \uniqueMPgraphic {...} {..=..} |
| uniqueMPpagegraphic | \uniqueMPpagegraphic {...} {..=..} |
| unita:instance | \UNIT {...} |
| unita:instance:unit | \unit {...} |
| unprotect | \unprotect ... \protect |
| unprotected | \unprotected ... \par |
| unregisterhyphenationpattern | \unregisterhyphenationpattern [...] [...] |
| unregisterparwrapper | \unregisterparwrapper {...} |
| unspaceafter | \unspaceafter \... {...} |
| unspaceargument | \unspaceargument ... \to \... |
| unspaced | \unspaced {...} |
| unspacestring | \unspacestring ... \to \... |
| unstackscripts | \unstackscripts |
| untexargument | \untexargument {...} \to \... |
| untexcommand | \untexcommand {...} \to \... |
| updateparagraphdemerits | \updateparagraphdemerits |
| updateparagraphpenalties | \updateparagraphpenalties |
| updateparagraphproperties | \updateparagraphproperties |
| updateparagraphshapes | \updateparagraphshapes |
| uppercased | \uppercased {...} |
| uppercasestring | \uppercasestring ... \to \... |
| uppercasing | \uppercasing |
| upperleftdoubleninequote | \upperleftdoubleninequote |
| upperleftdoublesixquote | \upperleftdoublesixquote |
| upperleftsingleninequote | \upperleftsingleninequote |
| upperleftsinglesixquote | \upperleftsinglesixquote |
| upperrightdoubleninequote | \upperrightdoubleninequote |
| upperrightdoublesixquote | \upperrightdoublesixquote |
| upperrightsingleninequote | \upperrightsingleninequote |
| upperrightsinglesixquote | \upperrightsinglesixquote |
| url | \url [...] |
| usablocco | \usablocco [...] [...] [..=..] |

| | |
|----------------------------|-----------------------------------------------|
| usacartella | \usacartella [...] |
| usacolonnasonoraesterna | \usacolonnasonoraesterna [...] [...] |
| usadocumentoesterno | \usadocumentoesterno [...] [...] [...] |
| usafiguraesterna | \usafiguraesterna [...] [...] [...] [...=..] |
| usaJSscripts | \usaJSscripts [...] [...] |
| usamodulo | \usamodulo [...] [...] [...=..] |
| usasimboli | \usasimboli [...] |
| usaURL | \usaURL [...] [...] [...] [...] |
| usaur1 | \usaur1 [...] [...] [...] [...] |
| usealignparameter | \usealignparameter \... |
| useblankparameter | \useblankparameter \... |
| usebodyfont | \usebodyfont [...] |
| usebodyfontparameter | \usebodyfontparameter \... |
| usebtxdataset | \usebtxdataset [...] [...] [...=..] |
| usebtxdefinitions | \usebtxdefinitions [...] |
| usecitation | \usecitation [...] |
| usecitation:direct | \usecitation {...} |
| usecolors | \usecolors [...] |
| usecomponent | \usecomponent [...] |
| usedummycolorparameter | \usedummycolorparameter {...} |
| usedummystyleandcolor | \usedummystyleandcolor {...} {...} |
| usedummystyleparameter | \usedummystyleparameter {...} |
| useenvironment | \useenvironment [...] |
| useexternalrendering | \useexternalrendering [...] [...] [...] [...] |
| usefigurebase | \usefigurebase [...] |
| usefile | \usefile [...] [...] [...] [...] |
| usefontpath | \usefontpath [...] |
| usegridparameter | \usegridparameter \... |
| usehyphensparameter | \usehyphensparameter \... |
| useindentingparameter | \useindentingparameter \... |
| useindentnextparameter | \useindentnextparameter \... |
| useinterlinespaceparameter | \useinterlinespaceparameter \... |
| uselanguageparameter | \uselanguageparameter \... |
| useluamodule | \useluamodule [...] |
| useluable | \useluable \... |
| useMPenvironmentbuffer | \useMPenvironmentbuffer [...] |
| useMPgraphic | \useMPgraphic {...} {...=..} |
| useMPlibrary | \useMPlibrary [...] |
| useMPrun | \useMPrun {...} {...} |
| useMPvariables | \useMPvariables [...] [...] |
| usemathstyleparameter | \usemathstyleparameter \... |
| useproduct | \useproduct [...] |
| useprofileparameter | \useprofileparameter \... |
| useproject | \useproject [...] |
| userferenceparameter | \userferenceparameter \... |
| userpagenumber | \userpagenumber |
| usesetupparameter | \usesetupparameter \... |
| usestaticMPfigure | \usestaticMPfigure [...=..] [...] |
| usesubpath | \usesubpath [...] |
| usetexmodule | \usetexmodule [...] [...] [...=..] |
| usetypescript | \usetypescript [...] [...] [...] [...] |
| usetypescriptfile | \usetypescriptfile [...] |
| usezipfile | \usezipfile [...] [...] [...] |
| utfchar | \utfchar {...} |
| utflower | \utflower {...} |
| utfupper | \utfupper {...} |
| utilityregisterlength | \utilityregisterlength |
| VerboseNumber | \VerboseNumber {...} |
| vaia | \vaia {...} [...] |
| vaiabox | \vaiabox {...} [...] |
| vaiapagina | \vaiapagina {...} [...] |
| vaigiù | \vaigiù [...] |
| validassignment | \validassignment {...} |
| valorecolore | \valorecolore {...} |
| vboxreference | \vboxreference [...] {...} |
| vec | \vec {...} |
| verbatim | \verbatim {...} |
| verbatimstring | \verbatimstring {...} |
| verbosenumbers | \verbosenumbers {...} |
| versione | \versione [...] |
| verticalgrowingbar | \verticalgrowingbar [...=..] |
| verticalpositionbar | \verticalpositionbar [...=..] |

| | |
|------------------------|-----------------------------------------------|
| veryraggedcenter | \veryraggedcenter |
| veryraggedleft | \veryraggedleft |
| veryraggedright | \veryraggedright |
| vglue | \vglue ... |
| viewerlayer | \viewerlayer [...] {...} |
| v1 | \v1 [...] |
| vpackbox | \vpackbox |
| vpackedbox | \vpackedbox |
| vphantom | \vphantom {...} |
| vpos | \vpos {...} {...} |
| vsmash | \vsmash {...} |
| vsmashbox | \vsmashbox ... |
| vsmashed | \vsmashed {...} |
| vspace | \vspace [...] [...] |
| vspacing | \vspacing [...] |
| WidthSpanningText | \WidthSpanningText {...} {...} {...} |
| wdofstring | \wdofstring {...} |
| widthofstring | \widthofstring {...} |
| widthspanningtext | \widthspanningtext {...} {...} {...} |
| withoutpt | \withoutpt {...} |
| words | \words {...} |
| wordtonumber | \wordtonumber {...} {...} |
| writedatatolist | \writedatatolist [...] [..=..] [..=..] |
| writestatus | \writestatus {...} {...} |
| XETEX | \XETEX |
| XeTeX | \XeTeX |
| xdefconvertedargument | \xdefconvertedargument \... {...} |
| xmladdindex | \xmladdindex {...} |
| xmlafterdocumentsetup | \xmlafterdocumentsetup {...} {...} {...} |
| xmlafterssetup | \xmlafterssetup {...} {...} |
| xmlall | \xmlall {...} {...} |
| xmlappenddocumentsetup | \xmlappenddocumentsetup {...} {...} |
| xmlappendsetup | \xmlappendsetup {...} |
| xmlapplyselectors | \xmlapplyselectors {...} |
| xmlatt | \xmlatt {...} {...} |
| xmlattdef | \xmlattdef {...} {...} {...} |
| xmlattribute | \xmlattribute {...} {...} {...} |
| xmlattributedef | \xmlattributedef {...} {...} {...} {...} |
| xmlbadinclusions | \xmlbadinclusions {...} |
| xmlbeforedocumentsetup | \xmlbeforedocumentsetup {...} {...} {...} |
| xmlbeforesetup | \xmlbeforesetup {...} {...} |
| xmlchainatt | \xmlchainatt {...} {...} |
| xmlchainattdef | \xmlchainattdef {...} {...} {...} |
| xmlchecknamespace | \xmlchecknamespace {...} {...} |
| xmlcommand | \xmlcommand {...} {...} {...} |
| xmlconcat | \xmlconcat {...} {...} {...} |
| xmlconcatrange | \xmlconcatrange {...} {...} {...} {...} {...} |
| xmlcontext | \xmlcontext {...} {...} |
| xmlcount | \xmlcount {...} |
| xmldefaulttotext | \xmldefaulttotext {...} |
| xmldepth | \xmldepth {...} |
| xmldirectives | \xmldirectives {...} |
| xmldirectivesafter | \xmldirectivesafter {...} |
| xmldirectivesbefore | \xmldirectivesbefore {...} |
| xmldisplayverbatim | \xmldisplayverbatim {...} |
| xmldoif | \xmldoif {...} {...} {...} |
| xmldoifatt | \xmldoifatt {...} {...} |
| xmldoifelse | \xmldoifelse {...} {...} {...} {...} |
| xmldoifelseatt | \xmldoifelseatt {...} {...} {...} |
| xmldoifelseempty | \xmldoifelseempty {...} {...} {...} {...} |
| xmldoifelseselfempty | \xmldoifelseselfempty {...} {...} {...} |
| xmldoifsetext | \xmldoifsetext {...} {...} {...} {...} |
| xmldoifelsevalue | \xmldoifelsevalue {...} {...} {...} {...} |
| xmldoifnot | \xmldoifnot {...} {...} {...} |
| xmldoifnotatt | \xmldoifnotatt {...} {...} |
| xmldoifnotselfempty | \xmldoifnotselfempty {...} {...} |
| xmldoifnottext | \xmldoifnottext {...} {...} {...} |
| xmldoifselfempty | \xmldoifselfempty {...} {...} |
| xmldoiftext | \xmldoiftext {...} {...} {...} |
| xmlelement | \xmlelement {...} {...} |
| xmlfilter | \xmlfilter {...} {...} |
| xmlfirst | \xmlfirst {...} {...} |

| | |
|-----------------------------|------------------------------------------|
| xmlflush | \xmlflush {...} |
| xmlflushcontext | \xmlflushcontext {...} |
| xmlflushdocumentsetups | \xmlflushdocumentsetups {...} {...} |
| xmlflushlinewise | \xmlflushlinewise {...} |
| xmlflushpure | \xmlflushpure {...} |
| xmlflushspacewise | \xmlflushspacewise {...} |
| xmlflushstext | \xmlflushstext {...} |
| xmlinclude | \xmlinclude {...} {...} {...} |
| xmlinclusion | \xmlinclusion {...} |
| xmlinclusions | \xmlinclusions {...} |
| xmlinfo | \xmlinfo {...} |
| xmlinjector | \xmlinjector {...} |
| xmlinlineprettyprint | \xmlinlineprettyprint {...} {...} |
| xmlinlineprettyprinttext | \xmlinlineprettyprinttext {...} {...} |
| xmlinlineverbatim | \xmlinlineverbatim {...} |
| xmlinstalldirective | \xmlinstalldirective {...} {...} |
| xmllast | \xmllast {...} {...} |
| xmllastatt | \xmllastatt |
| xmllastmatch | \xmllastmatch |
| xmllastpar | \xmllastpar |
| xmlloadbuffer | \xmlloadbuffer {...} {...} {...} |
| xmlloaddata | \xmlloaddata {...} {...} {...} |
| xmlloaddirectives | \xmlloaddirectives {...} |
| xmlloadfile | \xmlloadfile {...} {...} {...} |
| xmlloadonly | \xmlloadonly {...} {...} {...} |
| xmlmain | \xmlmain {...} |
| xmlmapvalue | \xmlmapvalue {...} {...} {...} |
| xmlname | \xmlname {...} |
| xmlnamespace | \xmlnamespace {...} |
| xmlnonamespace | \xmlnonamespace {...} {...} |
| xmlpar | \xmlpar {...} {...} |
| xmlparam | \xmlparam {...} {...} {...} |
| xmlpath | \xmlpath {...} |
| xmlpos | \xmlpos {...} |
| xmlposition | \xmlposition {...} {...} {...} |
| xmlprependdocumentsetup | \xmlprependdocumentsetup {...} {...} |
| xmlprependsetup | \xmlprependsetup {...} |
| xmlprettyprint | \xmlprettyprint {...} {...} |
| xmlprettyprinttext | \xmlprettyprinttext {...} {...} |
| xmlprocessbuffer | \xmlprocessbuffer {...} {...} {...} |
| xmlprocessdata | \xmlprocessdata {...} {...} {...} |
| xmlprocessfile | \xmlprocessfile {...} {...} {...} |
| xmlpure | \xmlpure {...} {...} |
| xmlraw | \xmlraw {...} |
| xmlrefatt | \xmlrefatt {...} {...} |
| xmlregistereddokumentsetups | \xmlregistereddokumentsetups {...} {...} |
| xmlregisteredsetups | \xmlregisteredsetups |
| xmlregisters | \xmlregisters {...} {...} |
| xmlremapname | \xmlremapname {...} {...} {...} {...} |
| xmlremapnamespace | \xmlremapnamespace {...} {...} {...} |
| xmlremoveddocumentsetup | \xmlremoveddocumentsetup {...} {...} |
| xmlremovesetup | \xmlremovesetup {...} |
| xmlresetdocumentsetups | \xmlresetdocumentsetups {...} |
| xmlresetinjectors | \xmlresetinjectors |
| xmlresetsetups | \xmlresetsetups {...} |
| xmlsave | \xmlsave {...} {...} |
| xmlsetatt | \xmlsetatt {...} {...} {...} |
| xmlsetattribute | \xmlsetattribute {...} {...} {...} {...} |
| xmlsetentity | \xmlsetentity {...} {...} |
| xmlsetfunction | \xmlsetfunction {...} {...} {...} |
| xmlsetinjectors | \xmlsetinjectors [...] |
| xmlsetpar | \xmlsetpar {...} {...} {...} |
| xmlsetparam | \xmlsetparam {...} {...} {...} {...} |
| xmlsetsetup | \xmlsetsetup {...} {...} {...} |
| xmlsetup | \xmlsetup {...} {...} |
| xmlshow | \xmlshow {...} |
| xmlsnippet | \xmlsnippet {...} {...} |
| xmlstrip | \xmlstrip {...} {...} |
| xmlstripnolines | \xmlstripnolines {...} {...} |
| xmlstripped | \xmlstripped {...} {...} |
| xmlstrippednolines | \xmlstrippednolines {...} {...} |
| xmltag | \xmltag {...} |

xmltexentity
xmltext
xmltobuffer
xmltobufferverbose
xmltofile
xmlvalue
xmlverbatim
xsplitstring
xypos
yiddishnumerals
zeronumberconversion

\xmltexentity {...} {...}
\xmltext {...} {...}
\xmltobuffer {...} {...} {...}
\xmltobufferverbose {...} {...} {...}
\xmltofile {...} {...} {...}
\xmlvalue {...} {...} {...}
\xmlverbatim {...}
\xsplitstring \... {...}
\xypos {...}
\yiddishnumerals {...}
\zeronumberconversion {...}

PRAGMA ADE
Ridderstraat 27
8061GH Hasselt NL
www.pragma-ade.com