


# Lean and mean LuaMetaT<sub>E</sub>X

ConT<sub>E</sub>Xt meeting, September 2019


Hans & Alan



- **interferences:** ConT<sub>E</sub>Xt, plain T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X all have different demands (we want to experiment and move on and users pick up fast)
- **complexity:** the source tree is way too complex as is the build (we only need LuaT<sub>E</sub>X)
- **distributions:** no one can guarantee stability for ConT<sub>E</sub>Xt (being a minor player but often a bit ahead)
- **annoyances:** experimental codes leads to usage outside ConT<sub>E</sub>Xt and that triggers complaints
- **motivation:** running into folks who love to stress “huge bugs” and “much instability” wastes energy
- **arguments:** I got tired of “you need to support this because ...” blabla
- **nagging:** like “the manual ...” is becoming too tiresome, so best keep experiments within the ConT<sub>E</sub>Xt bubble


**LuaMetaT<sub>E</sub>X**

**How it became**




- **simplification:** we don't need all what is currently in the LuaT<sub>E</sub>X engine as we don't use it
- **source:** there is much less of it and we can get rid of web artifacts
- **compilation:** there was much more going on than was needed and only a few knew those details
- **consistency:** to guarantee consistency with ConT<sub>E</sub>Xt the source code will be part of the source distribution (once I'm satisfied)
- **marketing:** this way the relation with ConT<sub>E</sub>Xt and its user base is more clear
- **playground:** we can move forward and experiment without the danger of running into problems with non ConT<sub>E</sub>Xt users: "use it at your own risk"
- **possibilities:** playing a bit more with the bits and pieces that are responsible for most (interfering) issues, like the the (asynchronous) page builder

**LuaMetaT<sub>E</sub>X**  
**What it is**



- **binary:** there is only one relatively small binary needed (that does all things needed)
- **code base:** there comes an extra source tree, but it's small (compresses to around 2 MB)
- **user control:** if needed users can compile the program so we're self contained
- **future safe:** we can move forward and improve
- **modern:** a code base with the latest LuaTeX, mplib and Lua
- **side effect:** we drop LuaJIT as it doesn't keep up (and benefits are too small)
- **design:** we have a better separation between the Knuthian front- and output format driven backend
- **independent:** there is no dependency on external libraries, we keep all we need in the code base (we only use a few small third party libraries)


**LuaMetaTeX**  
**Implications**



- **hobbyism** we don't need to carry the burden of everything (unless paid for it's only fun and users that drives development)
- **convenience:** the faster compilation makes reworking and experimenting reasonable
- **stepwise:** I take my time and do things stepwise because things should not break without fast recovery
- **feelgood:** this all fits well into the good old T<sub>E</sub>X extension model
- **eventually:** when proven useful we can always push code upstream into LuaT<sub>E</sub>X

**LuaMetaT<sub>E</sub>X**


**A few notes**



- **original:** the starting point is Lua<sub>T</sub><sub>E</sub>X, original web code, already cweb code
- **stability:** after a initial stage Lua<sub>T</sub><sub>E</sub>X was stepwise extended till version one a few years ago
- **frozen:** there were only a few changes after that but no real conceptual ones
- **engine:** what is now called LuaMeta<sub>T</sub><sub>E</sub>X is a reworked code base
- **graphics:** also mplib has been reworked a bit and some extensions were added
- **libraries:** there are a few extra (small) helper libs, but all in the source tree
- **pplib:** we already use the next version of pplib
- **pruning:** and best of all, quite some not used code could go

**LuaMeta<sub>T</sub><sub>E</sub>X**

**Bits and pieces**



- **source tree:** the code base has been regrouped, globals became more local (work in progress), header files were added
- **source files:** there is hardly any font related code, languages were kept, and the backend code is dropped: show files
- **libraries:** a few libs were added and dropped: show some
- **cmake:** compilation is different: work in progress
- **mkx<sub>l</sub>:** there are new files in ConT<sub>E</sub>Xt: driv, lpdf, .mkx<sub>l</sub> and expect more
- **binary:** there is only one stub for all

during presentation: show the source tree as well as the binary directory

**LuaMetaT<sub>E</sub>X**  
**Some details**